




### **Test Data**


# **Duty Cycle**

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	BLE	2402	Ant1	40.81	3.89
NVNT	BLE	2442	Ant1	40.8	3.89
NVNT	BLE	2480	Ant1	40.81	3.89















# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.551	30	Pass
NVNT	BLE	2442	Ant1	1.449	30	Pass
NVNT	BLE	2480	Ant1	0.654	30	Pass













### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit(MHz)	Verdic
NVNT	BLE	2402	Ant1	1.135	0.5	Pass
NVNT	BLE	2442	Ant1	1.127	0.5	Pass
NVNT	BLE	2480	Ant1	1.126	0.5	Pass














# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	2.032
NVNT	BLE	2442	Ant1	2.032
NVNT	BLE	2480	Ant1	2.034














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/3KHz)	Limit (dBm/3KHz)	Verdict
NVNT	BLE	2402	Ant1	-17.524	8	Pass
NVNT	BLE	2442	Ant1	-16.617	8	Pass
NVNT	BLE	2480	Ant1	-17.256	8	Pass














# **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.74	-30	Pass
NVNT	BLE	2480	Ant1	-56.13	-30	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.53	-30	Pass
NVNT	BLE	2442	Ant1	-47.09	-30	Pass
NVNT	BLE	2480	Ant1	-46.96	-30	Pass











