



## **Appendix Test Data for LTE\_band\_26b**

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B26b\_1.4MHz\_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	24.31	-3.40	18.76	<=38.45	Pass		
			2	24.41	-3.40	18.86	<=38.45	Pass		
			5	24.29	-3.40	18.74	<=38.45	Pass		
		3	0	24.40	-3.40	18.85	<=38.45	Pass		
			2	24.43	-3.40	18.88	<=38.45	Pass		
			3	24.39	-3.40	18.84	<=38.45	Pass		
		6	0	23.39	-3.40	17.84	<=38.45	Pass		
		836.5	1	0	24.25	-3.40	18.70	<=38.45	Pass	
				2	24.34	-3.40	18.79	<=38.45	Pass	
	5			24.23	-3.40	18.68	<=38.45	Pass		
	3		0	24.38	-3.40	18.83	<=38.45	Pass		
			2	24.36	-3.40	18.81	<=38.45	Pass		
			3	24.34	-3.40	18.79	<=38.45	Pass		
	6		0	23.31	-3.40	17.76	<=38.45	Pass		
	848.3		1	0	23.78	-3.40	18.23	<=38.45	Pass	
				2	23.92	-3.40	18.37	<=38.45	Pass	
		5		23.82	-3.40	18.27	<=38.45	Pass		
		3	0	23.82	-3.40	18.27	<=38.45	Pass		
			2	23.81	-3.40	18.26	<=38.45	Pass		
			3	23.79	-3.40	18.24	<=38.45	Pass		
		6	0	22.80	-3.40	17.25	<=38.45	Pass		
		16QAM	824.7	1	0	23.47	-3.40	17.92	<=38.45	Pass
					2	23.66	-3.40	18.11	<=38.45	Pass
	5				23.46	-3.40	17.91	<=38.45	Pass	
3	0			23.36	-3.40	17.81	<=38.45	Pass		
	2			23.39	-3.40	17.84	<=38.45	Pass		
	3			23.37	-3.40	17.82	<=38.45	Pass		
6	0			22.41	-3.40	16.86	<=38.45	Pass		
836.5	1			0	22.93	-3.40	17.38	<=38.45	Pass	
				2	22.90	-3.40	17.35	<=38.45	Pass	
			5	22.74	-3.40	17.19	<=38.45	Pass		
	3		0	23.10	-3.40	17.55	<=38.45	Pass		
			2	23.10	-3.40	17.55	<=38.45	Pass		
			3	23.11	-3.40	17.56	<=38.45	Pass		
	6		0	21.84	-3.40	16.29	<=38.45	Pass		
	848.3		1	0	22.70	-3.40	17.15	<=38.45	Pass	
				2	22.83	-3.40	17.28	<=38.45	Pass	
5				22.73	-3.40	17.18	<=38.45	Pass		
3			0	22.82	-3.40	17.27	<=38.45	Pass		
			2	22.82	-3.40	17.27	<=38.45	Pass		
			3	22.78	-3.40	17.23	<=38.45	Pass		
6			0	21.69	-3.40	16.14	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

**1.1.2 B26b\_3MHz\_ERP**

Band: 26b / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	23.91	-3.40	18.36	<=38.45	Pass		
			7	24.01	-3.40	18.46	<=38.45	Pass		
			14	23.83	-3.40	18.28	<=38.45	Pass		
		8	0	22.87	-3.40	17.32	<=38.45	Pass		
			4	22.89	-3.40	17.34	<=38.45	Pass		
			7	22.82	-3.40	17.27	<=38.45	Pass		
		15	0	22.81	-3.40	17.26	<=38.45	Pass		
		836.5	1	0	23.85	-3.40	18.30	<=38.45	Pass	
				7	23.97	-3.40	18.42	<=38.45	Pass	
	14			23.81	-3.40	18.26	<=38.45	Pass		
	8		0	22.85	-3.40	17.30	<=38.45	Pass		
			4	22.88	-3.40	17.33	<=38.45	Pass		
			7	22.83	-3.40	17.28	<=38.45	Pass		
	15		0	22.84	-3.40	17.29	<=38.45	Pass		
	847.5		1	0	23.80	-3.40	18.25	<=38.45	Pass	
				7	23.94	-3.40	18.39	<=38.45	Pass	
		14		23.79	-3.40	18.24	<=38.45	Pass		
		8	0	22.77	-3.40	17.22	<=38.45	Pass		
			4	22.82	-3.40	17.27	<=38.45	Pass		
			7	22.81	-3.40	17.26	<=38.45	Pass		
		15	0	22.80	-3.40	17.25	<=38.45	Pass		
		16QAM	825.5	1	0	22.88	-3.40	17.33	<=38.45	Pass
					7	23.00	-3.40	17.45	<=38.45	Pass
	14				22.82	-3.40	17.27	<=38.45	Pass	
8	0			21.91	-3.40	16.36	<=38.45	Pass		
	4			21.95	-3.40	16.40	<=38.45	Pass		
	7			21.90	-3.40	16.35	<=38.45	Pass		
15	0			21.90	-3.40	16.35	<=38.45	Pass		
836.5	1			0	22.99	-3.40	17.44	<=38.45	Pass	
				7	23.13	-3.40	17.58	<=38.45	Pass	
			14	22.97	-3.40	17.42	<=38.45	Pass		
	8		0	21.81	-3.40	16.26	<=38.45	Pass		
			4	21.86	-3.40	16.31	<=38.45	Pass		
			7	21.80	-3.40	16.25	<=38.45	Pass		
	15		0	21.83	-3.40	16.28	<=38.45	Pass		
	847.5		1	0	23.31	-3.40	17.76	<=38.45	Pass	
				7	23.38	-3.40	17.83	<=38.45	Pass	
14				23.16	-3.40	17.61	<=38.45	Pass		
8			0	21.94	-3.40	16.39	<=38.45	Pass		
			4	21.99	-3.40	16.44	<=38.45	Pass		
			7	21.93	-3.40	16.38	<=38.45	Pass		
15			0	21.84	-3.40	16.29	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

**1.1.3 B26b\_5MHz\_ERP**

Band: 26b / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	826.5	1	0	23.69	-3.40	18.14	<=38.45	Pass	
			13	23.80	-3.40	18.25	<=38.45	Pass	
			24	23.74	-3.40	18.19	<=38.45	Pass	
		12	0	22.82	-3.40	17.27	<=38.45	Pass	
			6	22.82	-3.40	17.27	<=38.45	Pass	
			13	22.76	-3.40	17.21	<=38.45	Pass	
		25	0	22.76	-3.40	17.21	<=38.45	Pass	
		836.5	1	0	23.67	-3.40	18.12	<=38.45	Pass
				13	23.81	-3.40	18.26	<=38.45	Pass
	24			23.69	-3.40	18.14	<=38.45	Pass	
	12		0	22.74	-3.40	17.19	<=38.45	Pass	
			6	22.81	-3.40	17.26	<=38.45	Pass	
			13	22.78	-3.40	17.23	<=38.45	Pass	
	25	0	22.73	-3.40	17.18	<=38.45	Pass		
	846.5	1	0	23.63	-3.40	18.08	<=38.45	Pass	
			13	23.80	-3.40	18.25	<=38.45	Pass	
			24	23.68	-3.40	18.13	<=38.45	Pass	
		12	0	22.75	-3.40	17.20	<=38.45	Pass	
			6	22.81	-3.40	17.26	<=38.45	Pass	
			13	22.79	-3.40	17.24	<=38.45	Pass	
	25	0	22.78	-3.40	17.23	<=38.45	Pass		
	16QAM	826.5	1	0	22.58	-3.40	17.03	<=38.45	Pass
				13	22.65	-3.40	17.10	<=38.45	Pass
				24	22.60	-3.40	17.05	<=38.45	Pass
12			0	21.81	-3.40	16.26	<=38.45	Pass	
			6	21.83	-3.40	16.28	<=38.45	Pass	
			13	21.78	-3.40	16.23	<=38.45	Pass	
25			0	21.82	-3.40	16.27	<=38.45	Pass	
836.5			1	0	22.80	-3.40	17.25	<=38.45	Pass
				13	22.90	-3.40	17.35	<=38.45	Pass
		24		22.75	-3.40	17.20	<=38.45	Pass	
		12	0	21.74	-3.40	16.19	<=38.45	Pass	
			6	21.80	-3.40	16.25	<=38.45	Pass	
			13	21.76	-3.40	16.21	<=38.45	Pass	
25		0	21.80	-3.40	16.25	<=38.45	Pass		
846.5		1	0	22.85	-3.40	17.30	<=38.45	Pass	
			13	23.03	-3.40	17.48	<=38.45	Pass	
			24	22.83	-3.40	17.28	<=38.45	Pass	
		12	0	21.81	-3.40	16.26	<=38.45	Pass	
			6	21.84	-3.40	16.29	<=38.45	Pass	
			13	21.76	-3.40	16.21	<=38.45	Pass	
25		0	21.78	-3.40	16.23	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

**1.1.4 B26b\_10MHz\_ERP**

Band: 26b / Bandwidth: 10MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	829	1	0	23.76	-3.40	18.21	<=38.45	Pass	
			25	24.00	-3.40	18.45	<=38.45	Pass	
			49	23.81	-3.40	18.26	<=38.45	Pass	
		25	0	22.89	-3.40	17.34	<=38.45	Pass	
			13	22.81	-3.40	17.26	<=38.45	Pass	
			25	22.80	-3.40	17.25	<=38.45	Pass	
		50	0	22.87	-3.40	17.32	<=38.45	Pass	
		836.5	1	0	23.74	-3.40	18.19	<=38.45	Pass
				25	23.93	-3.40	18.38	<=38.45	Pass
	49			23.76	-3.40	18.21	<=38.45	Pass	
	25		0	22.79	-3.40	17.24	<=38.45	Pass	
			13	22.81	-3.40	17.26	<=38.45	Pass	
			25	22.82	-3.40	17.27	<=38.45	Pass	
	50		0	22.84	-3.40	17.29	<=38.45	Pass	
	844		1	0	23.76	-3.40	18.21	<=38.45	Pass
				25	23.89	-3.40	18.34	<=38.45	Pass
		49		23.77	-3.40	18.22	<=38.45	Pass	
		25	0	22.88	-3.40	17.33	<=38.45	Pass	
			13	22.80	-3.40	17.25	<=38.45	Pass	
			25	22.74	-3.40	17.19	<=38.45	Pass	
	50	0	22.84	-3.40	17.29	<=38.45	Pass		
	16QAM	829	1	0	22.76	-3.40	17.21	<=38.45	Pass
				25	22.96	-3.40	17.41	<=38.45	Pass
				49	22.80	-3.40	17.25	<=38.45	Pass
25			0	22.02	-3.40	16.47	<=38.45	Pass	
			13	21.97	-3.40	16.42	<=38.45	Pass	
			25	22.00	-3.40	16.45	<=38.45	Pass	
50			0	21.94	-3.40	16.39	<=38.45	Pass	
836.5			1	0	22.93	-3.40	17.38	<=38.45	Pass
				25	23.08	-3.40	17.53	<=38.45	Pass
		49		22.90	-3.40	17.35	<=38.45	Pass	
		25	0	21.85	-3.40	16.30	<=38.45	Pass	
			13	21.88	-3.40	16.33	<=38.45	Pass	
			25	21.84	-3.40	16.29	<=38.45	Pass	
		50	0	21.82	-3.40	16.27	<=38.45	Pass	
		844	1	0	23.20	-3.40	17.65	<=38.45	Pass
				25	23.36	-3.40	17.81	<=38.45	Pass
49				23.18	-3.40	17.63	<=38.45	Pass	
25			0	21.96	-3.40	16.41	<=38.45	Pass	
			13	21.87	-3.40	16.32	<=38.45	Pass	
			25	21.82	-3.40	16.27	<=38.45	Pass	
50		0	21.88	-3.40	16.33	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

**1.1.5 B26b\_15MHz\_ERP**

Band: 26b / Bandwidth: 15MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	831.5	1	0	23.66	-3.40	18.11	<=38.45	Pass	
			38	23.78	-3.40	18.23	<=38.45	Pass	
			74	23.63	-3.40	18.08	<=38.45	Pass	
		36	0	22.91	-3.40	17.36	<=38.45	Pass	
			18	22.85	-3.40	17.30	<=38.45	Pass	
			39	22.92	-3.40	17.37	<=38.45	Pass	
		75	0	22.93	-3.40	17.38	<=38.45	Pass	
		836.5	1	0	23.62	-3.40	18.07	<=38.45	Pass
				38	23.76	-3.40	18.21	<=38.45	Pass
	74			23.61	-3.40	18.06	<=38.45	Pass	
	36		0	22.75	-3.40	17.20	<=38.45	Pass	
			18	22.83	-3.40	17.28	<=38.45	Pass	
			39	22.81	-3.40	17.26	<=38.45	Pass	
	75		0	22.80	-3.40	17.25	<=38.45	Pass	
	841.5		1	0	23.63	-3.40	18.08	<=38.45	Pass
				38	23.76	-3.40	18.21	<=38.45	Pass
		74		23.66	-3.40	18.11	<=38.45	Pass	
		36	0	22.79	-3.40	17.24	<=38.45	Pass	
			18	22.86	-3.40	17.31	<=38.45	Pass	
			39	22.78	-3.40	17.23	<=38.45	Pass	
		75	0	22.77	-3.40	17.22	<=38.45	Pass	
16QAM		831.5	1	0	22.84	-3.40	17.29	<=38.45	Pass
				38	22.97	-3.40	17.42	<=38.45	Pass
	74			22.80	-3.40	17.25	<=38.45	Pass	
	36		0	21.88	-3.40	16.33	<=38.45	Pass	
			18	21.85	-3.40	16.30	<=38.45	Pass	
			39	21.87	-3.40	16.32	<=38.45	Pass	
	75		0	21.90	-3.40	16.35	<=38.45	Pass	
	836.5		1	0	23.24	-3.40	17.69	<=38.45	Pass
				38	23.26	-3.40	17.71	<=38.45	Pass
		74		23.12	-3.40	17.57	<=38.45	Pass	
		36	0	21.78	-3.40	16.23	<=38.45	Pass	
			18	21.82	-3.40	16.27	<=38.45	Pass	
			39	21.80	-3.40	16.25	<=38.45	Pass	
		75	0	21.77	-3.40	16.22	<=38.45	Pass	
		841.5	1	0	23.00	-3.40	17.45	<=38.45	Pass
				38	23.03	-3.40	17.48	<=38.45	Pass
	74			22.89	-3.40	17.34	<=38.45	Pass	
	36		0	21.74	-3.40	16.19	<=38.45	Pass	
			18	21.76	-3.40	16.21	<=38.45	Pass	
			39	21.70	-3.40	16.15	<=38.45	Pass	
	75		0	21.72	-3.40	16.17	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-4.392	-0.0053	-2.5 to 2.5	Pass
					3.85	-7.982	-0.0097	-2.5 to 2.5	Pass
					4.43	-6.995	-0.0085	-2.5 to 2.5	Pass
				-30	3.85	-6.752	-0.0082	-2.5 to 2.5	Pass
				-20	3.85	-6.495	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	-3.448	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-5.221	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-6.223	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-7.153	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-5.422	-0.0066	-2.5 to 2.5	Pass
	50	3.85	-4.950	-0.0060	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	-8.855	-0.0106	-2.5 to 2.5	Pass
					3.85	-13.433	-0.0161	-2.5 to 2.5	Pass
					4.43	-10.600	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	-6.037	-0.0072	-2.5 to 2.5	Pass
				-20	3.85	-5.822	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-7.725	-0.0092	-2.5 to 2.5	Pass
				0	3.85	-7.582	-0.0091	-2.5 to 2.5	Pass
				10	3.85	-8.311	-0.0099	-2.5 to 2.5	Pass
				30	3.85	-8.140	-0.0097	-2.5 to 2.5	Pass
				40	3.85	-4.134	-0.0049	-2.5 to 2.5	Pass
	50	3.85	-5.822	-0.0070	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-8.168	-0.0096	-2.5 to 2.5	Pass
					3.85	-3.119	-0.0037	-2.5 to 2.5	Pass
					4.43	-1.974	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	-3.033	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-5.422	-0.0064	-2.5 to 2.5	Pass
				-10	3.85	-2.289	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-2.375	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-5.722	-0.0067	-2.5 to 2.5	Pass
30				3.85	-4.978	-0.0059	-2.5 to 2.5	Pass	
40				3.85	-6.738	-0.0079	-2.5 to 2.5	Pass	
50	3.85	-5.636	-0.0066	-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	-4.964	-0.0060	-2.5 to 2.5	Pass
					3.85	-11.387	-0.0138	-2.5 to 2.5	Pass
					4.43	-10.443	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	-4.835	-0.0059	-2.5 to 2.5	Pass
				-20	3.85	-6.580	-0.0080	-2.5 to 2.5	Pass
				-10	3.85	-7.195	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-8.111	-0.0098	-2.5 to 2.5	Pass
				10	3.85	-4.048	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-1.645	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-6.623	-0.0080	-2.5 to 2.5	Pass
	50	3.85	-7.496	-0.0091	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	-2.747	-0.0033	-2.5 to 2.5	Pass
					3.85	-24.934	-0.0298	-2.5 to 2.5	Pass
					4.43	-12.360	-0.0148	-2.5 to 2.5	Pass
				-30	3.85	-9.069	-0.0108	-2.5 to 2.5	Pass
-20				3.85	-5.479	-0.0065	-2.5 to 2.5	Pass	
-10	3.85	-9.627	-0.0115	-2.5 to 2.5	Pass				



				0	3.85	-2.961	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-6.294	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-8.569	-0.0102	-2.5 to 2.5	Pass
				40	3.85	-6.895	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-3.662	-0.0044	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-2.489	-0.0029	-2.5 to 2.5	Pass
					3.85	-5.951	-0.0070	-2.5 to 2.5	Pass
					4.43	-4.606	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-5.164	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-3.490	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-9.871	-0.0116	-2.5 to 2.5	Pass
				0	3.85	-8.054	-0.0095	-2.5 to 2.5	Pass
				10	3.85	-7.381	-0.0087	-2.5 to 2.5	Pass
				30	3.85	-8.497	-0.0100	-2.5 to 2.5	Pass
				40	3.85	-11.902	-0.0140	-2.5 to 2.5	Pass
				50	3.85	-7.868	-0.0093	-2.5 to 2.5	Pass

2.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	825.5	15	0	20	3.27	-7.396	-0.0090	-2.5 to 2.5	Pass			
					3.85	-3.347	-0.0041	-2.5 to 2.5	Pass			
					4.43	-8.469	-0.0103	-2.5 to 2.5	Pass			
				-30	3.85	0.486	0.0006	-2.5 to 2.5	Pass			
				-20	3.85	-5.908	-0.0072	-2.5 to 2.5	Pass			
				-10	3.85	-4.005	-0.0049	-2.5 to 2.5	Pass			
				0	3.85	-5.193	-0.0063	-2.5 to 2.5	Pass			
				10	3.85	-6.881	-0.0083	-2.5 to 2.5	Pass			
				30	3.85	-5.264	-0.0064	-2.5 to 2.5	Pass			
				40	3.85	-6.065	-0.0073	-2.5 to 2.5	Pass			
				50	3.85	0.057	0.0001	-2.5 to 2.5	Pass			
				836.5	15	0	20	3.27	-2.246	-0.0027	-2.5 to 2.5	Pass
								3.85	-5.093	-0.0061	-2.5 to 2.5	Pass
								4.43	-4.992	-0.0060	-2.5 to 2.5	Pass
							-30	3.85	-9.084	-0.0109	-2.5 to 2.5	Pass
	-20	3.85	-7.896				-0.0094	-2.5 to 2.5	Pass			
	-10	3.85	-8.397				-0.0100	-2.5 to 2.5	Pass			
	0	3.85	-6.452				-0.0077	-2.5 to 2.5	Pass			
	10	3.85	-6.866				-0.0082	-2.5 to 2.5	Pass			
	30	3.85	-6.266				-0.0075	-2.5 to 2.5	Pass			
	40	3.85	-9.670				-0.0116	-2.5 to 2.5	Pass			
	50	3.85	-9.141				-0.0109	-2.5 to 2.5	Pass			
	847.5	15	0				20	3.27	0.587	0.0007	-2.5 to 2.5	Pass
								3.85	-1.144	-0.0013	-2.5 to 2.5	Pass
								4.43	-6.509	-0.0077	-2.5 to 2.5	Pass
							-30	3.85	-10.285	-0.0121	-2.5 to 2.5	Pass
				-20	3.85	-12.131	-0.0143	-2.5 to 2.5	Pass			
				-10	3.85	-3.619	-0.0043	-2.5 to 2.5	Pass			
				0	3.85	-9.842	-0.0116	-2.5 to 2.5	Pass			
				10	3.85	-7.124	-0.0084	-2.5 to 2.5	Pass			
30				3.85	-6.065	-0.0072	-2.5 to 2.5	Pass				
40				3.85	-9.398	-0.0111	-2.5 to 2.5	Pass				
50				3.85	-7.467	-0.0088	-2.5 to 2.5	Pass				
16QAM				825.5	15	0	20	3.27	-6.008	-0.0073	-2.5 to 2.5	Pass
								3.85	-7.768	-0.0094	-2.5 to 2.5	Pass
								4.43	-3.991	-0.0048	-2.5 to 2.5	Pass



	836.5	15	0	-30	3.85	-6.995	-0.0085	-2.5 to 2.5	Pass
				-20	3.85	-8.454	-0.0102	-2.5 to 2.5	Pass
				-10	3.85	-7.854	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-3.605	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-6.781	-0.0082	-2.5 to 2.5	Pass
				30	3.85	-6.466	-0.0078	-2.5 to 2.5	Pass
				40	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass
				50	3.85	-7.868	-0.0095	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-9.742	-0.0116	-2.5 to 2.5	Pass
					3.85	-3.018	-0.0036	-2.5 to 2.5	Pass
					4.43	-6.495	-0.0078	-2.5 to 2.5	Pass
				-30	3.85	-4.506	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-6.051	-0.0072	-2.5 to 2.5	Pass
				-10	3.85	-6.495	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-5.879	-0.0070	-2.5 to 2.5	Pass
				10	3.85	-3.719	-0.0044	-2.5 to 2.5	Pass
				30	3.85	-6.967	-0.0083	-2.5 to 2.5	Pass
				40	3.85	-4.005	-0.0048	-2.5 to 2.5	Pass
				50	3.85	-4.807	-0.0057	-2.5 to 2.5	Pass
				847.5	15	0	20	3.27	-2.961
	3.85	-7.739	-0.0091					-2.5 to 2.5	Pass
	4.43	-31.300	-0.0369					-2.5 to 2.5	Pass
	-30	3.85	-18.010				-0.0213	-2.5 to 2.5	Pass
	-20	3.85	-10.958				-0.0129	-2.5 to 2.5	Pass
	-10	3.85	-12.288				-0.0145	-2.5 to 2.5	Pass
	0	3.85	-6.909				-0.0082	-2.5 to 2.5	Pass
	10	3.85	-4.463				-0.0053	-2.5 to 2.5	Pass
	30	3.85	-6.266				-0.0074	-2.5 to 2.5	Pass
40	3.85	-5.221	-0.0062				-2.5 to 2.5	Pass	
50	3.85	-6.723	-0.0079				-2.5 to 2.5	Pass	

2.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-1.602	-0.0019	-2.5 to 2.5	Pass
					3.85	-8.769	-0.0106	-2.5 to 2.5	Pass
					4.43	-1.330	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-3.104	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-3.433	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-7.596	-0.0092	-2.5 to 2.5	Pass
				0	3.85	-6.337	-0.0077	-2.5 to 2.5	Pass
				10	3.85	-1.860	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-6.208	-0.0075	-2.5 to 2.5	Pass
				50	3.85	-7.954	-0.0096	-2.5 to 2.5	Pass
				836.5	25	0	20	3.27	-2.103
	3.85	-7.467	-0.0089					-2.5 to 2.5	Pass
	4.43	-7.310	-0.0087					-2.5 to 2.5	Pass
	-30	3.85	-2.003				-0.0024	-2.5 to 2.5	Pass
	-20	3.85	-8.039				-0.0096	-2.5 to 2.5	Pass
	-10	3.85	-5.994				-0.0072	-2.5 to 2.5	Pass
	0	3.85	-3.533				-0.0042	-2.5 to 2.5	Pass
	10	3.85	-0.744				-0.0009	-2.5 to 2.5	Pass
	30	3.85	-6.766				-0.0081	-2.5 to 2.5	Pass
	40	3.85	-6.008				-0.0072	-2.5 to 2.5	Pass
	50	3.85	-5.035				-0.0060	-2.5 to 2.5	Pass



	846.5	25	0	20	3.27	-6.495	-0.0077	-2.5 to 2.5	Pass	
					3.85	-9.813	-0.0116	-2.5 to 2.5	Pass	
					4.43	-8.554	-0.0101	-2.5 to 2.5	Pass	
				-30	3.85	-4.220	-0.0050	-2.5 to 2.5	Pass	
					-20	3.85	-3.147	-0.0037	-2.5 to 2.5	Pass
					-10	3.85	-8.984	-0.0106	-2.5 to 2.5	Pass
				0	3.85	-4.692	-0.0055	-2.5 to 2.5	Pass	
					10	3.85	-4.835	-0.0057	-2.5 to 2.5	Pass
					30	3.85	-4.921	-0.0058	-2.5 to 2.5	Pass
				40	3.85	-6.809	-0.0080	-2.5 to 2.5	Pass	
					50	3.85	-4.635	-0.0055	-2.5 to 2.5	Pass
				16QAM	826.5	25	0	20	3.27	-4.578
3.85	-6.580	-0.0080	-2.5 to 2.5						Pass	
4.43	-4.134	-0.0050	-2.5 to 2.5						Pass	
-30	3.85	-5.050	-0.0061					-2.5 to 2.5	Pass	
	-20	3.85	-7.610					-0.0092	-2.5 to 2.5	Pass
	-10	3.85	-6.666					-0.0081	-2.5 to 2.5	Pass
0	3.85	-7.925	-0.0096					-2.5 to 2.5	Pass	
	10	3.85	-5.736					-0.0069	-2.5 to 2.5	Pass
	30	3.85	-9.828					-0.0119	-2.5 to 2.5	Pass
40	3.85	-8.655	-0.0105					-2.5 to 2.5	Pass	
	50	3.85	-9.842					-0.0119	-2.5 to 2.5	Pass
836.5	25	0	20					3.27	-1.931	-0.0023
					3.85	-3.791	-0.0045	-2.5 to 2.5	Pass	
					4.43	-7.811	-0.0093	-2.5 to 2.5	Pass	
			-30		3.85	-1.945	-0.0023	-2.5 to 2.5	Pass	
					-20	3.85	-8.683	-0.0104	-2.5 to 2.5	Pass
					-10	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
			0		3.85	-6.552	-0.0078	-2.5 to 2.5	Pass	
					10	3.85	-7.110	-0.0085	-2.5 to 2.5	Pass
					30	3.85	-11.115	-0.0133	-2.5 to 2.5	Pass
			40		3.85	-4.878	-0.0058	-2.5 to 2.5	Pass	
					50	3.85	-10.486	-0.0125	-2.5 to 2.5	Pass
			846.5		25	0	20	3.27	-0.458	-0.0005
3.85	-6.495	-0.0077						-2.5 to 2.5	Pass	
4.43	-5.193	-0.0061		-2.5 to 2.5				Pass		
-30	3.85	-4.091		-0.0048			-2.5 to 2.5	Pass		
	-20	3.85		-6.366			-0.0075	-2.5 to 2.5	Pass	
	-10	3.85		-3.047			-0.0036	-2.5 to 2.5	Pass	
0	3.85	-7.997		-0.0094			-2.5 to 2.5	Pass		
	10	3.85		-6.466			-0.0076	-2.5 to 2.5	Pass	
	30	3.85		-4.077			-0.0048	-2.5 to 2.5	Pass	
40	3.85	-9.313		-0.0110			-2.5 to 2.5	Pass		
	50	3.85		-8.054			-0.0095	-2.5 to 2.5	Pass	

2.1.4 B26b\_10MHz

Band: 26b / Bandwidth: 10MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	829	50	0	20	3.27	-7.095	-0.0086	-2.5 to 2.5	Pass	
					3.85	-7.095	-0.0086	-2.5 to 2.5	Pass	
					4.43	-6.695	-0.0081	-2.5 to 2.5	Pass	
				-30	3.85	-2.575	-0.0031	-2.5 to 2.5	Pass	
					-20	3.85	-3.147	-0.0038	-2.5 to 2.5	Pass
					-10	3.85	-3.533	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-4.249	-0.0051	-2.5 to 2.5	Pass	
					10	3.85	-5.379	-0.0065	-2.5 to 2.5	Pass

	836.5	50	0	30	3.85	-2.131	-0.0026	-2.5 to 2.5	Pass	
				40	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass	
				50	3.85	-5.336	-0.0064	-2.5 to 2.5	Pass	
				20	3.27	-7.224	-0.0086	-2.5 to 2.5	Pass	
					3.85	-5.093	-0.0061	-2.5 to 2.5	Pass	
					4.43	-4.292	-0.0051	-2.5 to 2.5	Pass	
				-30	3.85	-7.968	-0.0095	-2.5 to 2.5	Pass	
				-20	3.85	-5.708	-0.0068	-2.5 to 2.5	Pass	
				-10	3.85	-5.908	-0.0071	-2.5 to 2.5	Pass	
	0	3.85	-4.063	-0.0049	-2.5 to 2.5	Pass				
	10	3.85	-3.133	-0.0037	-2.5 to 2.5	Pass				
	30	3.85	-3.161	-0.0038	-2.5 to 2.5	Pass				
	40	3.85	-3.419	-0.0041	-2.5 to 2.5	Pass				
	50	3.85	-2.117	-0.0025	-2.5 to 2.5	Pass				
	844	50	0	20	3.27	-5.407	-0.0064	-2.5 to 2.5	Pass	
					3.85	-5.279	-0.0063	-2.5 to 2.5	Pass	
					4.43	-1.059	-0.0013	-2.5 to 2.5	Pass	
				-30	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass	
				-20	3.85	-4.435	-0.0053	-2.5 to 2.5	Pass	
				-10	3.85	-3.691	-0.0044	-2.5 to 2.5	Pass	
				0	3.85	-1.402	-0.0017	-2.5 to 2.5	Pass	
				10	3.85	-2.489	-0.0029	-2.5 to 2.5	Pass	
				30	3.85	-4.492	-0.0053	-2.5 to 2.5	Pass	
	40	3.85	-5.522	-0.0065	-2.5 to 2.5	Pass				
	50	3.85	-4.807	-0.0057	-2.5 to 2.5	Pass				
	16QAM	829	50	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
						3.85	-5.679	-0.0069	-2.5 to 2.5	Pass
4.43						-4.263	-0.0051	-2.5 to 2.5	Pass	
-30					3.85	-4.549	-0.0055	-2.5 to 2.5	Pass	
-20					3.85	-6.680	-0.0081	-2.5 to 2.5	Pass	
-10					3.85	-8.883	-0.0107	-2.5 to 2.5	Pass	
0					3.85	-8.183	-0.0099	-2.5 to 2.5	Pass	
10					3.85	-6.251	-0.0075	-2.5 to 2.5	Pass	
30					3.85	-6.752	-0.0081	-2.5 to 2.5	Pass	
40		3.85	-8.454	-0.0102	-2.5 to 2.5	Pass				
50		3.85	-6.452	-0.0078	-2.5 to 2.5	Pass				
836.5		50	0	20	3.27	-10.057	-0.0120	-2.5 to 2.5	Pass	
					3.85	-6.452	-0.0077	-2.5 to 2.5	Pass	
					4.43	-7.482	-0.0089	-2.5 to 2.5	Pass	
				-30	3.85	-8.841	-0.0106	-2.5 to 2.5	Pass	
				-20	3.85	-7.067	-0.0084	-2.5 to 2.5	Pass	
				-10	3.85	-5.264	-0.0063	-2.5 to 2.5	Pass	
				0	3.85	-2.246	-0.0027	-2.5 to 2.5	Pass	
				10	3.85	-7.997	-0.0096	-2.5 to 2.5	Pass	
				30	3.85	-5.236	-0.0063	-2.5 to 2.5	Pass	
40		3.85	-5.794	-0.0069	-2.5 to 2.5	Pass				
50		3.85	-4.320	-0.0052	-2.5 to 2.5	Pass				
844		50	0	20	3.27	-5.221	-0.0062	-2.5 to 2.5	Pass	
					3.85	-4.749	-0.0056	-2.5 to 2.5	Pass	
					4.43	-5.779	-0.0068	-2.5 to 2.5	Pass	
				-30	3.85	-7.982	-0.0095	-2.5 to 2.5	Pass	
				-20	3.85	-4.492	-0.0053	-2.5 to 2.5	Pass	
	-10			3.85	-9.656	-0.0114	-2.5 to 2.5	Pass		
	0			3.85	-4.964	-0.0059	-2.5 to 2.5	Pass		
	10			3.85	-4.020	-0.0048	-2.5 to 2.5	Pass		
	30			3.85	-6.809	-0.0081	-2.5 to 2.5	Pass		
40	3.85	-5.507	-0.0065	-2.5 to 2.5	Pass					
50	3.85	-6.151	-0.0073	-2.5 to 2.5	Pass					

**2.1.5 B26b\_15MHz**

Band: 26b / Bandwidth: 15MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	831.5	75	0	20	3.27	-7.582	-0.0091	-2.5 to 2.5	Pass	
					3.85	-9.542	-0.0115	-2.5 to 2.5	Pass	
					4.43	-3.877	-0.0047	-2.5 to 2.5	Pass	
				-30	3.85	-3.047	-0.0037	-2.5 to 2.5	Pass	
					-20	3.85	-5.908	-0.0071	-2.5 to 2.5	Pass
						-10	3.85	-1.588	-0.0019	-2.5 to 2.5
				0	3.85	-4.849	-0.0058	-2.5 to 2.5	Pass	
					10	3.85	-5.608	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-4.706	-0.0057	-2.5 to 2.5	Pass	
					40	3.85	-6.337	-0.0076	-2.5 to 2.5	Pass
	50	3.85	-6.351	-0.0076	-2.5 to 2.5	Pass				
	836.5	75	0	20	3.27	-9.685	-0.0116	-2.5 to 2.5	Pass	
					3.85	-6.709	-0.0080	-2.5 to 2.5	Pass	
					4.43	-3.133	-0.0037	-2.5 to 2.5	Pass	
				-30	3.85	-4.005	-0.0048	-2.5 to 2.5	Pass	
					-20	3.85	-3.619	-0.0043	-2.5 to 2.5	Pass
						-10	3.85	-1.001	-0.0012	-2.5 to 2.5
				0	3.85	-4.921	-0.0059	-2.5 to 2.5	Pass	
					10	3.85	-6.309	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-6.108	-0.0073	-2.5 to 2.5	Pass	
					40	3.85	-2.975	-0.0036	-2.5 to 2.5	Pass
	50	3.85	-6.967	-0.0083	-2.5 to 2.5	Pass				
	841.5	75	0	20	3.27	-6.967	-0.0083	-2.5 to 2.5	Pass	
					3.85	-4.706	-0.0056	-2.5 to 2.5	Pass	
					4.43	-22.945	-0.0273	-2.5 to 2.5	Pass	
				-30	3.85	-7.739	-0.0092	-2.5 to 2.5	Pass	
					-20	3.85	-3.862	-0.0046	-2.5 to 2.5	Pass
						-10	3.85	-5.393	-0.0064	-2.5 to 2.5
				0	3.85	-3.777	-0.0045	-2.5 to 2.5	Pass	
					10	3.85	-2.189	-0.0026	-2.5 to 2.5	Pass
30				3.85	-6.495	-0.0077	-2.5 to 2.5	Pass		
				40	3.85	-5.651	-0.0067	-2.5 to 2.5	Pass	
50	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass					
16QAM	831.5	75	0	20	3.27	-7.868	-0.0095	-2.5 to 2.5	Pass	
					3.85	-4.206	-0.0051	-2.5 to 2.5	Pass	
					4.43	-7.181	-0.0086	-2.5 to 2.5	Pass	
				-30	3.85	-6.580	-0.0079	-2.5 to 2.5	Pass	
					-20	3.85	-5.980	-0.0072	-2.5 to 2.5	Pass
						-10	3.85	-6.695	-0.0081	-2.5 to 2.5
				0	3.85	-9.098	-0.0109	-2.5 to 2.5	Pass	
					10	3.85	-4.334	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-7.339	-0.0088	-2.5 to 2.5	Pass	
					40	3.85	-6.509	-0.0078	-2.5 to 2.5	Pass
	50	3.85	-6.094	-0.0073	-2.5 to 2.5	Pass				
	836.5	75	0	20	3.27	-2.675	-0.0032	-2.5 to 2.5	Pass	
					3.85	-2.017	-0.0024	-2.5 to 2.5	Pass	
					4.43	-7.067	-0.0084	-2.5 to 2.5	Pass	
				-30	3.85	-5.279	-0.0063	-2.5 to 2.5	Pass	
					-20	3.85	-6.394	-0.0076	-2.5 to 2.5	Pass
						-10	3.85	-1.774	-0.0021	-2.5 to 2.5
				0	3.85	-1.931	-0.0023	-2.5 to 2.5	Pass	
					10	3.85	-2.975	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-8.955	-0.0107	-2.5 to 2.5	Pass	
40					3.85	-1.473	-0.0018	-2.5 to 2.5	Pass	
50	3.85	-10.042	-0.0120	-2.5 to 2.5	Pass					

	841.5	75	0	20	3.27	-5.836	-0.0069	-2.5 to 2.5	Pass
					3.85	-6.294	-0.0075	-2.5 to 2.5	Pass
					4.43	-5.751	-0.0068	-2.5 to 2.5	Pass
				-30	3.85	-7.982	-0.0095	-2.5 to 2.5	Pass
					-20	3.85	-6.967	-0.0083	-2.5 to 2.5
				-10	3.85	-2.918	-0.0035	-2.5 to 2.5	Pass
					0	3.85	-2.947	-0.0035	-2.5 to 2.5
				10	3.85	-4.821	-0.0057	-2.5 to 2.5	Pass
					30	3.85	-3.304	-0.0039	-2.5 to 2.5
				40	3.85	-7.167	-0.0085	-2.5 to 2.5	Pass
					50	3.85	-6.595	-0.0078	-2.5 to 2.5

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

##### 3.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

##### 3.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

##### 3.1.4 B26b\_10MHz

Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

##### 3.1.5 B26b\_15MHz

Band: 26b / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	




---



QPSK	836.5	75	0	Refer To Test Graph	Pass
16QAM	836.5	75	0	Refer To Test Graph	Pass

### 3.2 Test Graph



#### 3.2.1 B26b\_1.4MHz





### 3.2.2 B26b\_3MHz





### 3.2.3 B26b\_5MHz



### 3.2.4 B26b\_10MHz



### 3.2.5 B26b\_15MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band26b\_OBW

Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.107	/	Pass
		836.5	6	0	1.108	/	Pass
		848.3	6	0	1.115	/	Pass
	16QAM	824.7	6	0	1.112	/	Pass
		836.5	6	0	1.107	/	Pass
		848.3	6	0	1.113	/	Pass
3	QPSK	825.5	15	0	2.729	/	Pass
		836.5	15	0	2.726	/	Pass
		847.5	15	0	2.732	/	Pass
	16QAM	825.5	15	0	2.719	/	Pass
		836.5	15	0	2.724	/	Pass
		847.5	15	0	2.730	/	Pass
5	QPSK	826.5	25	0	4.551	/	Pass
		836.5	25	0	4.546	/	Pass
		846.5	25	0	4.555	/	Pass
	16QAM	826.5	25	0	4.533	/	Pass
		836.5	25	0	4.538	/	Pass
		846.5	25	0	4.544	/	Pass
10	QPSK	829	50	0	9.062	/	Pass
		836.5	50	0	9.037	/	Pass
		844	50	0	9.075	/	Pass
	16QAM	829	50	0	9.082	/	Pass
		836.5	50	0	9.046	/	Pass
		844	50	0	9.049	/	Pass
15	QPSK	831.5	75	0	13.625	/	Pass
		836.5	75	0	13.571	/	Pass
		841.5	75	0	13.540	/	Pass
	16QAM	831.5	75	0	13.593	/	Pass
		836.5	75	0	13.586	/	Pass
		841.5	75	0	13.557	/	Pass


#### 4.1.2 Band26b\_XDB

Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.311	/	Pass
		836.5	6	0	1.336	/	Pass
		848.3	6	0	1.351	/	Pass
	16QAM	824.7	6	0	1.336	/	Pass
		836.5	6	0	1.334	/	Pass
		848.3	6	0	1.306	/	Pass
3	QPSK	825.5	15	0	2.985	/	Pass
		836.5	15	0	2.976	/	Pass
		847.5	15	0	3.018	/	Pass


	16QAM	825.5	15	0	3.006	/	Pass
		836.5	15	0	2.997	/	Pass
		847.5	15	0	2.994	/	Pass
5	QPSK	826.5	25	0	5.171	/	Pass
		836.5	25	0	5.020	/	Pass
		846.5	25	0	5.010	/	Pass
	16QAM	826.5	25	0	5.024	/	Pass
		836.5	25	0	5.069	/	Pass
		846.5	25	0	5.070	/	Pass
10	QPSK	829	50	0	9.981	/	Pass
		836.5	50	0	9.941	/	Pass
		844	50	0	9.968	/	Pass
	16QAM	829	50	0	9.896	/	Pass
		836.5	50	0	9.980	/	Pass
		844	50	0	9.889	/	Pass
15	QPSK	831.5	75	0	14.932	/	Pass
		836.5	75	0	14.932	/	Pass
		841.5	75	0	14.823	/	Pass
	16QAM	831.5	75	0	14.896	/	Pass
		836.5	75	0	15.017	/	Pass
		841.5	75	0	14.827	/	Pass

## 4.2 Test Graph


### 4.2.1 Band26b\_OBW




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV





Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




### 4.2.2 Band26b\_XDB




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV

