







Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz




-6dB Bandwidth NVNT BLE 1M 2440MHz








-6dB Bandwidth NVNT BLE 2M 2440MHz





-6dB Bandwidth NVNT BLE 2M 2480MHz









6. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	-12.63	<=8	Pass
NVNT	BLE 1M	2440	-11.14	<=8	Pass
NVNT	BLE 1M	2480	-12	<=8	Pass
NVNT	BLE 2M	2402	-13.67	<=8	Pass
NVNT	BLE 2M	2440	-14.43	<=8	Pass
NVNT	BLE 2M	2480	-14.71	<=8	Pass











7. Band Edge

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	-54.95	<=-20	Pass
NVNT	BLE 1M	2480	-58.66	<=-20	Pass
NVNT	BLE 2M	2402	-38.88	<=-20	Pass
NVNT	BLE 2M	2480	-52.37	<=-20	Pass






Band Edge NVNT BLE 1M 2480MHz Ref




Band Edge NVNT BLE 1M 2480MHz Emission








Band Edge NVNT BLE 2M 2402MHz Ref



Band Edge NVNT BLE 2M 2402MHz Emission








8. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	-39.08	<=-20	Pass
NVNT	BLE 1M	2440	-40.85	<=-20	Pass
NVNT	BLE 1M	2480	-38.24	<=-20	Pass
NVNT	BLE 2M	2402	-41.17	<=-20	Pass
NVNT	BLE 2M	2440	-39.1	<=-20	Pass
NVNT	BLE 2M	2480	-35.61	<=-20	Pass






Tx. Spurious NVNT BLE 1M 2440MHz Ref




Tx. Spurious NVNT BLE 1M 2440MHz Emission






Tx. Spurious NVNT BLE 1M 2480MHz Ref




Tx. Spurious NVNT BLE 1M 2480MHz Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ref




Tx. Spurious NVNT BLE 2M 2402MHz Emission






Tx. Spurious NVNT BLE 2M 2440MHz Ref




Tx. Spurious NVNT BLE 2M 2440MHz Emission






Tx. Spurious NVNT BLE 2M 2480MHz Ref



Tx. Spurious NVNT BLE 2M 2480MHz Emission





APPENDIX 2- EUT TEST PHOTO

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****