

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.92	-0.4	20.37	<=38.45	Pass
			2	23.13	-0.4	20.58	<=38.45	Pass
			5	22.91	-0.4	20.36	<=38.45	Pass
		3	0	22.99	-0.4	20.44	<=38.45	Pass
			2	23.06	-0.4	20.51	<=38.45	Pass
			3	22.96	-0.4	20.41	<=38.45	Pass
		6	0	21.95	-0.4	19.4	<=38.45	Pass
	836.5	1	0	21.83	-0.4	19.28	<=38.45	Pass
			2	22.03	-0.4	19.48	<=38.45	Pass
			5	22.05	-0.4	19.5	<=38.45	Pass
		3	0	21.86	-0.4	19.31	<=38.45	Pass
			2	21.92	-0.4	19.37	<=38.45	Pass
			3	21.91	-0.4	19.36	<=38.45	Pass
		6	0	20.99	-0.4	18.44	<=38.45	Pass
	848.3	1	0	21.96	-0.4	19.41	<=38.45	Pass
			2	21.90	-0.4	19.35	<=38.45	Pass
			5	21.71	-0.4	19.16	<=38.45	Pass
		3	0	21.96	-0.4	19.41	<=38.45	Pass
			2	21.90	-0.4	19.35	<=38.45	Pass
			3	21.82	-0.4	19.27	<=38.45	Pass
		6	0	20.96	-0.4	18.41	<=38.45	Pass
16QAM	824.7	1	0	21.98	-0.4	19.43	<=38.45	Pass
			2	22.09	-0.4	19.54	<=38.45	Pass
			5	22.03	-0.4	19.48	<=38.45	Pass
		3	0	22.01	-0.4	19.46	<=38.45	Pass
			2	21.97	-0.4	19.42	<=38.45	Pass
			3	21.93	-0.4	19.38	<=38.45	Pass
		6	0	21.06	-0.4	18.51	<=38.45	Pass
	836.5	1	0	20.75	-0.4	18.2	<=38.45	Pass
			2	20.83	-0.4	18.28	<=38.45	Pass
			5	20.92	-0.4	18.37	<=38.45	Pass
		3	0	21.15	-0.4	18.6	<=38.45	Pass
			2	21.22	-0.4	18.67	<=38.45	Pass
			3	21.21	-0.4	18.66	<=38.45	Pass
		6	0	20.05	-0.4	17.5	<=38.45	Pass
	848.3	1	0	21.18	-0.4	18.63	<=38.45	Pass
			2	21.06	-0.4	18.51	<=38.45	Pass
			5	20.95	-0.4	18.4	<=38.45	Pass
		3	0	20.93	-0.4	18.38	<=38.45	Pass
			2	20.97	-0.4	18.42	<=38.45	Pass
			3	20.91	-0.4	18.36	<=38.45	Pass
		6	0	20.09	-0.4	17.54	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.79	-0.4	20.24	<=38.45	Pass
			7	22.98	-0.4	20.43	<=38.45	Pass
			14	22.16	-0.4	19.61	<=38.45	Pass
		8	0	22.01	-0.4	19.46	<=38.45	Pass
			4	21.85	-0.4	19.3	<=38.45	Pass
			7	21.58	-0.4	19.03	<=38.45	Pass
		15	0	21.76	-0.4	19.21	<=38.45	Pass
	836.5	1	0	21.67	-0.4	19.12	<=38.45	Pass
			7	22.08	-0.4	19.53	<=38.45	Pass
			14	21.92	-0.4	19.37	<=38.45	Pass
		8	0	20.91	-0.4	18.36	<=38.45	Pass
			4	21.06	-0.4	18.51	<=38.45	Pass
			7	21.04	-0.4	18.49	<=38.45	Pass
		15	0	20.91	-0.4	18.36	<=38.45	Pass
	847.5	1	0	22.25	-0.4	19.7	<=38.45	Pass
			7	22.11	-0.4	19.56	<=38.45	Pass
			14	21.66	-0.4	19.11	<=38.45	Pass
		8	0	21.18	-0.4	18.63	<=38.45	Pass
			4	21.11	-0.4	18.56	<=38.45	Pass
			7	21.01	-0.4	18.46	<=38.45	Pass
		15	0	21.12	-0.4	18.57	<=38.45	Pass
16QAM	825.5	1	0	21.93	-0.4	19.38	<=38.45	Pass
			7	21.93	-0.4	19.38	<=38.45	Pass
			14	21.16	-0.4	18.61	<=38.45	Pass
		8	0	21.03	-0.4	18.48	<=38.45	Pass
			4	20.92	-0.4	18.37	<=38.45	Pass
			7	20.68	-0.4	18.13	<=38.45	Pass
		15	0	20.80	-0.4	18.25	<=38.45	Pass
	836.5	1	0	20.45	-0.4	17.9	<=38.45	Pass
			7	20.92	-0.4	18.37	<=38.45	Pass
			14	20.89	-0.4	18.34	<=38.45	Pass
		8	0	19.95	-0.4	17.4	<=38.45	Pass
			4	20.03	-0.4	17.48	<=38.45	Pass
			7	20.02	-0.4	17.47	<=38.45	Pass
		15	0	19.93	-0.4	17.38	<=38.45	Pass
	847.5	1	0	21.63	-0.4	19.08	<=38.45	Pass
			7	21.54	-0.4	18.99	<=38.45	Pass
			14	21.13	-0.4	18.58	<=38.45	Pass
		8	0	20.45	-0.4	17.9	<=38.45	Pass
			4	20.24	-0.4	17.69	<=38.45	Pass
			7	20.15	-0.4	17.6	<=38.45	Pass
		15	0	20.20	-0.4	17.65	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.10	-0.4	20.55	<=38.45	Pass
			13	22.40	-0.4	19.85	<=38.45	Pass
			24	21.81	-0.4	19.26	<=38.45	Pass
		12	0	21.95	-0.4	19.4	<=38.45	Pass
			6	21.55	-0.4	19	<=38.45	Pass
			13	21.13	-0.4	18.58	<=38.45	Pass
		25	0	21.54	-0.4	18.99	<=38.45	Pass
	836.5	1	0	21.92	-0.4	19.37	<=38.45	Pass
			13	22.06	-0.4	19.51	<=38.45	Pass
			24	22.48	-0.4	19.93	<=38.45	Pass
		12	0	21.00	-0.4	18.45	<=38.45	Pass
			6	21.14	-0.4	18.59	<=38.45	Pass
			13	21.31	-0.4	18.76	<=38.45	Pass
		25	0	21.12	-0.4	18.57	<=38.45	Pass
	846.5	1	0	23.06	-0.4	20.51	<=38.45	Pass
			13	22.34	-0.4	19.79	<=38.45	Pass
			24	21.95	-0.4	19.4	<=38.45	Pass
		12	0	21.66	-0.4	19.11	<=38.45	Pass
			6	21.45	-0.4	18.9	<=38.45	Pass
			13	21.21	-0.4	18.66	<=38.45	Pass
		25	0	21.46	-0.4	18.91	<=38.45	Pass
16QAM	826.5	1	0	22.45	-0.4	19.9	<=38.45	Pass
			13	21.65	-0.4	19.1	<=38.45	Pass
			24	21.12	-0.4	18.57	<=38.45	Pass
		12	0	21.09	-0.4	18.54	<=38.45	Pass
			6	20.72	-0.4	18.17	<=38.45	Pass
			13	20.32	-0.4	17.77	<=38.45	Pass
		25	0	20.65	-0.4	18.1	<=38.45	Pass
	836.5	1	0	21.06	-0.4	18.51	<=38.45	Pass
			13	21.31	-0.4	18.76	<=38.45	Pass
			24	21.67	-0.4	19.12	<=38.45	Pass
		12	0	19.93	-0.4	17.38	<=38.45	Pass
			6	20.12	-0.4	17.57	<=38.45	Pass
			13	20.31	-0.4	17.76	<=38.45	Pass
		25	0	20.14	-0.4	17.59	<=38.45	Pass
	846.5	1	0	22.32	-0.4	19.77	<=38.45	Pass
			13	21.61	-0.4	19.06	<=38.45	Pass
			24	21.15	-0.4	18.6	<=38.45	Pass
		12	0	20.74	-0.4	18.19	<=38.45	Pass
			6	20.49	-0.4	17.94	<=38.45	Pass
			13	20.26	-0.4	17.71	<=38.45	Pass
		25	0	20.57	-0.4	18.02	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.24	-0.4	20.69	<=38.45	Pass
			25	21.83	-0.4	19.28	<=38.45	Pass
			49	21.90	-0.4	19.35	<=38.45	Pass
		25	0	21.58	-0.4	19.03	<=38.45	Pass
			13	20.98	-0.4	18.43	<=38.45	Pass
			25	20.80	-0.4	18.25	<=38.45	Pass
		50	0	21.23	-0.4	18.68	<=38.45	Pass
	836.5	1	0	21.63	-0.4	19.08	<=38.45	Pass
			25	22.18	-0.4	19.63	<=38.45	Pass
			49	23.10	-0.4	20.55	<=38.45	Pass
		25	0	20.89	-0.4	18.34	<=38.45	Pass
			13	21.17	-0.4	18.62	<=38.45	Pass
			25	21.50	-0.4	18.95	<=38.45	Pass
		50	0	21.20	-0.4	18.65	<=38.45	Pass
	844	1	0	22.91	-0.4	20.36	<=38.45	Pass
			25	23.24	-0.4	20.69	<=38.45	Pass
			49	22.02	-0.4	19.47	<=38.45	Pass
		25	0	22.23	-0.4	19.68	<=38.45	Pass
			13	21.98	-0.4	19.43	<=38.45	Pass
			25	21.45	-0.4	18.9	<=38.45	Pass
		50	0	21.90	-0.4	19.35	<=38.45	Pass
16QAM	829	1	0	22.66	-0.4	20.11	<=38.45	Pass
			25	21.27	-0.4	18.72	<=38.45	Pass
			49	21.26	-0.4	18.71	<=38.45	Pass
		12	0	22.20	-0.4	19.65	<=38.45	Pass
			19	21.04	-0.4	18.49	<=38.45	Pass
			38	20.91	-0.4	18.36	<=38.45	Pass
		27	0	20.54	-0.4	17.99	<=38.45	Pass
	836.5	1	0	20.74	-0.4	18.19	<=38.45	Pass
			25	21.24	-0.4	18.69	<=38.45	Pass
			49	22.21	-0.4	19.66	<=38.45	Pass
		12	0	20.78	-0.4	18.23	<=38.45	Pass
			19	21.11	-0.4	18.56	<=38.45	Pass
			38	21.71	-0.4	19.16	<=38.45	Pass
		27	0	19.93	-0.4	17.38	<=38.45	Pass
	844	1	0	21.67	-0.4	19.12	<=38.45	Pass
			25	21.97	-0.4	19.42	<=38.45	Pass
			49	20.87	-0.4	18.32	<=38.45	Pass
		12	0	22.27	-0.4	19.72	<=38.45	Pass
			19	22.16	-0.4	19.61	<=38.45	Pass
			38	21.26	-0.4	18.71	<=38.45	Pass
		27	23	20.73	-0.4	18.18	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15



2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	1.731	0.0021	-2.5 to 2.5	Pass
					NV	0.529	0.0006	-2.5 to 2.5	Pass
					HV	1.202	0.0014	-2.5 to 2.5	Pass
				-30	NV	0.901	0.0011	-2.5 to 2.5	Pass
				-20	NV	0.730	0.0009	-2.5 to 2.5	Pass
				-10	NV	0.529	0.0006	-2.5 to 2.5	Pass
				0	NV	0.529	0.0006	-2.5 to 2.5	Pass
				10	NV	0.172	0.0002	-2.5 to 2.5	Pass
				30	NV	0.200	0.0002	-2.5 to 2.5	Pass
				40	NV	0.515	0.0006	-2.5 to 2.5	Pass
				50	NV	0.443	0.0005	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.108	/	Pass
	16QAM	836.5	6	0	1.115	/	Pass
3	QPSK	836.5	15	0	2.738	/	Pass
	16QAM	836.5	15	0	2.753	/	Pass
5	QPSK	836.5	25	0	4.568	/	Pass
	16QAM	836.5	25	0	4.557	/	Pass
10	QPSK	836.5	50	0	9.090	/	Pass
	16QAM	836.5	27	0	5.120	/	Pass

3.1.2 Band5_26DB


Band: 5 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.324	/	Pass
	16QAM	836.5	6	0	1.339	/	Pass
3	QPSK	836.5	15	0	3.091	/	Pass
	16QAM	836.5	15	0	3.110	/	Pass
5	QPSK	836.5	25	0	5.227	/	Pass
	16QAM	836.5	25	0	5.186	/	Pass
10	QPSK	836.5	50	0	10.481	/	Pass
	16QAM	836.5	27	0	6.310	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	6.00	<=13	Pass
16QAM	836.5	27	0	6.71	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass




5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
				Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-32.11	-13	Pass
850	852	0.1	CHP	2	850.182	-50.04	-13	Pass


Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-38.55	-13	Pass
850	852	0.1	CHP	2	850.455	-37.60	-13	Pass


5.2.2 B5_3MHz

Band5_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.884	-35.37	-13	Pass
823	824	0.003	/	2	823.997	-24.95	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band5_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-27.29	-13	Pass
850	852	0.1	CHP	2	850.110	-36.74	-13	Pass

Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.018	-32.56	-13	Pass
850	852	0.1	CHP	2	851.310	-38.77	-13	Pass

5.2.3 B5_5MHz




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.880	-38.11	-13	Pass
823	824	0.052	CHP	2	823.990	-30.59	-13	Pass
824	829	0.052	CHP	/	/	/	/	/


Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.014	-28.47	-13	Pass
850	854	0.1	CHP	2	850.443	-42.23	-13	Pass

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.052	CHP	/	/	/	/	/
849	850	0.052	CHP	1	849.010	-33.94	-13	Pass
850	854	0.1	CHP	2	852.700	-40.93	-13	Pass


5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.044	-31.90	-13	Pass
850	859	0.1	CHP	2	850.556	-37.71	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.105	CHP	/	/	/	/	/
849	850	0.105	CHP	1	849.140	-34.55	-13	Pass
850	859	0.1	/	2	850.060	-40.50	-13	Pass

-End of Appendix -