



Table of Contents


1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	17
3. Maximum Conducted Output Power	25
4. Power Spectral Density	26
5. Frequency Stability	34




99% OCB NVNT ANT1 802 11a 5200




-26BW NVNT ANT1 802 11a 5200




99% OCB NVNT ANT1 802 11a 5240




-26BW NVNT ANT1 802 11a 5240




99% OCB NVNT ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180




99% OCB NVNT ANT1_802_11n(HT20)_5200




-26BW_NVNT_ANT1_802_11n(HT20)_5200




99% OCB NVNT ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240




99% OCB NVNT ANT1 802 11ac(VHT20) 5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99% OCB NVNT ANT1 802 11ac(VHT20) 5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB NVNT ANT1 802 11ac(VHT20) 5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240




99% OCB NVNT ANT1_802_11n(HT40)_5190




-26BW_NVNT_ANT1_802_11n(HT40)_5190




99% OCB NVNT ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230




99% OCB NVNT ANT1 802 11ac(VHT40) 5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190




99% OCB NVNT ANT1 802 11ac(VHT40) 5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99% OCB NVNT ANT1 802 11ac(VHT80) 5210




-26BW_NVNT_ANT1_802_11ac(VHT80)_5210




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	97.18	0.12
NVNT	ANT1	802.11a	5200.00	97.22	0.12
NVNT	ANT1	802.11a	5240.00	97.18	0.12
NVNT	ANT1	802.11n(HT20)	5180.00	97.01	0.13
NVNT	ANT1	802.11n(HT20)	5200.00	97.01	0.13
NVNT	ANT1	802.11n(HT20)	5240.00	97.01	0.13
NVNT	ANT1	802.11ac(VHT20)	5180.00	97.06	0.13
NVNT	ANT1	802.11ac(VHT20)	5200.00	97.01	0.13
NVNT	ANT1	802.11ac(VHT20)	5240.00	97.06	0.13
NVNT	ANT1	802.11n(HT40)	5190.00	94.12	0.26
NVNT	ANT1	802.11n(HT40)	5230.00	94.12	0.26
NVNT	ANT1	802.11ac(VHT40)	5190.00	94.12	0.26
NVNT	ANT1	802.11ac(VHT40)	5230.00	94.12	0.26
NVNT	ANT1	802.11ac(VHT80)	5210.00	84.21	0.75




Duty Cycle_NVNT_ANT1_802_11a_5200




Duty Cycle NVNT ANT1 802 11a 5240




Duty Cycle NVNT ANT1 802 11n(HT20) 5180




Duty Cycle NVNT ANT1 802 11n(HT20) 5200




Duty Cycle NVNT ANT1 802 11n(HT20) 5240




Duty Cycle NVNT ANT1_802_11ac(VHT20)_5180




Duty Cycle NVNT ANT1_802_11ac(VHT20)_5200




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5240




Duty Cycle NVNT ANT1 802_11n(HT40) 5190




Duty Cycle NVNT ANT1_802_11n(HT40) 5230




Duty Cycle NVNT ANT1_802_11ac(VHT40) 5190



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210




3. Maximum Conducted Output Power



Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	12.75	0.12	12.87	24	Pass
NVNT	ANT1	802.11a	5200.00	12.74	0.12	12.86	24	Pass
NVNT	ANT1	802.11a	5240.00	11.95	0.12	12.07	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	11.85	0.13	11.98	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	11.99	0.13	12.12	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	11.64	0.13	11.77	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	12.16	0.13	12.29	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	12.10	0.13	12.23	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	11.87	0.13	12.00	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	10.05	0.26	10.31	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	9.76	0.26	10.02	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	10.08	0.26	10.34	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	9.74	0.26	10.00	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	8.57	0.75	9.32	24	Pass

4. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-0.84	0.12	-0.72	11	Pass
NVNT	ANT1	802.11a	5200.00	-0.47	0.12	-0.35	11	Pass
NVNT	ANT1	802.11a	5240.00	-1.58	0.12	-1.46	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-1.43	0.13	-1.30	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-1.69	0.13	-1.56	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-1.74	0.13	-1.61	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-1.49	0.13	-1.36	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-1.39	0.13	-1.26	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-2.10	0.13	-1.97	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-7.69	0.26	-7.43	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-8.18	0.26	-7.92	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-7.57	0.26	-7.31	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-8.31	0.26	-8.05	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-13.29	0.75	-12.54	11	Pass




Power_Spectral_Density_NVNT_ANT1_802_11a_5200





Power Spectral Density NVNT ANT1_802_11n(HT20)_5180




Power Spectral Density NVNT ANT1 802 11n(HT20) 5200




Power Spectral Density NVNT ANT1 802 11n(HT20) 5240






Power Spectral Density NVNT ANT1_802_11ac(VHT20) 5240




Power Spectral Density NVNT ANT1_802_11n(HT40) 5190



Power Spectral Density NVNT ANT1 802 11n(HT40) 5230



Power Spectral Density NVNT ANT1 802 11ac(VHT40) 5190





5. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&14.8V	ANT1	802.11a	5180.00	5180.008	5171.276	5188.740	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11a	5180.00	5180.032	5171.668	5188.396	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11a	5180.00	5180.022	5171.856	5188.188	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5180.00	5180.008	5171.944	5188.072	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11a	5180.00	5180.020	5172.028	5188.012	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11a	5180.00	5180.002	5172.096	5187.908	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11a	5180.00	5180.006	5172.160	5187.852	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11a	5180.00	5180.000	5172.292	5187.708	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5180.00	5180.010	5172.360	5187.660	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11a	5180.00	5180.004	5172.432	5187.576	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11a	5200.00	5200.012	5191.500	5208.524	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11a	5200.00	5200.006	5191.752	5208.260	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11a	5200.00	5199.998	5191.872	5208.124	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5200.00	5200.010	5191.972	5208.048	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11a	5200.00	5200.012	5192.052	5207.972	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11a	5200.00	5200.020	5192.120	5207.920	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11a	5200.00	5200.000	5192.196	5207.804	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11a	5200.00	5200.016	5192.352	5207.680	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5200.00	5200.020	5192.428	5207.612	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11a	5200.00	5200.000	5192.492	5207.508	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11a	5240.00	5239.994	5231.432	5248.556	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11a	5240.00	5240.002	5231.704	5248.300	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11a	5240.00	5240.006	5231.852	5248.160	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5240.00	5240.012	5231.956	5248.068	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11a	5240.00	5240.012	5232.044	5247.980	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11a	5240.00	5240.014	5232.112	5247.916	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11a	5240.00	5240.008	5232.180	5247.836	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11a	5240.00	5240.024	5232.344	5247.704	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11a	5240.00	5240.016	5232.416	5247.616	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11a	5240.00	5240.038	5232.488	5247.588	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.018	5170.980	5189.056	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.018	5171.200	5188.836	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.016	5171.320	5188.712	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.014	5171.408	5188.620	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.012	5171.484	5188.540	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.004	5171.560	5188.448	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.018	5171.640	5188.396	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11n(HT20)	5180.00	5180.016	5171.784	5188.248	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5180.00	5180.006	5171.856	5188.156	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11n(HT20)	5180.00	5179.998	5171.936	5188.060	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.020	5190.976	5209.064	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.012	5191.196	5208.828	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.010	5191.312	5208.708	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.014	5191.408	5208.620	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.010	5191.500	5208.520	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.004	5191.576	5208.432	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.012	5191.652	5208.372	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11n(HT20)	5200.00	5200.032	5191.812	5208.252	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.900	5208.156	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11n(HT20)	5200.00	5200.052	5191.972	5208.132	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.014	5230.968	5249.060	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.020	5231.204	5248.836	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.024	5231.312	5248.736	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.022	5231.408	5248.636	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.012	5231.488	5248.536	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.028	5231.572	5248.484	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.016	5231.652	5248.380	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11n(HT20)	5240.00	5240.058	5231.800	5248.316	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT20)	5240.00	5240.018	5231.876	5248.160	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11n(HT20)	5240.00	5240.050	5231.956	5248.144	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.002	5170.972	5189.032	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.010	5171.192	5188.828	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.004	5171.304	5188.704	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.004	5171.392	5188.616	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5179.998	5171.480	5188.516	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.012	5171.572	5188.452	5150~5250	Pass

0degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.008	5171.652	5188.364	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT20)	5180.00	5180.018	5171.812	5188.224	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5180.00	5180.020	5171.888	5188.152	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT20)	5180.00	5180.006	5171.964	5188.048	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5190.992	5209.036	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.208	5208.820	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.014	5191.320	5208.708	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.024	5191.420	5208.628	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.010	5191.500	5208.520	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.018	5191.600	5208.436	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.680	5208.380	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT20)	5200.00	5200.018	5191.824	5208.212	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5200.00	5200.024	5191.916	5208.132	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT20)	5200.00	5200.030	5191.992	5208.068	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.028	5231.004	5249.052	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.020	5231.220	5248.820	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.024	5231.316	5248.732	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.018	5231.408	5248.628	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.014	5231.488	5248.540	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.022	5231.556	5248.488	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.016	5231.636	5248.396	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT20)	5240.00	5240.016	5231.792	5248.240	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT20)	5240.00	5240.022	5231.872	5248.172	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT20)	5240.00	5240.030	5231.940	5248.120	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.048	5171.880	5208.216	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.056	5172.112	5208.000	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.052	5172.288	5207.816	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.068	5172.448	5207.688	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.072	5172.584	5207.560	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.040	5172.712	5207.368	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.044	5172.856	5207.232	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11n(HT40)	5190.00	5190.056	5173.160	5206.952	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT40)	5190.00	5190.048	5173.304	5206.792	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11n(HT40)	5190.00	5190.036	5173.440	5206.632	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5230.044	5211.832	5248.256	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5230.032	5212.048	5248.016	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5230.008	5212.200	5247.816	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.344	5247.704	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5230.008	5212.488	5247.528	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5229.984	5212.608	5247.360	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5229.976	5212.752	5247.200	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11n(HT40)	5230.00	5229.980	5213.040	5246.920	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11n(HT40)	5230.00	5229.948	5213.184	5246.712	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11n(HT40)	5230.00	5229.984	5213.328	5246.640	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.048	5171.880	5208.216	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.028	5172.088	5207.968	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.064	5172.280	5207.848	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.052	5172.448	5207.656	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.060	5172.616	5207.504	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.088	5172.776	5207.400	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.064	5172.944	5207.184	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT40)	5190.00	5190.136	5173.280	5206.992	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT40)	5190.00	5190.072	5173.432	5206.712	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT40)	5190.00	5190.044	5173.560	5206.528	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5230.040	5211.864	5248.216	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.064	5247.984	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5230.028	5212.240	5247.816	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5230.016	5212.360	5247.672	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5230.012	5212.512	5247.512	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5229.996	5212.664	5247.328	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5229.980	5212.808	5247.152	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT40)	5230.00	5229.988	5213.104	5246.872	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT40)	5230.00	5229.996	5213.232	5246.760	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT40)	5230.00	5229.952	5213.368	5246.536	5150~5250	Pass
50degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.114	5172.164	5248.064	5150~5250	Pass
45degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.018	5172.464	5247.572	5150~5250	Pass
35degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.024	5172.776	5247.272	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.012	5173.076	5246.948	5150~5250	Pass
15degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.060	5173.412	5246.708	5150~5250	Pass
5degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.030	5173.724	5246.336	5150~5250	Pass
0degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.006	5174.000	5246.012	5150~5250	Pass
25degrees C&&16.28V	ANT1	802.11ac(VHT80)	5210.00	5210.018	5174.648	5245.388	5150~5250	Pass
25degrees C&&14.8V	ANT1	802.11ac(VHT80)	5210.00	5210.066	5174.984	5245.148	5150~5250	Pass
25degrees C&&13.32V	ANT1	802.11ac(VHT80)	5210.00	5209.988	5175.272	5244.704	5150~5250	Pass