


5. PHOTOGRAPHS

5.1. Photos of Powerline Conducted Measurement

《M/N 190P5》Panel: 0 °



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

《M/N 190P5》Panel : Rotate 90 °



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

《M/N 190B5》Panel: 0°




FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

《M/N 190X5》Panel: 0°




FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

《M/N E193FPp》 Panel: 0 °



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

5.2. Photos of Radiated Measurement at Simple Anechoic Chamber (30-1GHz)
《M/N 190P5》 Panel: 0 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N 190P5》 Panel: Rotate 90 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N 190X5》 Panel: 0 °



FRONT VIEW OF RADIATED TEST




BACK VIEW OF RADIATED TEST

5.3. Photos of Radiated Measurement at Open Field Test Site (30-1GHz)

《M/N 190P5》 Panel : 0 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N 190P5》Panel : Rotate 90 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : Panel: Fujitsu (0 °)(1280*1024/75Hz, 80kHz, DVI Data Cable)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

《M/N 190B5》Panel: 0°



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : Panel: AUO (1280*1024/75Hz, 80kHz, DVI Data Cable)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

《M/N 190X5》 Panel: 0 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : Panel: LG Philips (1280*1024/75Hz, 80kHz, DVI Data Cable)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

《M/N E193FPp》 Panel: 0 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : Panel: LG Philips (1024*768/75Hz, 60kHz, D-Sub Data Cable)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

5.4. Photos of Radiated Measurement at Open Field Test Site (Above 1GHz)

《M/N 190P5》 Panel: 0°



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N 190B5》Panel: 0°



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N 190X5》Panel: 0 °




FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

《M/N E193FPp》 Panel: 0 °



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST