

Page: 1 of 6

Per standard guidance, dipoles longer calibration intervals of up to three years may be considered when it is demonstrated that the SAR target, impedance and return loss of a dipole have remained stable according to the following requirements:

- a. When the measured SAR deviates from the calibrated SAR value by less than 10%.
- b. When the most recent return loss result, measured at least annually, deviates by less than 20% from the previous measurement.
- c. When the most recent measurement of the impedance, measured at least annually, deviates by more than 5 Ω from the previous measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 2 of 6

RETURN LOSS

				TARGET	MEAS.	DEVIATION	EVALUATION	TEST DATE
Calibration B	y CTTL			(dB)	(dB)	(%)	(PASS/FAIL)	
TYPE	SN.	FREQ.	CAL.DATE					
D5GHzV2	1349	5250 MHz	2024/03/19	-28.917	-31.164	7.77%	PASS	2025/01/17
D5GHzV2	1349	5750 MHz	2024/03/19	-26.309	-27.583	4.84%	PASS	2025/01/17
D5GHzV2	1349	5850 MHz	2024/03/19	-26.575	-24.082	9.38%	PASS	2025/01/17

IMPEDANCE

				TARGET	MEAS.	DEVIATION	EVALUATION	TEST DATE
Calibration B	y CTTL			(Ω)	(Ω)	(Ω)	(PASS/FAIL)	
TYPE	SN.	FREQ.	CAL.DATE					
D5GHzV2	1349	5250 MHz	2024/03/19	46.841	51.782	4.941	PASS	2025/01/17
D5GHzV2	1349	5750 MHz	2024/03/19	52.642	48.393	4.249	PASS	2025/01/17
D5GHzV2	1349	5850 MHz	2024/03/19	54.732	56.199	1.467	PASS	2025/01/17

SYSTEM CHECK

			TAR	RGET	ME	AS.		ATION	EVALUATION	TEST DATE
у СТТL			1g SAR (W/kg)	10g SAR (W/kg)	1g SAR (W/kg)	10g SAR (W/kg)	1g	10g	(PASS/FAIL)	
SN.	FREQ.	CAL.DATE								
1349	5250 MHz	2024/03/19	8.09	2.31	7.73	2.25	4.45%	2.60%	PASS	2025/01/17
1349	5750 MHz	2024/03/19	8.08	2.30	8.13	2.31	0.62%	0.43%	PASS	2025/01/17
1349	5850 MHz	2024/03/19	7.99	2.26	8.13	2.33	1.75%	3.10%	PASS	2025/01/17
>	SN. 1349 1349	SN. FREQ. 1349 5250 MHz 1349 5750 MHz	SN. FREQ. CAL.DATE 1349 5250 MHz 2024/03/19 1349 5750 MHz 2024/03/19	TOTIL 1g SAR (W/kg) SN. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 1349 5750 MHz 2024/03/19 8.08	SN. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 2.31 1349 5750 MHz 2024/03/19 8.08 2.30	V CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) SN. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 1349 5750 MHz 2024/03/19 8.08 2.30 8.13	V CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg) <td>V CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg)<td>N. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43%</td><td>CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg) 10g SAR (W/kg) 1g 10g (PASS/FAIL) SN. FREQ. CAL.DATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% PASS 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43% PASS</td></td>	V CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg) <td>N. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43%</td> <td>CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg) 10g SAR (W/kg) 1g 10g (PASS/FAIL) SN. FREQ. CAL.DATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% PASS 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43% PASS</td>	N. FREQ. CALDATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43%	CTTL 1g SAR (W/kg) 10g SAR (W/kg) 1g SAR (W/kg) 10g SAR (W/kg) 10g SAR (W/kg) 1g 10g (PASS/FAIL) SN. FREQ. CAL.DATE 1349 5250 MHz 2024/03/19 8.09 2.31 7.73 2.25 4.45% 2.60% PASS 1349 5750 MHz 2024/03/19 8.08 2.30 8.13 2.31 0.62% 0.43% PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



D5GHzV2 1349



Report No.: TESA2504000360ES

Page: 3 of 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝風如何主。大報生主概太公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 4 of 6

Dipole_D5250-SN:1349

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	5.62	4.789	36.349

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-01-17	2025-01-17
psSAR1g [W/kg]	6.77	7.73
psSAR8g [W/kg]	2.43	2.62
psSAR10g [W/kg]	2.10	2.25
Power Drift [dB]	-0.04	-0.05
M2/M1 [%]		54.1
Dist 3dB Peak [mm]		7.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 5 of 6

Dipole_D5750-SN:1349

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	5.21	5.309	35.777

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-01-17	2025-01-17
psSAR1g [W/kg]	6.99	8.13
psSAR8g [W/kg]	2.51	2.73
psSAR10g [W/kg]	2.17	2.31
Power Drift [dB]	0.04	-0.01
M2/M1 [%]		50.4
Dist 3dB Peak [mm]		7.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 6 of 6

Dipole_D5850-SN:1349

Ambient temperature: 22.4°C; Liquid temperature: 21.5°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.10	5.496	36.243

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-01-17	2025-01-17
psSAR1g [W/kg]	7.00	8.13
psSAR8g [W/kg]	2.52	2.71
psSAR10g [W/kg]	2.18	2.33
Power Drift [dB]	0.06	0.06
M2/M1 [%]		50.6
Dist 3dB Peak [mm]		7.4



- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488