

Item	Piece Code	Specification Description	Unit	Account	Location
8	AAA0620FDOC0	Resistor, 0.62 ohm, $\pm 1\%$ , 1/4W, 0805, RL0805FR-7WOR62L, YAGEO,	PCS	1	R701
9	TA05-3DS50114AAAA	Resistor, 1K ohm, $\pm 5\%$ , 1/16W, 0402, ,	PCS	6	R103 R102 R510 R513 R711 R525
10	TA05-3DS50115AAAA	Resistor, 10K ohm, $\pm 5\%$ , 1/16W, 0402, ,	PCS	1	R401
11	AAA0202FB0C0	Resistor, Resistor, 2K ohm, $\pm 1\%$ , 1/16W, 0402, , ,	PCS	2	R520 R522
12	ALB0000040C1	ESD protection diodes, Vrwm=7V, SOD-523, CESD7V0D5, CHANGJIANG	PCS	1	T200
13	ABA105KBC0C2	Capacitor, 1uF, $\pm 10\%$ , 6.3V, X5R, 0402, C0402X5R105K6R3NT, EYANG,	PCS	23	C206 C213 C214 C215 C103 C108 C230 C202 C211 C212 C207 C220 C101 C125 C506 C450 C501 C704 C705 C301 C303 C300 C500
14	ABA225KDC0C2	Capacitor, 2.2uF, $\pm 10\%$ , 10V, X5R, 0603, C0603X5R225K100NT, EYANG,	PCS	8	C216 C217 C218 C219 C209 C240 C708 C527
15	ABA475KCC0C2	Capacitor, 4.7uF, $\pm 10\%$ , 6.3V, X5R, 0603, C0603X5R475K6R3NT, EYANG,	PCS	4	C201 C203 C514 C515
16	ABA106MCD0C2	Capacitor, 10uF, $\pm 20\%$ , 6.3V, X5R, 0805 (T=1.25mm) C0805X5R106M6R3NT, EYANG,	PCS	3	C126 C200 C703
17	ABA470KJB0C2	Capacitor, 47pF, $\pm 10\%$ , 50V, COG, 0402, C0402COG470K500NT, EYANG,	PCS	20	C442 C443 C444 C469 C511 C513 C516 C517 C532 C534 C520 C521 C522 C525 C526 C530 C531 C548 C549 C702
18	ABA104MDB0C2	Capacitor, 100nF, $\pm 20\%$ , 10V, X5R, 0402, C0402X5R104M100NT, EYANG,	PCS	3	C205 C104 C701
19	ABA102MJB0C2	Capacitor, 1nF, $\pm 20\%$ , 50V, X7R, 0402, C0402X7R102M500NT, EYANG,	PCS	2	C446 C720
20	ABA101KJB0C2	Capacitor, 100pF, $\pm 10\%$ , 50V, COG, 0402, C0402COG101K500NT, EYANG,	PCS	6	C100 C509 C512 C533 C519 C550
27	ARH0120010C1	USB connector, 10.9 $\times$ 7.15 $\times$ H2.0, 12pin, 0.75mm, MUB01-AK22130	PCS	1	J505
28	TA05-T1000241AAAZ	Resistor, 47K ohm, $\pm 5\%$ , 1/16W, 0402, ,	PCS	2	R300 R526
29	ADA6010011C1	Chip ferrite beads, 600ohm $\pm 25\%$ , DCR=0.2ohm, 1000mA, 0603, MHC1608S601LBP, INPAQ, .	PCS	1	B501
30	AMM0000039C1	Quad-Band Transmit Module, 5.22 $\times$ 4.54mm, , , HS8292, HunterSun,	PCS	1	U402
31	AHA0000017C1	P-channel MOSFET with schottky diode, DFN 2 $\times$ 2 $\times$ 0.75mm, 20V (D-S), MC3117, MegaPower	PCS	1	U700

32	AMA0000755C1	GSM/GPRS Baseband Process, integrate RF/BT/FM, 233ball, 11×10BGAm, 0.5pitch, , SC6531D, SPREADTRUM,	PCS	1	U100
33	ACA62HJB00C1	Inductor, 6.2nH, ±5%, 300mA, 0402, , CLH1005T-6N2J-S-NP, Chilisin,	PCS	2	L428 C461
34	BAB48V000BC1	PCB, , K47, V1.1, 4Layers, 77.1×36×1.0mm	PCS	1	
35	BKB48P0000C1	BB shielding cover, K37, T=0.2mm, 35.87×34.48×1.80mm,	PCS	1	
36	AJA2600045C1	Crystal, 26MHz, ±10ppm, 7.3pf, 3.2×2.5×0.6mm, , XTL571100-S362-001, SIWARD	PCS	1	X101
37	AKAWH00000C1	LED, white, 1.6x0.8x0.35mm(0603), Vf=2.8V, Iv=50mcd, , If=5mA, , BL-HZ336G-L8-TRB, BRIGHT,	PCS	6	D702 D703 D706 D707 D708 D709
38	ARJ0080035C1	T-Flash card connector, , 8pin, 1.1pitch, H=1.5, , TFS07-8K30010-01, SINGEEN,	PCS	1	J305
39	ACA24HJB00C1	Inductor, 2.4nH, ±5%, 300mA, 0402, , CLH1005T-2N4S-S-NP, Chilisin,	PCS	1	L429
40	ARE0030120C1	Battery connector, , 3pin, 3.0pitch, 8.40×3.50×H5.40mm, WITHOUT POST, HZBS021-05403GA0	PCS	1	J700
41	ARD0060019C1	SIM card connector, , 6pin, 2.54pitch, 16.40×16.30×H1.8mm, , W/O POST SMT type, CAF99-06183-S103, Linkconn,	PCS	2	J303 J304
42	AGA0000053C1	Digital transistors, NPN, , DTC143ZM SOT-723, JIANGSU CHANGJIANG,	PCS	1	Q702
43	ACA18HJB00C1	Inductor, 1.8nH, ±5%, 300mA, 0402, , CLH1005T-1N8S-S-NP, Chilisin,	PCS	2	C124 C418
44	AMY0000098C1	BALUN, 10_pin, 2×1.2×0.7mm, , LFB21914MDZ3D384TEMP, Murata,	PCS	1	U404
45	ACA22FMD01C1	Inductor, 2.2uH, ±20%, 330mA, 0805, MPL2012S2R2MHT, SUNLORD,	PCS	1	L200
46	ACA12HSB02C1	Inductor, 1.2nH, ±0.3nH, 300mA, 0402, , CLH1005T-1N2S-S-NP, Chilisin,	PCS	2	L435 L436
47	ACA56HSB00C1	Inductor, 5.6nH, ±0.3nH, DCR=0.27ohm, 400mA, 0402, , SDCL1005C5N6ST(f), Sunlord, (MB COST DOWN)	PCS	2	L437 L438
48	ADA1020006C1	Chip ferrite beads, 1000ohm±25%, DCR=1ohm, 200mA, 0402, MCB1005B102EBP, INPAQ, ,	PCS	9	R527 R528 L520 L521 L523 L512 L513 L514 L515
49	ABA05FCJB0C2	Capacitor, 0.5pF, ±0.25pF, 50V, COG, 0402, C0402COG0R5C500NT, EYANG,	PCS	3	C415 C122 C123
50	AEA0000066C1	SAW Filter, 2.4GHZ ISM Band RF applications, 2450±50MHZ, 2.0×1.2×0.8mm <sup>3</sup> , 3pin, RFBPF2012080AMOT62, WAL SIN,	PCS	1	U703
51	ACA39TJB04C1	Inductor, 39nH, ±5%, DCR=1.0ohm, 200mA, 0402, , SDCL1005C39NJTDF, Sunlord,	PCS	1	C121
52	ABA100KJB0C2	Capacitor, 10pF, ±10%, 50V, COG, 0402, C0402COG100K500NT, EYANG,	PCS	4	C109 C120 C561 C562
53	ABA390JJB0C2	Capacitor, 39pF, ±5%, 50V, COG, 0402, C0402COG390J500NT, EYANG,	PCS	1	C417

54	TA06- T1000239AAAZ	Capacitor, 2.7pF, $\pm$ 0.25pF, 50V, COG, 0402, C0402COG2R7C500NT, EYANG,	PCS	1	C463
55	TA06- T1000080AAAZ	Capacitor, 3.3pF, $\pm$ 0.25pF, 50V, COG, 0402, C0402COG3R3C500NT, EYANG,	PCS	2	C405 C406
56	ACA36HSB00C1	Inductor, 3.6nH, $\pm$ 0.3nH, DCR=0.18ohm, 300mA, 0402, , LQG15HS3N6S02D, M URATA	PCS	1	C401
57	ABA010CJBOC2	Capacitor, 1pF, $\pm$ 0.25pF, 50V, COG, 0402, C0402COG1R0C500NT, EYANG,	PCS	1	L411