



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.a>


#1 LTE B14 EVS NB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	192.5
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	91.41
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	88.60
5.2 RCV Distortion and Noise - 400 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	31.25
5.2 RCV Distortion and Noise - 500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.03
5.2 RCV Distortion and Noise - 630 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.37
5.2 RCV Distortion and Noise - 800 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.29
5.2 RCV Distortion and Noise - 1000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.08
5.2 RCV Distortion and Noise - 1250 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.73
5.2 RCV Distortion and Noise - 1600 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.18
5.2 RCV Distortion and Noise - 2000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.23
5.2 RCV Distortion and Noise - 2500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.13
5.2 RCV Distortion and Noise - 3150 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.24
5.2 RCV Distortion and Noise - 400 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.64
5.2 RCV Distortion and Noise - 500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.48
5.2 RCV Distortion and Noise - 630 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.05
5.2 RCV Distortion and Noise - 800 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.58
5.2 RCV Distortion and Noise - 1000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.34
5.2 RCV Distortion and Noise - 1250 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.62
5.2 RCV Distortion and Noise - 1600 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	27.55
5.2 RCV Distortion and Noise - 2000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.89
5.2 RCV Distortion and Noise - 2500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.64
5.2 RCV Distortion and Noise - 3150 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	41.38
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2057.5 Hz	1.57
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	1.55

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement

Cross correlation avg. FFT Size:131072 Overlap:0.0% Envelope | %




Channel	Delay	Correlation
RCV*Source	192.5 ms	44.21 %

2025-02-14 上午 02:09 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	91.41 dB[SPL]	61.95%	Ok

Ok

2025-02-14 上午 02:09 ACQUA 6.1.110


Limits

lower
76.00 dB[SPL]



5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	88.60 dB[SPL]	51.43%	Ok

Ok


2025-02-14 上午 02:17 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.2 RCV Distortion and Noise - 400 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 31.25 dB (2.74%) Ok

Ok


2025-02-14 上午 02:10 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 29.03 dB (3.54%) Ok

Ok


2025-02-14 上午 02:11 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.37 dB (5.39%) Ok

Ok


2025-02-14 上午 02:11 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.29 dB (5.44%) Ok

Ok


2025-02-14 上午 02:12 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.08 dB (8.83%) Ok

Ok


2025-02-14 上午 02:12 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.73 dB (8.19%) Ok

Ok


2025-02-14 上午 02:13 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.18 dB (4.91%) Ok

Ok


2025-02-14 上午 02:14 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 24.23 dB (6.15%) Ok

Ok


2025-02-14 上午 02:14 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 28.13 dB (3.92%) Ok

Ok


2025-02-14 上午 02:15 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 3150 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 40.24 dB (0.97%) Ok

Ok


2025-02-14 上午 02:16 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 400 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.64 dB (2.94%) Ok

Ok


2025-02-14 上午 02:18 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.48 dB (3.77%) Ok

Ok


2025-02-14 上午 02:18 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.05 dB (4.98%) Ok

Ok


2025-02-14 上午 02:19 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.58 dB (4.69%) Ok

Ok


2025-02-14 上午 02:19 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.34 dB (7.64%) Ok

Ok


2025-02-14 上午 02:20 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.62 dB (7.39%) Ok

Ok


2025-02-14 上午 02:21 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 27.55 dB (4.19%) Ok

Ok


2025-02-14 上午 02:21 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.89 dB (6.39%) Ok

Ok


2025-02-14 上午 02:22 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 29.64 dB (3.30%) Ok

Ok

2025-02-14 上午 02:22 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 41.38 dB (0.85%) Ok

Ok


2025-02-14 上午 02:23 ACQUA 6.1.110

Limits

lower
20.00 dB

5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.57 dB at 2057.5 Hz Ok

Ok


2025-02-14 上午 02:27 ACQUA 6.1.110

Limits

lower
Fit into tolerance

5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.55 dB at 2571.8 Hz Ok

Ok

2025-02-14 上午 02:26 ACQUA 6.1.110

Limits


lower
Fit into tolerance

#2 NR n12 EVS NB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	201.0
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	91.04
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	88.59
5.2 RCV Distortion and Noise - 400 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.59
5.2 RCV Distortion and Noise - 500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.21
5.2 RCV Distortion and Noise - 630 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.38
5.2 RCV Distortion and Noise - 800 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.34
5.2 RCV Distortion and Noise - 1000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.62
5.2 RCV Distortion and Noise - 1250 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.34
5.2 RCV Distortion and Noise - 1600 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.27
5.2 RCV Distortion and Noise - 2000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.95
5.2 RCV Distortion and Noise - 2500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.39
5.2 RCV Distortion and Noise - 3150 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.62
5.2 RCV Distortion and Noise - 400 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	20.81
5.2 RCV Distortion and Noise - 500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.86
5.2 RCV Distortion and Noise - 630 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.01
5.2 RCV Distortion and Noise - 800 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.14
5.2 RCV Distortion and Noise - 1000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.79
5.2 RCV Distortion and Noise - 1250 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.06
5.2 RCV Distortion and Noise - 1600 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.40
5.2 RCV Distortion and Noise - 2000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	23.70
5.2 RCV Distortion and Noise - 2500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.88
5.2 RCV Distortion and Noise - 3150 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.77
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2057.5 Hz	1.21
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	1.92

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	201.0 ms	42.21 %

2025-02-26 下午 10:31 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	91.04 dB[SPL]	74.68%	Ok

Ok


2025-02-26 下午 10:50 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.2 RCV Distortion and Noise - 400 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.59 dB (2.96%) Ok

Ok


2025-02-26 下午 10:51 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 28.21 dB (3.89%) Ok

Ok


2025-02-26 下午 10:51 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.38 dB (5.38%) Ok

Ok


2025-02-26 下午 10:58 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.34 dB (5.41%) Ok

Ok


2025-02-26 下午 10:52 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.62 dB (8.30%) Ok

Ok


2025-02-26 下午 11:00 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.34 dB (8.57%) Ok

Ok


2025-02-26 下午 11:13 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.27 dB (5.45%) Ok

Ok


2025-02-26 下午 11:18 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 23.95 dB (6.34%) Ok

Ok


2025-02-26 下午 10:55 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 22.39 dB (7.60%) Ok

Ok


2025-02-26 下午 11:15 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 3150 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 40.62 dB (0.93%) Ok

Ok

2025-02-26 下午 11:16 ACQUA 6.1.110

Limits

lower
20.00 dB

Report - Receive Distortion and Noise (Conversational Gain) 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range

Region	Frequency	SDNR
1	400Hz	30.59 dB
2	500Hz	28.21 dB
3	800Hz	25.34 dB
4	2000Hz	23.95 dB
5	630Hz	25.38 dB
6	1000Hz	21.62 dB
7	1250Hz	21.34 dB
8	2500Hz	22.39 dB
9	3150Hz	40.62 dB
10	1600Hz	25.27 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 21.34dB at 1250Hz.

2025-02-26 下午 11:21 ACQUA

5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.21 dB at 2057.5 Hz Ok

Ok


2025-02-26 下午 11:16 ACQUA 6.1.110

Limits

lower
Fit into tolerance

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	88.59 dB[SPL]	55.30%	Ok

Ok


2025-02-26 下午 10:32 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.2 RCV Distortion and Noise - 400 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 20.81 dB (9.11%) Ok

Ok


2025-02-26 下午 10:37 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.86 dB (5.09%) Ok

Ok

2025-02-26 下午 10:38 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.01 dB (8.90%) Ok

Ok


2025-02-26 下午 10:38 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.14 dB (4.93%) Ok

Ok


2025-02-26 下午 10:39 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.79 dB (8.14%) Ok

Ok


2025-02-26 下午 10:46 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.06 dB (7.89%) Ok

Ok


2025-02-26 下午 10:48 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.40 dB (7.58%) Ok

Ok


2025-02-26 下午 10:41 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.70 dB (6.53%) Ok

Ok


2025-02-26 下午 10:41 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.88 dB (3.60%) Ok

Ok


2025-02-26 下午 10:42 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 3150 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.77 dB (7.27%) Ok

Ok

2025-02-26 下午 10:42 ACQUA 6.1.110

Limits

lower
20.00 dB



Report - Receive Distortion and Noise (Conversational Gain) 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range

Region	Frequency	SDNR
1	400Hz	20.81 dB
2	500Hz	25.86 dB
3	630Hz	21.01 dB
4	800Hz	26.14 dB
5	1600Hz	22.40 dB
6	2000Hz	23.70 dB
7	2500Hz	28.88 dB
8	3150Hz	22.77 dB
9	1000Hz	21.79 dB
10	1250Hz	22.06 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 20.81dB at 400Hz.

2025-02-26 下午 10:49 ACQUA

5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.92 dB at 2571.8 Hz Ok

Ok

2025-02-26 下午 10:45 ACQUA 6.1.110

Limits


lower
Fit into tolerance

#3 WiFi 5.9GHz EVS NB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	198.5
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	91.65
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	88.66
5.2 RCV Distortion and Noise - 400 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	30.63
5.2 RCV Distortion and Noise - 500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.71
5.2 RCV Distortion and Noise - 630 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.44
5.2 RCV Distortion and Noise - 800 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.45
5.2 RCV Distortion and Noise - 1000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.13
5.2 RCV Distortion and Noise - 1250 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.20
5.2 RCV Distortion and Noise - 1600 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	26.13
5.2 RCV Distortion and Noise - 2000 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.57
5.2 RCV Distortion and Noise - 2500 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.11
5.2 RCV Distortion and Noise - 3150 Hz 8N NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.58
5.2 RCV Distortion and Noise - 400 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.76
5.2 RCV Distortion and Noise - 500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.27
5.2 RCV Distortion and Noise - 630 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.77
5.2 RCV Distortion and Noise - 800 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.31
5.2 RCV Distortion and Noise - 1000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	20.82
5.2 RCV Distortion and Noise - 1250 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	21.74
5.2 RCV Distortion and Noise - 1600 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.31
5.2 RCV Distortion and Noise - 2000 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	22.41
5.2 RCV Distortion and Noise - 2500 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.45
5.2 RCV Distortion and Noise - 3150 Hz 2N NB	Ok	Distortion (Noise) [dB], 0.0 dB	41.82
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2057.5 Hz	0.85
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 2571.8 Hz	1.95

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	198.5 ms	27.89 %

2025-02-17 下午 01:34 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	91.65 dB[SPL]	65.98%	Ok

Ok


2025-02-17 下午 01:34 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Channel	Speech level	Activity	
RCV	88.66 dB[SPL]	56.91%	Ok

Ok


2025-02-17 下午 01:41 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.2 RCV Distortion and Noise - 400 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.63 dB (2.94%) Ok

Ok


2025-02-17 下午 01:35 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 28.71 dB (3.67%) Ok

Ok

2025-02-17 下午 01:35 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.44 dB (5.35%) Ok

Ok


2025-02-17 下午 01:36 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.45 dB (5.34%) Ok

Ok


2025-02-17 下午 01:36 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 21.13 dB (8.78%) Ok

Ok


2025-02-17 下午 01:37 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 22.20 dB (7.76%) Ok

Ok


2025-02-17 下午 01:38 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 26.13 dB (4.94%) Ok

Ok


2025-02-17 下午 01:38 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 24.57 dB (5.91%) Ok

Ok


2025-02-17 下午 01:39 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 28.11 dB (3.93%) Ok

Ok

2025-02-17 下午 01:39 ACQUA 6.1.110


Limits

lower
20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 40.58 dB (0.94%) Ok

Ok

2025-02-17 下午 01:40 ACQUA 6.1.110

Limits

lower
20.00 dB



Report - Receive Distortion and Noise (Conversational Gain) 8N

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range

Region	Frequency	SDNR
1	400Hz	30.63 dB
2	500Hz	28.71 dB
3	630Hz	25.44 dB
4	800Hz	25.45 dB
5	1000Hz	21.13 dB
6	1250Hz	22.20 dB
7	1600Hz	26.13 dB
8	2000Hz	24.57 dB
9	2500Hz	28.11 dB
10	3150Hz	40.58 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 21.13dB at 1000Hz.

2025-02-17 下午 01:40 ACQUA

5.2 RCV Distortion and Noise - 400 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 29.76 dB (3.25%) Ok

Ok


2025-02-17 下午 01:42 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.27 dB (3.86%) Ok

Ok

2025-02-17 下午 01:42 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 630 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 24.77 dB (5.78%) Ok

Ok


2025-02-17 下午 01:43 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 800 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.31 dB (5.43%) Ok

Ok


2025-02-17 下午 01:44 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 20.82 dB (9.10%) Ok

Ok


2025-02-17 下午 01:44 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1250 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 21.74 dB (8.19%) Ok

Ok


2025-02-17 下午 01:45 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 1600 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.31 dB (5.42%) Ok

Ok


2025-02-17 下午 01:45 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2000 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 22.41 dB (7.57%) Ok

Ok


2025-02-17 下午 01:46 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 2500 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 29.45 dB (3.37%) Ok

Ok


2025-02-17 下午 01:55 ACQUA 6.1.110

Limits

lower
20.00 dB

5.2 RCV Distortion and Noise - 3150 Hz 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 41.82 dB (0.81%) Ok

Ok

2025-02-17 下午 01:47 ACQUA 6.1.110

Limits

lower
20.00 dB



Report - Receive Distortion and Noise (Conversational Gain) 2N

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range

Region	Frequency	SDNR
1	400Hz	29.76 dB
2	500Hz	28.27 dB
3	630Hz	24.77 dB
4	800Hz	25.31 dB
5	1000Hz	20.82 dB
6	1250Hz	21.74 dB
7	1600Hz	25.31 dB
8	2000Hz	22.41 dB
9	3150Hz	41.82 dB
10	2500Hz	29.45 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 20.82dB at 1000Hz.

2025-02-17 下午 02:00 ACQUA

5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

0.85 dB at 2057.5 Hz Ok

Ok


2025-02-17 下午 01:40 ACQUA 6.1.110

Limits

lower
Fit into tolerance

5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.95 dB at 2571.8 Hz Ok

Ok

2025-02-17 下午 01:54 ACQUA 6.1.110

Limits

lower
Fit into tolerance



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.b>




#4 GSM1900 AMR WB 6.60kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	219.6
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	90.52
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	87.31

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	219.6 ms	60.45 %

2025-02-14 下午 03:07 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	90.52 dB[SPL]	60.30%	Ok

Ok


2025-02-14 下午 03:07 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	87.31 dB[SPL]	52.47%	Ok

Ok

2025-02-14 下午 03:14 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]




#5 WCDMA V AMR WB 23.85kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	219.7
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	90.65
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	87.33

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	219.7 ms	60.98 %

2025-02-14 下午 02:49 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	90.65 dB[SPL]	63.51%	Ok

Ok


2025-02-14 下午 02:50 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	87.33 dB[SPL]	50.67%	Ok

Ok

2025-02-14 下午 02:57 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]




#6 LTE Band 7 AMR WB 6.60kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	233.5
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	90.12
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	86.92



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	233.5 ms	27.83 %

2025-02-14 上午 01:53 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	90.12 dB[SPL]	59.00%	Ok

Ok


2025-02-14 上午 01:55 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	86.92 dB[SPL]	51.69%	Ok

Ok

2025-02-14 上午 01:54 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]




#7 FR1 n7 AMR WB 23.85kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	238.8
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	90.44
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	87.02

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	238.8 ms	42.99 %

2025-02-26 下午 09:12 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	90.44 dB[SPL]	58.26%	Ok

Ok


2025-02-26 下午 09:15 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	87.02 dB[SPL]	46.60%	Ok

Ok

2025-02-26 下午 09:12 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]




#8 WiFi 5.8GHz EVS WB 5.9kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	187.1
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	90.33
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	86.62

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Channel	Delay	Correlation
RCV*Source	187.1 ms	27.50 %

2025-02-28 上午 11:59 ACQUA 6.1.110

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	90.33 dB[SPL]	59.70%	Ok

Ok


2025-02-28 下午 12:00 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Channel	Speech level	Activity	
RCV	86.62 dB[SPL]	52.44%	Ok

Ok

2025-02-28 下午 12:01 ACQUA 6.1.110

Limits

lower
76.00 dB[SPL]