




FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



09:55:36 PM 02/28/2025


Highest Band Edge / Full RB



09:58:54 PM 02/28/2025


FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



09:56:26 PM 02/28/2025

Highest Band Edge / Full RB




09:59:44 PM 02/28/2025




FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



10:02:14 PM 02/28/2025


Highest Band Edge / Full RB



10:05:32 PM 02/28/2025


FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



10:03:04 PM 02/28/2025

Highest Band Edge / Full RB




10:06:23 PM 02/28/2025




FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



10:07:16 PM 02/28/2025


Highest Band Edge / Full RB



10:10:32 PM 02/28/2025


FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



10:08:04 PM 02/28/2025

Highest Band Edge / Full RB




10:11:20 PM 02/28/2025




FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



10:08:52 PM 02/28/2025


Highest Band Edge / Full RB



10:12:09 PM 02/28/2025


FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



10:09:42 PM 02/28/2025

Highest Band Edge / Full RB




10:12:59 PM 02/28/2025




Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0043	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0029	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0022	
0	Normal Voltage	0.0029	
-10	Normal Voltage	0.0047	
-20	Normal Voltage	0.0013	
-30	Normal Voltage	0.0055	
20	Maximum Voltage	0.0045	
20	Normal Voltage	0.0027	
20	Minimum Voltage	0.0051	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1-1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	NR SA n26	H	1670	-50.74	RMS	24.60	-25.12	0.62	-95.23	44.39	-13.00	-37.74	H	Tx0
2	Part 22H	NR SA n26	M	3299	-63.86	RMS	28.00	-22.73	0.40	-95.23	25.70	-13.00	-50.86	H	Tx1
3	Part 22H	EN-DC B2+n26	M	3259	-63.88	RMS	28.00	-22.78	0.41	-95.23	25.72	-13.00	-50.88	V	Tx0
1	Part 24E	NR SA n25	L	5554	-43.72	RMS	32.81	-21.78	0.66	-95.23	39.82	-13.00	-30.72	V	Tx0
2	Part 24E	NR SA n25	H	3793	-53.92	RMS	30.09	-22.14	0.30	-95.23	33.06	-13.00	-40.92	H	Tx1
3	Part 24E	EN-DC B5+n25	M	7495	-55.45	RMS	36.71	-20.69	0.71	-95.23	23.05	-13.00	-42.45	V	Tx0
1	Part 27L	NR SA n70	L	5087	-37.92	RMS	32.60	-21.42	0.40	-95.23	45.73	-13.00	-24.92	H	Tx0
2	Part 27L	NR SA n70	M	5088	-38.17	RMS	32.60	-21.42	0.40	-95.23	45.48	-13.00	-25.17	H	Tx0
3	Part 27L	NR SA n70	H	3402	-54.22	RMS	28.31	-22.61	0.69	-95.23	34.62	-13.00	-41.22	H	Tx1
4	Part 27L	NR SA n70	M	3392	-55.10	RMS	28.28	-22.62	0.71	-95.23	33.76	-13.00	-42.10	H	Tx1
5	Part 27L	NR SA n66	L	5134	-42.86	RMS	32.67	-21.47	0.39	-95.23	40.78	-13.00	-29.86	H	Tx0
6	Part 27L	NR SA n66	H	3523	-50.81	RMS	28.98	-22.50	0.39	-95.23	37.55	-13.00	-37.81	H	Tx1
7	Part 27L	EN-DC B5+n66	M	5209	-41.53	RMS	32.56	-21.54	0.40	-95.23	42.28	-13.00	-28.53	H	Tx1
8	Part 27D	NR SA n30	M	9232	-55.50	RMS	36.94	-21.12	0.22	-95.23	23.69	-40.00	-15.50	H	Tx0
9	Part 27D	NR SA n30	M	9223	-55.68	RMS	36.95	-21.12	0.23	-95.23	23.49	-40.00	-15.68	V	Tx0
10	Part 27D	NR SA n30	H	6932	-54.67	RMS	36.30	-20.93	0.35	-95.23	24.84	-40.00	-14.67	V	Tx1
11	Part 27D	NR SA n30	M	6917	-53.98	RMS	36.30	-20.93	0.34	-95.23	25.54	-40.00	-13.98	V	Tx1
12	Part 27D	EN-DC B5+n30	M	9223	-55.34	RMS	36.95	-21.12	0.23	-95.23	23.83	-40.00	-15.34	V	Tx1
13	Part 27H	NR SA n12	M	2813	-64.50	RMS	27.80	-23.44	0.39	-95.23	25.98	-13.00	-51.50	V	Tx0
14	Part 27H	NR SA n12	H	2827	-64.25	RMS	27.80	-23.42	0.39	-95.23	26.21	-13.00	-51.25	H	Tx1
15	Part 27H	EN-DC B2+n12	M	2813	-64.46	RMS	27.80	-23.44	0.39	-95.23	26.02	-13.00	-51.46	H	Tx1
16	Part 27N	NR SA n71	H	2717	-64.83	RMS	27.57	-23.63	0.45	-95.23	26.01	-13.00	-51.83	V	Tx0
17	Part 27N	NR SA n71	H	2717	-64.81	RMS	27.57	-23.63	0.45	-95.23	26.03	-13.00	-51.81	V	Tx1
18	Part 27N	EN-DC B2+n71	M	2015	-60.35	RMS	26.25	-24.69	0.42	-95.23	32.90	-13.00	-47.35	H	Tx0
19	Part 27M	NR SA n7	H	10205	-54.76	RMS	37.29	-21.16	0.51	-95.23	23.83	-25.00	-29.76	H	Tx0
20	Part 27M	NR SA n7	L	7504	-46.81	RMS	36.69	-20.69	0.71	-95.23	31.71	-25.00	-21.81	V	Tx1



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
21	Part 27M	NR SA n41	H	10685	-54.70	RMS	37.50	-21.43	0.50	-95.23	23.96	-25.00	-29.70	V	Tx0
22	Part 27M	NR SA n41	H	8014	-46.55	RMS	36.60	-20.86	0.44	-95.23	32.50	-25.00	-21.55	H	Tx1
23	Part 27M	EN-DC B5+n41	M	10337	-54.64	RMS	37.37	-21.29	0.50	-95.23	24.01	-25.00	-29.64	V	Tx1
24	Part 27M	NR SA n41	M	7753	-48.62	RMS	36.51	-20.76	0.48	-95.23	30.38	-25.00	-23.62	V	Ant2+1
25	Part 27M	NR SA n41	M	10337	-54.55	RMS	37.37	-21.29	0.50	-95.23	24.10	-25.00	-29.55	H	Ant0+5
26	Part 27O	NR SA n77	L	14805	-49.83	RMS	41.28	-22.51	0.76	-95.23	25.87	-13.00	-36.83	H	Tx0
27	Part 27O	NR SA n77	L	11104	-48.20	RMS	37.91	-21.42	0.91	-95.23	29.63	-13.00	-35.20	H	Tx1
28	Part 27O	EN-DC B5+n77	M	15325	-49.84	RMS	40.75	-22.55	0.86	-95.23	26.33	-13.00	-36.84	H	Tx1
29	Part 27O	NR SA n77	M	15325	-49.64	RMS	40.75	-22.55	0.86	-95.23	26.53	-13.00	-36.64	V	Ant6+1
30	Part 27O	NR SA n77	M	15325	-49.81	RMS	40.75	-22.55	0.86	-95.23	26.36	-13.00	-36.81	H	Ant7+5
31	Part 27Q	NR SA n77	H	14125	-50.46	RMS	41.00	-21.78	0.63	-95.23	24.92	-13.00	-37.46	H	Tx0
32	Part 27Q	NR SA n77	H	7063	-47.44	RMS	36.30	-20.90	1.01	-95.23	31.38	-13.00	-34.44	H	Tx1
33	Part 27Q	EN-DC B5+n77	M	20948	-47.02	RMS	38.39	-36.64	-9.54	-95.23	56.00	-13.00	-34.02	V	Tx1
34	Part 27Q	NR SA n77	M	13965	-49.79	RMS	40.83	-21.48	0.62	-95.23	25.47	-13.00	-36.79	H	Ant6+1
35	Part 27Q	NR SA n77	M	13965	-49.90	RMS	40.83	-21.48	0.62	-95.23	25.36	-13.00	-36.90	H	Ant7+5
1	Part 90S	NR SA n26	L	2444	-61.24	RMS	26.70	-24.11	0.61	-95.23	30.79	-13.00	-48.24	V	Tx0
2	Part 90S	NR SA n26	M	2453	-60.69	RMS	26.64	-24.10	0.60	-95.23	31.40	-13.00	-47.69	V	Tx0
3	Part 90S	NR SA n26	M	2451	-62.26	RMS	26.68	-24.10	0.60	-95.23	29.79	-13.00	-49.26	V	Tx1
4	Part 90S	NR SA n26	M	2453	-62.88	RMS	26.64	-24.10	0.60	-95.23	29.21	-13.00	-49.88	V	Tx1
5	Part 90S	EN-DC B2+n26	M	2453	-60.88	RMS	26.64	-24.10	0.60	-95.23	31.21	-13.00	-47.88	V	Tx0
6	Part 90R	NR SA n14	M	1582	-68.70	RMS	24.42	-25.23	0.68	-95.23	26.66	-42.15	-26.55	H	Tx0
7	Part 90R	NR SA n14	M	1578	-68.65	RMS	24.40	-25.24	0.69	-95.23	26.73	-42.15	-26.50	V	Tx0
8	Part 90R	NR SA n14	L	1577	-68.76	RMS	24.40	-25.24	0.69	-95.23	26.62	-42.15	-26.61	H	Tx1
9	Part 90R	NR SA n14	M	1578	-68.68	RMS	24.40	-25.24	0.69	-95.23	26.70	-42.15	-26.53	V	Tx1




Tx0

Part 22H Mode 1

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.62	RMS	24.60	-25.17	0.64	-95.23	26.54	-13.00	-55.62	Horizontal
2	2445.00	-65.75	RMS	26.70	-24.11	0.61	-95.23	26.28	-13.00	-52.75	Horizontal
3	3259.00	-63.84	RMS	28.00	-22.78	0.41	-95.23	25.76	-13.00	-50.84	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.57	RMS	24.60	-25.17	0.64	-95.23	26.59	-13.00	-55.57	Vertical
2	2445.00	-65.87	RMS	26.70	-24.11	0.61	-95.23	26.16	-13.00	-52.87	Vertical
3	3259.00	-63.77	RMS	28.00	-22.78	0.41	-95.23	25.83	-13.00	-50.77	Vertical




Tx0

Part 22H Mode 1

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1650.00	-65.95	RMS	24.70	-25.14	0.63	-95.23	29.09	-13.00	-52.95
2	2475.00	-57.96	RMS	26.55	-24.07	0.59	-95.23	34.20	-13.00	-44.96
3	3299.00	-63.85	RMS	28.00	-22.73	0.40	-95.23	25.71	-13.00	-50.85



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1650.00	-67.79	RMS	24.70	-25.14	0.63	-95.23	27.25	-13.00	-54.79
2	2475.00	-60.06	RMS	26.55	-24.07	0.59	-95.23	32.10	-13.00	-47.06
3	3299.00	-64.06	RMS	28.00	-22.73	0.40	-95.23	25.50	-13.00	-51.06




Tx0

Part 22H Mode 1

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1670.00	-50.74	RMS	24.60	-25.12	0.62	-95.23	44.39	-13.00	-37.74	Horizontal
2	2505.00	-60.14	RMS	26.75	-24.03	0.58	-95.23	31.79	-13.00	-47.14	Horizontal
3	3339.00	-63.58	RMS	28.16	-22.68	0.39	-95.23	25.78	-13.00	-50.58	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1670.00	-55.73	RMS	24.60	-25.12	0.62	-95.23	39.40	-13.00	-42.73	Vertical
2	2505.00	-62.09	RMS	26.75	-24.03	0.58	-95.23	29.84	-13.00	-49.09	Vertical
3	3339.00	-63.44	RMS	28.16	-22.68	0.39	-95.23	25.92	-13.00	-50.44	Vertical




Tx0

Part 22H Mode 3

EN-DC B2+n26 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1630.00	-68.76	RMS	24.60	-25.17	0.64	-95.23	26.40	-13.00	-55.76	Horizontal
2	1880.00	-2.02	RMS	25.10	-24.86	0.50	-95.23	92.47	-13.00	10.98	Horizontal
3	2445.00	-66.06	RMS	26.70	-24.11	0.61	-95.23	25.97	-13.00	-53.06	Horizontal
4	3259.00	-64.29	RMS	28.00	-22.78	0.41	-95.23	25.31	-13.00	-51.29	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1630.00	-68.62	RMS	24.60	-25.17	0.64	-95.23	26.54	-13.00	-55.62	Vertical
2	1880.00	-1.74	RMS	25.10	-24.86	0.50	-95.23	92.75	-13.00	11.26	Vertical
3	2445.00	-66.05	RMS	26.70	-24.11	0.61	-95.23	25.98	-13.00	-53.05	Vertical
4	3259.00	-63.88	RMS	28.00	-22.78	0.41	-95.23	25.72	-13.00	-50.88	Vertical

Remark: #2 is fundamental signal which can be ignored.




Tx1

Part 22H Mode 2

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.42	RMS	24.60	-25.17	0.64	-95.23	26.74	-13.00	-55.42	Horizontal
2	2445.00	-66.15	RMS	26.70	-24.11	0.61	-95.23	25.88	-13.00	-53.15	Horizontal
3	3259.00	-64.35	RMS	28.00	-22.78	0.41	-95.23	25.25	-13.00	-51.35	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-68.88	RMS	24.60	-25.17	0.64	-95.23	26.28	-13.00	-55.88	Vertical
2	2445.00	-66.40	RMS	26.70	-24.11	0.61	-95.23	25.63	-13.00	-53.40	Vertical
3	3259.00	-64.33	RMS	28.00	-22.78	0.41	-95.23	25.27	-13.00	-51.33	Vertical




Tx1

Part 22H Mode 2

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-69.10	RMS	24.70	-25.14	0.63	-95.23	25.94	-13.00	-56.10	Horizontal
2	2475.00	-66.13	RMS	26.55	-24.07	0.59	-95.23	26.03	-13.00	-53.13	Horizontal
3	3299.00	-63.86	RMS	28.00	-22.73	0.40	-95.23	25.70	-13.00	-50.86	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-69.10	RMS	24.70	-25.14	0.63	-95.23	25.94	-13.00	-56.10	Vertical
2	2475.00	-64.81	RMS	26.55	-24.07	0.59	-95.23	27.35	-13.00	-51.81	Vertical
3	3299.00	-64.20	RMS	28.00	-22.73	0.40	-95.23	25.36	-13.00	-51.20	Vertical




Tx1

Part 22H Mode 2

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1670.00	-68.20	RMS	24.60	-25.12	0.62	-95.23	26.93	-13.00	-55.20	Horizontal
2	2505.00	-66.13	RMS	26.75	-24.03	0.58	-95.23	25.80	-13.00	-53.13	Horizontal
3	3339.00	-64.06	RMS	28.16	-22.68	0.39	-95.23	25.30	-13.00	-51.06	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1670.00	-68.51	RMS	24.60	-25.12	0.62	-95.23	26.62	-13.00	-55.51	Vertical
2	2505.00	-65.91	RMS	26.75	-24.03	0.58	-95.23	26.02	-13.00	-52.91	Vertical
3	3339.00	-64.17	RMS	28.16	-22.68	0.39	-95.23	25.19	-13.00	-51.17	Vertical




Tx0

Part 24E Mode 1

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3703.00	-57.72	RMS	29.62	-22.25	0.26	-95.23	29.88	-13.00	-44.72	Horizontal			
2	5554.00	-45.48	RMS	32.81	-21.78	0.66	-95.23	38.06	-13.00	-32.48	Horizontal			
3	7405.00	-55.42	RMS	36.80	-20.72	0.74	-95.23	22.99	-13.00	-42.42	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch372000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3703.00	-57.35	RMS	29.62	-22.25	0.26	-95.23	30.25	-13.00	-44.35	Vertical			
2	5554.00	-43.72	RMS	32.81	-21.78	0.66	-95.23	39.82	-13.00	-30.72	Vertical			
3	7405.00	-55.54	RMS	36.80	-20.72	0.74	-95.23	22.87	-13.00	-42.54	Vertical			




Tx0

Part 24E Mode 1

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3748.00	-58.04	RMS	29.98	-22.19	0.28	-95.23	29.12	-13.00	-45.04	Horizontal			
2	5621.00	-46.57	RMS	33.03	-21.74	0.68	-95.23	36.69	-13.00	-33.57	Horizontal			
3	7495.00	-55.36	RMS	36.71	-20.69	0.71	-95.23	23.14	-13.00	-42.36	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3748.00	-57.85	RMS	29.98	-22.19	0.28	-95.23	29.31	-13.00	-44.85	Vertical			
2	5621.00	-45.16	RMS	33.03	-21.74	0.68	-95.23	38.10	-13.00	-32.16	Vertical			
3	7495.00	-55.41	RMS	36.71	-20.69	0.71	-95.23	23.09	-13.00	-42.41	Vertical			




Tx0

Part 24E Mode 1

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-57.12	RMS	30.09	-22.14	0.30	-95.23	29.86	-13.00	-44.12 Horizontal
2	5689.00	-47.21	RMS	33.43	-21.70	0.65	-95.23	35.64	-13.00	-34.21 Horizontal
3	7585.00	-55.45	RMS	36.60	-20.70	0.68	-95.23	23.20	-13.00	-42.45 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-57.25	RMS	30.09	-22.14	0.30	-95.23	29.73	-13.00	-44.25 Vertical
2	5689.00	-48.29	RMS	33.43	-21.70	0.65	-95.23	34.56	-13.00	-35.29 Vertical
3	7585.00	-55.62	RMS	36.60	-20.70	0.68	-95.23	23.03	-13.00	-42.62 Vertical




Tx0

Part 24E Mode 3


EN-DC B5+n25 10M + 20M Ch20525 1RB0 QPSK + Ch376500 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: LTE B5 10M Ch 20525 1RB0 QPSK
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm										
1	3748.00	-60.86	RMS	29.98	-22.19	0.28	-95.23	26.30	-13.00	-47.86	Horizontal	
2	5621.00	-59.47	RMS	33.03	-21.74	0.68	-95.23	23.79	-13.00	-46.47	Horizontal	
3	7495.00	-55.48	RMS	36.71	-20.69	0.71	-95.23	23.02	-13.00	-42.48	Horizontal	



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: LTE B5 10M Ch 20525 1RB0 QPSK
: SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm										
1	3748.00	-60.63	RMS	29.98	-22.19	0.28	-95.23	26.53	-13.00	-47.63	Vertical	
2	5621.00	-59.51	RMS	33.03	-21.74	0.68	-95.23	23.75	-13.00	-46.51	Vertical	
3	7495.00	-55.45	RMS	36.71	-20.69	0.71	-95.23	23.05	-13.00	-42.45	Vertical	




Tx1

Part 24E Mode 2

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-54.00	RMS	29.62	-22.25	0.26	-95.23	33.60	-13.00	-41.00 Horizontal
2	5554.00	-59.75	RMS	32.81	-21.78	0.66	-95.23	23.79	-13.00	-46.75 Horizontal
3	7405.00	-55.46	RMS	36.80	-20.72	0.74	-95.23	22.95	-13.00	-42.46 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-57.20	RMS	29.62	-22.25	0.26	-95.23	30.40	-13.00	-44.20 Vertical
2	5554.00	-59.78	RMS	32.81	-21.78	0.66	-95.23	23.76	-13.00	-46.78 Vertical
3	7405.00	-55.53	RMS	36.80	-20.72	0.74	-95.23	22.88	-13.00	-42.53 Vertical




Tx1

Part 24E Mode 2

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3748.00	-54.84	RMS	29.98	-22.19	0.28	-95.23	32.32	-13.00	-41.84	Horizontal			
2	5621.00	-59.67	RMS	33.03	-21.74	0.68	-95.23	23.59	-13.00	-46.67	Horizontal			
3	7495.00	-55.37	RMS	36.71	-20.69	0.71	-95.23	23.13	-13.00	-42.37	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch376500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3748.00	-56.66	RMS	29.98	-22.19	0.28	-95.23	30.50	-13.00	-43.66	Vertical			
2	5621.00	-59.11	RMS	33.03	-21.74	0.68	-95.23	24.15	-13.00	-46.11	Vertical			
3	7495.00	-55.15	RMS	36.71	-20.69	0.71	-95.23	23.35	-13.00	-42.15	Vertical			




Tx1

Part 24E Mode 2

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-53.92	RMS	30.09	-22.14	0.30	-95.23	33.06	-13.00	-40.92	Horizontal
2	5689.00	-59.20	RMS	33.43	-21.70	0.65	-95.23	23.65	-13.00	-46.20	Horizontal
3	7585.00	-55.24	RMS	36.60	-20.70	0.68	-95.23	23.41	-13.00	-42.24	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3793.00	-56.31	RMS	30.09	-22.14	0.30	-95.23	30.67	-13.00	-43.31	Vertical
2	5689.00	-59.37	RMS	33.43	-21.70	0.65	-95.23	23.48	-13.00	-46.37	Vertical
3	7585.00	-55.22	RMS	36.60	-20.70	0.68	-95.23	23.43	-13.00	-42.22	Vertical




Tx0

Part 27L Mode 1

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3392.00	-60.41	RMS	28.28	-22.62	0.71	-95.23	28.45	-13.00	-47.41	Horizontal			
2	5087.00	-37.92	RMS	32.60	-21.42	0.40	-95.23	45.73	-13.00	-24.92	Horizontal			
3	6783.00	-56.63	RMS	36.17	-20.94	0.33	-95.23	23.04	-13.00	-43.63	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3392.00	-61.93	RMS	28.28	-22.62	0.71	-95.23	26.93	-13.00	-48.93	Vertical			
2	5087.00	-41.33	RMS	32.60	-21.42	0.40	-95.23	42.32	-13.00	-28.33	Vertical			
3	6783.00	-56.70	RMS	36.17	-20.94	0.33	-95.23	22.97	-13.00	-43.70	Vertical			




Tx0

Part 27L Mode 1

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3397.00	-60.17	RMS	28.29	-22.62	0.70	-95.23	28.69	-13.00	-47.17	Horizontal			
2	5095.00	-38.66	RMS	32.60	-21.43	0.40	-95.23	45.00	-13.00	-25.66	Horizontal			
3	6793.00	-56.52	RMS	36.19	-20.94	0.32	-95.23	23.14	-13.00	-43.52	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3397.00	-62.06	RMS	28.29	-22.62	0.70	-95.23	26.80	-13.00	-49.06	Vertical			
2	5095.00	-41.06	RMS	32.60	-21.43	0.40	-95.23	42.60	-13.00	-28.06	Vertical			
3	6793.00	-56.09	RMS	36.19	-20.94	0.32	-95.23	23.57	-13.00	-43.09	Vertical			




Tx0

Part 27L Mode 1

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3402.00	-59.75	RMS	28.31	-22.61	0.69	-95.23	29.09	-13.00	-46.75	Horizontal			
2	5102.00	-38.21	RMS	32.60	-21.44	0.39	-95.23	45.47	-13.00	-25.21	Horizontal			
3	6803.00	-56.61	RMS	36.21	-20.94	0.32	-95.23	23.03	-13.00	-43.61	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3402.00	-62.61	RMS	28.31	-22.61	0.69	-95.23	26.23	-13.00	-49.61	Vertical			
2	5102.00	-41.00	RMS	32.60	-21.44	0.39	-95.23	42.68	-13.00	-28.00	Vertical			
3	6803.00	-56.59	RMS	36.21	-20.94	0.32	-95.23	23.05	-13.00	-43.59	Vertical			




Tx0

Part 27L Mode 2

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3392.00	-60.21	RMS	28.28	-22.62	0.71	-95.23	28.65	-13.00	-47.21	Horizontal			
2	5088.00	-38.17	RMS	32.60	-21.42	0.40	-95.23	45.48	-13.00	-25.17	Horizontal			
3	6784.00	-56.56	RMS	36.17	-20.94	0.33	-95.23	23.11	-13.00	-43.56	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3392.00	-62.85	RMS	28.28	-22.62	0.71	-95.23	26.01	-13.00	-49.85	Vertical			
2	5088.00	-40.82	RMS	32.60	-21.42	0.40	-95.23	42.83	-13.00	-27.82	Vertical			
3	6784.00	-56.66	RMS	36.17	-20.94	0.33	-95.23	23.01	-13.00	-43.66	Vertical			




Tx0

Part 27L Mode 5

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-62.16	RMS		28.39	-22.60	0.63	-95.23	26.65	-13.00	-49.16	Horizontal
2	5134.00	-42.86	RMS		32.67	-21.47	0.39	-95.23	40.78	-13.00	-29.86	Horizontal
3	6845.00	-56.92	RMS		36.29	-20.94	0.33	-95.23	22.63	-13.00	-43.92	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-62.83	RMS		28.39	-22.60	0.63	-95.23	25.98	-13.00	-49.83	Vertical
2	5134.00	-47.00	RMS		32.67	-21.47	0.39	-95.23	36.64	-13.00	-34.00	Vertical
3	6845.00	-56.87	RMS		36.29	-20.94	0.33	-95.23	22.68	-13.00	-43.87	Vertical




Tx0

Part 27L Mode 5

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-61.22	RMS	28.64	-22.56	0.51	-95.23	27.42	-13.00	-48.22	Horizontal			
2	5209.00	-43.27	RMS	32.56	-21.54	0.40	-95.23	40.54	-13.00	-30.27	Horizontal			
3	6945.00	-56.67	RMS	36.30	-20.93	0.35	-95.23	22.84	-13.00	-43.67	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3473.00	-62.45	RMS	28.64	-22.56	0.51	-95.23	26.19	-13.00	-49.45	Vertical			
2	5209.00	-47.88	RMS	32.56	-21.54	0.40	-95.23	35.93	-13.00	-34.88	Vertical			
3	6945.00	-56.52	RMS	36.30	-20.93	0.35	-95.23	22.99	-13.00	-43.52	Vertical			




Tx0

Part 27L Mode 5

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3523.00	-62.53	RMS	28.98	-22.50	0.39	-95.23	25.83	-13.00	-49.53	Horizontal			
2	5284.00	-46.32	RMS	32.33	-21.61	0.46	-95.23	37.73	-13.00	-33.32	Horizontal			
3	7045.00	-56.27	RMS	36.30	-20.91	0.39	-95.23	23.18	-13.00	-43.27	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3523.00	-62.05	RMS	28.98	-22.50	0.39	-95.23	26.31	-13.00	-49.05	Vertical			
2	5284.00	-48.97	RMS	32.33	-21.61	0.46	-95.23	35.08	-13.00	-35.97	Vertical			
3	7045.00	-56.34	RMS	36.30	-20.91	0.39	-95.23	23.11	-13.00	-43.34	Vertical			




Tx1

Part 27L Mode 3

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-54.63	RMS	28.28	-22.62	0.71	-95.23	34.23	-13.00	-41.63	Horizontal
2	5087.00	-58.46	RMS	32.60	-21.42	0.40	-95.23	25.19	-13.00	-45.46	Horizontal
3	6783.00	-56.52	RMS	36.17	-20.94	0.33	-95.23	23.15	-13.00	-43.52	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	3392.00	-59.07	RMS	28.28	-22.62	0.71	-95.23	29.79	-13.00	-46.07	Vertical
2	5087.00	-58.65	RMS	32.60	-21.42	0.40	-95.23	25.00	-13.00	-45.65	Vertical
3	6783.00	-56.43	RMS	36.17	-20.94	0.33	-95.23	23.24	-13.00	-43.43	Vertical




Tx1

Part 27L Mode 3

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3397.00	-54.95	RMS	28.29	-22.62	0.70	-95.23	33.91	-13.00	-41.95 Horizontal
2	5095.00	-58.99	RMS	32.60	-21.43	0.40	-95.23	24.67	-13.00	-45.99 Horizontal
3	6793.00	-56.42	RMS	36.19	-20.94	0.32	-95.23	23.24	-13.00	-43.42 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3397.00	-58.55	RMS	28.29	-22.62	0.70	-95.23	30.31	-13.00	-45.55 Vertical
2	5095.00	-58.70	RMS	32.60	-21.43	0.40	-95.23	24.96	-13.00	-45.70 Vertical
3	6793.00	-56.40	RMS	36.19	-20.94	0.32	-95.23	23.26	-13.00	-43.40 Vertical




Tx1

Part 27L Mode 3

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3402.00	-54.22	RMS	28.31	-22.61	0.69	-95.23	34.62	-13.00	-41.22	Horizontal			
2	5102.00	-58.01	RMS	32.60	-21.44	0.39	-95.23	25.67	-13.00	-45.01	Horizontal			
3	6803.00	-56.47	RMS	36.21	-20.94	0.32	-95.23	23.17	-13.00	-43.47	Horizontal			



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3402.00	-58.55	RMS	28.31	-22.61	0.69	-95.23	30.29	-13.00	-45.55	Vertical			
2	5102.00	-58.92	RMS	32.60	-21.44	0.39	-95.23	24.76	-13.00	-45.92	Vertical			
3	6803.00	-56.81	RMS	36.21	-20.94	0.32	-95.23	22.83	-13.00	-43.81	Vertical			




Tx1

Part 27L Mode 4

NR SA n70 15M Ch340500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-55.10	RMS	28.28	-22.62	0.71	-95.23	33.76	-13.00	-42.10	Horizontal	
2	5088.00	-58.79	RMS	32.60	-21.42	0.40	-95.23	24.86	-13.00	-45.79	Horizontal	
3	6784.00	-56.36	RMS	36.17	-20.94	0.33	-95.23	23.31	-13.00	-43.36	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n70 15M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-59.43	RMS	28.28	-22.62	0.71	-95.23	29.43	-13.00	-46.43	Vertical	
2	5088.00	-58.87	RMS	32.60	-21.42	0.40	-95.23	24.78	-13.00	-45.87	Vertical	
3	6784.00	-56.45	RMS	36.17	-20.94	0.33	-95.23	23.22	-13.00	-43.45	Vertical	




Tx1

Part 27L Mode 6

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-53.30	RMS		28.39	-22.60	0.63	-95.23	35.51	-13.00	-40.30	Horizontal
2	5134.00	-58.95	RMS		32.67	-21.47	0.39	-95.23	24.69	-13.00	-45.95	Horizontal
3	6845.00	-56.93	RMS		36.29	-20.94	0.33	-95.23	22.62	-13.00	-43.93	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-58.25	RMS		28.39	-22.60	0.63	-95.23	30.56	-13.00	-45.25	Vertical
2	5134.00	-58.94	RMS		32.67	-21.47	0.39	-95.23	24.70	-13.00	-45.94	Vertical
3	6845.00	-56.87	RMS		36.29	-20.94	0.33	-95.23	22.68	-13.00	-43.87	Vertical




Tx1

Part 27L Mode 6

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3473.00	-51.58	RMS	28.64	-22.56	0.51	-95.23	37.06	-13.00	-38.58	Horizontal
2	5209.00	-58.76	RMS	32.56	-21.54	0.40	-95.23	25.05	-13.00	-45.76	Horizontal
3	6945.00	-56.23	RMS	36.30	-20.93	0.35	-95.23	23.28	-13.00	-43.23	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3473.00	-57.39	RMS	28.64	-22.56	0.51	-95.23	31.25	-13.00	-44.39	Vertical
2	5209.00	-59.93	RMS	32.56	-21.54	0.40	-95.23	23.88	-13.00	-46.93	Vertical
3	6945.00	-56.60	RMS	36.30	-20.93	0.35	-95.23	22.91	-13.00	-43.60	Vertical




Tx1

Part 27L Mode 6

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3523.00	-50.81	RMS	28.98	-22.50	0.39	-95.23	37.55	-13.00	-37.81	Horizontal	
2	5284.00	-59.05	RMS	32.33	-21.61	0.46	-95.23	25.00	-13.00	-46.05	Horizontal	
3	7045.00	-56.46	RMS	36.30	-20.91	0.39	-95.23	22.99	-13.00	-43.46	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3523.00	-55.29	RMS	28.98	-22.50	0.39	-95.23	33.07	-13.00	-42.29	Vertical	
2	5284.00	-60.31	RMS	32.33	-21.61	0.46	-95.23	23.74	-13.00	-47.31	Vertical	
3	7045.00	-56.23	RMS	36.30	-20.91	0.39	-95.23	23.22	-13.00	-43.23	Vertical	




Tx1

Part 27L Mode 7

EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm										
1	3473.00	-62.63	RMS	28.64	-22.56	0.51	-95.23	26.01	-13.00	-49.63	Horizontal	
2	5209.00	-41.53	RMS	32.56	-21.54	0.40	-95.23	42.28	-13.00	-28.53	Horizontal	
3	6945.00	-56.24	RMS	36.30	-20.93	0.35	-95.23	23.27	-13.00	-43.24	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	Amp\Cb		1					
	MHz	dBm										
1	3473.00	-62.90	RMS	28.64	-22.56	0.51	-95.23	25.74	-13.00	-49.90	Vertical	
2	5209.00	-45.40	RMS	32.56	-21.54	0.40	-95.23	38.41	-13.00	-32.40	Vertical	
3	6945.00	-56.49	RMS	36.30	-20.93	0.35	-95.23	23.02	-13.00	-43.49	Vertical	




Tx0

Part 27D Mode 8

NR SA n30 5M Ch461500 1RB0 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin		Pol
					dB/m	dB					dB	dB	
1	4611.00	-60.20	RMS	31.74	-21.68	0.30	-95.23	24.67	-40.00	-20.20	Horizontal		
2	6917.00	-57.07	RMS	36.30	-20.93	0.34	-95.23	22.45	-40.00	-17.07	Horizontal		
3	9222.00	-55.91	RMS	36.96	-21.12	0.23	-95.23	23.25	-40.00	-15.91	Horizontal		



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin		Pol
					dB/m	dB					dB	dB	
1	4611.00	-60.22	RMS	31.74	-21.68	0.30	-95.23	24.65	-40.00	-20.22	Vertical		
2	6917.00	-56.93	RMS	36.30	-20.93	0.34	-95.23	22.59	-40.00	-16.93	Vertical		
3	9222.00	-55.97	RMS	36.96	-21.12	0.23	-95.23	23.19	-40.00	-15.97	Vertical		




Tx0

Part 27D Mode 8

NR SA n30 5M Ch462000 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin		Pol
					dB/m	dB					dB	dB	
1	4616.00	-60.32	RMS		31.76	-21.68	0.30	-95.23	24.53	-40.00	-20.32		Horizontal
2	6924.00	-56.97	RMS		36.30	-20.93	0.34	-95.23	22.55	-40.00	-16.97		Horizontal
3	9232.00	-55.50	RMS		36.94	-21.12	0.22	-95.23	23.69	-40.00	-15.50		Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin		Pol
					dB/m	dB					dB	dB	
1	4616.00	-60.13	RMS		31.76	-21.68	0.30	-95.23	24.72	-40.00	-20.13		Vertical
2	6924.00	-56.96	RMS		36.30	-20.93	0.34	-95.23	22.56	-40.00	-16.96		Vertical
3	9232.00	-55.69	RMS		36.94	-21.12	0.22	-95.23	23.50	-40.00	-15.69		Vertical




Tx0

Part 27D Mode 8

NR SA n30 5M Ch462500 1RB0 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
1	4621.00	-60.20	RMS		31.78	-21.67	0.30	-95.23	24.62	-40.00	-20.20	Horizontal
2	6932.00	-56.80	RMS		36.30	-20.93	0.35	-95.23	22.71	-40.00	-16.80	Horizontal
3	9242.00	-55.91	RMS		36.92	-21.11	0.21	-95.23	23.30	-40.00	-15.91	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
1	4621.00	-60.45	RMS		31.78	-21.67	0.30	-95.23	24.37	-40.00	-20.45	Vertical
2	6932.00	-56.80	RMS		36.30	-20.93	0.35	-95.23	22.71	-40.00	-16.80	Vertical
3	9242.00	-55.53	RMS		36.92	-21.11	0.21	-95.23	23.68	-40.00	-15.53	Vertical




Tx0

Part 27D Mode 9

NR SA n30 10M Ch462000 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.06	RMS		31.75	-21.68	0.30	-95.23	24.80	-40.00	-20.06	Horizontal
2	6917.00	-56.89	RMS		36.30	-20.93	0.34	-95.23	22.63	-40.00	-16.89	Horizontal
3	9223.00	-55.69	RMS		36.95	-21.12	0.23	-95.23	23.48	-40.00	-15.69	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.26	RMS		31.75	-21.68	0.30	-95.23	24.60	-40.00	-20.26	Vertical
2	6917.00	-57.01	RMS		36.30	-20.93	0.34	-95.23	22.51	-40.00	-17.01	Vertical
3	9223.00	-55.68	RMS		36.95	-21.12	0.23	-95.23	23.49	-40.00	-15.68	Vertical




Tx1

Part 27D Mode 10

NR SA n30 5M Ch461500 1RB0 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-58.73	RMS	31.74	-21.68	0.30	-95.23	26.14	-40.00	-18.73 Horizontal
2	6917.00	-55.41	RMS	36.30	-20.93	0.34	-95.23	24.11	-40.00	-15.41 Horizontal
3	9222.00	-55.75	RMS	36.96	-21.12	0.23	-95.23	23.41	-40.00	-15.75 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-56.30	RMS	31.74	-21.68	0.30	-95.23	28.57	-40.00	-16.30 Vertical
2	6917.00	-55.27	RMS	36.30	-20.93	0.34	-95.23	24.25	-40.00	-15.27 Vertical
3	9222.00	-55.63	RMS	36.96	-21.12	0.23	-95.23	23.53	-40.00	-15.63 Vertical




Tx1

Part 27D Mode 10

NR SA n30 5M Ch462000 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4616.00	-58.43	RMS		31.76	-21.68	0.30	-95.23	26.42	-40.00	-18.43		Horizontal
2	6924.00	-55.32	RMS		36.30	-20.93	0.34	-95.23	24.20	-40.00	-15.32		Horizontal
3	9232.00	-55.75	RMS		36.94	-21.12	0.22	-95.23	23.44	-40.00	-15.75		Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4616.00	-56.32	RMS		31.76	-21.68	0.30	-95.23	28.53	-40.00	-16.32		Vertical
2	6924.00	-55.40	RMS		36.30	-20.93	0.34	-95.23	24.12	-40.00	-15.40		Vertical
3	9232.00	-55.66	RMS		36.94	-21.12	0.22	-95.23	23.53	-40.00	-15.66		Vertical




Tx1

Part 27D Mode 10

NR SA n30 5M Ch462500 1RB0 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-58.11	RMS	31.78	-21.67	0.30	-95.23	26.71	-40.00	-18.11 Horizontal
2	6932.00	-55.52	RMS	36.30	-20.93	0.35	-95.23	23.99	-40.00	-15.52 Horizontal
3	9242.00	-55.77	RMS	36.92	-21.11	0.21	-95.23	23.44	-40.00	-15.77 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-56.55	RMS	31.78	-21.67	0.30	-95.23	28.27	-40.00	-16.55 Vertical
2	6932.00	-54.67	RMS	36.30	-20.93	0.35	-95.23	24.84	-40.00	-14.67 Vertical
3	9242.00	-55.73	RMS	36.92	-21.11	0.21	-95.23	23.48	-40.00	-15.73 Vertical




Tx1

Part 27D Mode 11

NR SA n30 10M Ch462000 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dBuV	dBm	dB	
1	4612.00	-58.98	RMS	31.75	-21.68	0.30	-95.23	25.88	-40.00	-18.98	Horizontal
2	6917.00	-55.52	RMS	36.30	-20.93	0.34	-95.23	24.00	-40.00	-15.52	Horizontal
3	9223.00	-55.69	RMS	36.95	-21.12	0.23	-95.23	23.48	-40.00	-15.69	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: NR n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-57.22	RMS	31.75	-21.68	0.30	-95.23	27.64	-40.00	-17.22	Vertical
2	6917.00	-53.98	RMS	36.30	-20.93	0.34	-95.23	25.54	-40.00	-13.98	Vertical
3	9223.00	-55.43	RMS	36.95	-21.12	0.23	-95.23	23.74	-40.00	-15.43	Vertical




Tx1

Part 27D Mode 12

EN-DC B5+n30 10M + 10M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	4612.00	-60.10	RMS	31.75	-21.68	0.30	-95.23	24.76	-40.00	-20.10	Horizontal	
2	6917.00	-56.75	RMS	36.30	-20.93	0.34	-95.23	22.77	-40.00	-16.75	Horizontal	
3	9223.00	-55.51	RMS	36.95	-21.12	0.23	-95.23	23.66	-40.00	-15.51	Horizontal	



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	4612.00	-60.07	RMS	31.75	-21.68	0.30	-95.23	24.79	-40.00	-20.07	Vertical	
2	6917.00	-56.65	RMS	36.30	-20.93	0.34	-95.23	22.87	-40.00	-16.65	Vertical	
3	9223.00	-55.34	RMS	36.95	-21.12	0.23	-95.23	23.83	-40.00	-15.34	Vertical	




Tx0

Part 27H Mode 13

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-68.00	RMS	24.60	-25.56	0.91	-95.23	27.28	-13.00	-55.00	Horizontal
2	2099.00	-66.99	RMS	26.20	-24.58	0.41	-95.23	26.21	-13.00	-53.99	Horizontal
3	2799.00	-64.92	RMS	27.79	-23.47	0.39	-95.23	25.60	-13.00	-51.92	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-67.64	RMS	24.60	-25.56	0.91	-95.23	27.64	-13.00	-54.64	Vertical
2	2099.00	-66.78	RMS	26.20	-24.58	0.41	-95.23	26.42	-13.00	-53.78	Vertical
3	2799.00	-64.69	RMS	27.79	-23.47	0.39	-95.23	25.83	-13.00	-51.69	Vertical




Tx0

Part 27H Mode 13

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm									
1	1407.00	-68.50	RMS	24.60	-25.54	0.90	-95.23	26.77	-13.00	-55.50	Horizontal
2	2110.00	-67.03	RMS	26.30	-24.56	0.41	-95.23	26.05	-13.00	-54.03	Horizontal
3	2813.00	-64.71	RMS	27.80	-23.44	0.39	-95.23	25.77	-13.00	-51.71	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm									
1	1407.00	-68.50	RMS	24.60	-25.54	0.90	-95.23	26.77	-13.00	-55.50	Vertical
2	2110.00	-67.20	RMS	26.30	-24.56	0.41	-95.23	25.88	-13.00	-54.20	Vertical
3	2813.00	-64.50	RMS	27.80	-23.44	0.39	-95.23	25.98	-13.00	-51.50	Vertical




Tx0

Part 27H Mode 13

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1414.00	-67.12	RMS	24.56	-25.53	0.89	-95.23	28.19	-13.00	-54.12	Horizontal
2	2120.00	-66.98	RMS	26.30	-24.55	0.41	-95.23	26.09	-13.00	-53.98	Horizontal
3	2827.00	-64.87	RMS	27.80	-23.42	0.39	-95.23	25.59	-13.00	-51.87	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1414.00	-68.62	RMS	24.56	-25.53	0.89	-95.23	26.69	-13.00	-55.62	Vertical
2	2120.00	-67.16	RMS	26.30	-24.55	0.41	-95.23	25.91	-13.00	-54.16	Vertical
3	2827.00	-64.74	RMS	27.80	-23.42	0.39	-95.23	25.72	-13.00	-51.74	Vertical




Tx1

Part 27H Mode 14

NR SA n12 10M Ch140800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-67.93	RMS	24.60	-25.56	0.91	-95.23	27.35	-13.00	-54.93	Horizontal
2	2099.00	-66.91	RMS	26.20	-24.58	0.41	-95.23	26.29	-13.00	-53.91	Horizontal
3	2799.00	-64.96	RMS	27.79	-23.47	0.39	-95.23	25.56	-13.00	-51.96	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch140800 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-68.21	RMS	24.60	-25.56	0.91	-95.23	27.07	-13.00	-55.21	Vertical
2	2099.00	-66.91	RMS	26.20	-24.58	0.41	-95.23	26.29	-13.00	-53.91	Vertical
3	2799.00	-64.62	RMS	27.79	-23.47	0.39	-95.23	25.90	-13.00	-51.62	Vertical

Tx1

Part 27H Mode 14

NR SA n12 10M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm							g	g	dB	
1	1407.00	-68.50	RMS	24.60	-25.54	0.90	-95.23	26.77	-13.00	-55.50	Horizontal	
2	2110.00	-67.08	RMS	26.30	-24.56	0.41	-95.23	26.00	-13.00	-54.08	Horizontal	
3	2813.00	-64.83	RMS	27.80	-23.44	0.39	-95.23	25.65	-13.00	-51.83	Horizontal	



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm							g	g	dB	
1	1407.00	-68.59	RMS	24.60	-25.54	0.90	-95.23	26.68	-13.00	-55.59	Vertical	
2	2110.00	-67.01	RMS	26.30	-24.56	0.41	-95.23	26.07	-13.00	-54.01	Vertical	
3	2813.00	-64.67	RMS	27.80	-23.44	0.39	-95.23	25.81	-13.00	-51.67	Vertical	




Tx1

Part 27H Mode 14

NR SA n12 10M Ch142200 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1414.00	-68.53	RMS	24.56	-25.53	0.89	-95.23	26.78	-13.00	-55.53	Horizontal
2	2120.00	-67.35	RMS	26.30	-24.55	0.41	-95.23	25.72	-13.00	-54.35	Horizontal
3	2827.00	-64.25	RMS	27.80	-23.42	0.39	-95.23	26.21	-13.00	-51.25	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1414.00	-68.73	RMS	24.56	-25.53	0.89	-95.23	26.58	-13.00	-55.73	Vertical
2	2120.00	-66.95	RMS	26.30	-24.55	0.41	-95.23	26.12	-13.00	-53.95	Vertical
3	2827.00	-64.89	RMS	27.80	-23.42	0.39	-95.23	25.57	-13.00	-51.89	Vertical




Tx1

Part 27H Mode 15

EN-DC B2+n12 10M + 10M Ch18900 1RB0 QPSK + Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n12 10M Ch141500 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1407.00	-67.88 RMS	24.60	-25.54	0.90	-95.23	27.39	-13.00	-54.88	Horizontal
2	1880.00	-16.74 RMS	25.10	-24.86	0.50	-95.23	77.75	-13.00	-3.74	Horizontal
3	2110.00	-67.13 RMS	26.30	-24.56	0.41	-95.23	25.95	-13.00	-54.13	Horizontal
4	2813.00	-64.46 RMS	27.80	-23.44	0.39	-95.23	26.02	-13.00	-51.46	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n12 10M Ch141500 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1407.00	-68.48 RMS	24.60	-25.54	0.90	-95.23	26.79	-13.00	-55.48	Vertical
2	1880.00	-18.41 RMS	25.10	-24.86	0.50	-95.23	76.08	-13.00	-5.41	Vertical
3	2110.00	-67.16 RMS	26.30	-24.56	0.41	-95.23	25.92	-13.00	-54.16	Vertical
4	2813.00	-64.82 RMS	27.80	-23.44	0.39	-95.23	25.66	-13.00	-51.82	Vertical

Remark: #2 is fundamental signal which can be ignored.




Tx0

Part 27N Mode 16

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1329.00	-65.04	RMS	24.30	-25.73	1.37	-95.23	30.25	-13.00	-52.04
2	1993.00	-67.57	RMS	26.03	-24.72	0.42	-95.23	25.93	-13.00	-54.57
3	2657.00	-65.50	RMS	27.33	-23.74	0.49	-95.23	25.65	-13.00	-52.50



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1329.00	-65.08	RMS	24.30	-25.73	1.37	-95.23	30.21	-13.00	-52.08
2	1993.00	-67.34	RMS	26.03	-24.72	0.42	-95.23	26.16	-13.00	-54.34
3	2657.00	-65.43	RMS	27.33	-23.74	0.49	-95.23	25.72	-13.00	-52.43




Tx0

Part 27N Mode 16

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-64.89	RMS	24.28	-25.69	1.27	-95.23	30.48	-13.00	-51.89	Horizontal
2	2015.00	-66.96	RMS	26.25	-24.69	0.42	-95.23	26.29	-13.00	-53.96	Horizontal
3	2687.00	-65.36	RMS	27.50	-23.68	0.47	-95.23	25.58	-13.00	-52.36	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-65.87	RMS	24.28	-25.69	1.27	-95.23	29.50	-13.00	-52.87	Vertical
2	2015.00	-66.86	RMS	26.25	-24.69	0.42	-95.23	26.39	-13.00	-53.86	Vertical
3	2687.00	-65.29	RMS	27.50	-23.68	0.47	-95.23	25.65	-13.00	-52.29	Vertical




Tx0

Part 27N Mode 16

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-68.18	RMS	24.49	-25.66	1.17	-95.23	27.05	-13.00	-55.18
2	2038.00	-67.41	RMS	26.20	-24.66	0.42	-95.23	25.86	-13.00	-54.41
3	2717.00	-64.95	RMS	27.57	-23.63	0.45	-95.23	25.89	-13.00	-51.95



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-68.05	RMS	24.49	-25.66	1.17	-95.23	27.18	-13.00	-55.05
2	2038.00	-67.20	RMS	26.20	-24.66	0.42	-95.23	26.07	-13.00	-54.20
3	2717.00	-64.83	RMS	27.57	-23.63	0.45	-95.23	26.01	-13.00	-51.83




Tx0

Part 27N Mode 18

EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1344.00	-62.96 RMS	24.28	-25.69	1.27	-95.23	32.41	-13.00	-49.96	Horizontal
2	1880.00	-13.12 RMS	25.10	-24.86	0.50	-95.23	81.37	-13.00	-0.12	Horizontal
3	2015.00	-60.35 RMS	26.25	-24.69	0.42	-95.23	32.90	-13.00	-47.35	Horizontal
4	2687.00	-65.40 RMS	27.50	-23.68	0.47	-95.23	25.54	-13.00	-52.40	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1344.00	-64.25 RMS	24.28	-25.69	1.27	-95.23	31.12	-13.00	-51.25	Vertical
2	1880.00	-16.10 RMS	25.10	-24.86	0.50	-95.23	78.39	-13.00	-3.10	Vertical
3	2015.00	-63.72 RMS	26.25	-24.69	0.42	-95.23	29.53	-13.00	-50.72	Vertical
4	2687.00	-65.56 RMS	27.50	-23.68	0.47	-95.23	25.38	-13.00	-52.56	Vertical

Remark: #2 is fundamental signal which can be ignored.




Tx1

Part 27N Mode 17

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1329.00	-68.01	RMS	24.30	-25.73	1.37	-95.23	27.28	-13.00	-55.01	Horizontal
2	1993.00	-67.46	RMS	26.03	-24.72	0.42	-95.23	26.04	-13.00	-54.46	Horizontal
3	2657.00	-65.86	RMS	27.33	-23.74	0.49	-95.23	25.29	-13.00	-52.86	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1329.00	-68.10	RMS	24.30	-25.73	1.37	-95.23	27.19	-13.00	-55.10	Vertical
2	1993.00	-67.44	RMS	26.03	-24.72	0.42	-95.23	26.06	-13.00	-54.44	Vertical
3	2657.00	-65.52	RMS	27.33	-23.74	0.49	-95.23	25.63	-13.00	-52.52	Vertical




Tx1

Part 27N Mode 17

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-68.21	RMS	24.28	-25.69	1.27	-95.23	27.16	-13.00	-55.21
2	2015.00	-66.44	RMS	26.25	-24.69	0.42	-95.23	26.81	-13.00	-53.44
3	2687.00	-65.23	RMS	27.50	-23.68	0.47	-95.23	25.71	-13.00	-52.23



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-68.27	RMS	24.28	-25.69	1.27	-95.23	27.10	-13.00	-55.27
2	2015.00	-67.25	RMS	26.25	-24.69	0.42	-95.23	26.00	-13.00	-54.25
3	2687.00	-65.01	RMS	27.50	-23.68	0.47	-95.23	25.93	-13.00	-52.01




Tx1

Part 27N Mode 17

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-68.54	RMS	24.49	-25.66	1.17	-95.23	26.69	-13.00	-55.54	Horizontal
2	2038.00	-67.22	RMS	26.20	-24.66	0.42	-95.23	26.05	-13.00	-54.22	Horizontal
3	2717.00	-64.87	RMS	27.57	-23.63	0.45	-95.23	25.97	-13.00	-51.87	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-68.43	RMS	24.49	-25.66	1.17	-95.23	26.80	-13.00	-55.43	Vertical
2	2038.00	-67.45	RMS	26.20	-24.66	0.42	-95.23	25.82	-13.00	-54.45	Vertical
3	2717.00	-64.81	RMS	27.57	-23.63	0.45	-95.23	26.03	-13.00	-51.81	Vertical




Tx0

Part 27M Mode 19

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB					
	MHz	dBm					dB	dBuV	dBm	dB	
1	5003.00	-59.10	RMS	32.79	-21.34	0.40	-95.23	24.28	-25.00	-34.10	Horizontal
2	7504.00	-55.48	RMS	36.69	-20.69	0.71	-95.23	23.04	-25.00	-30.48	Horizontal
3	10005.00	-55.25	RMS	37.19	-20.96	0.51	-95.23	23.24	-25.00	-30.25	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB					
	MHz	dBm					dB	dBuV	dBm	dB	
1	5003.00	-58.89	RMS	32.79	-21.34	0.40	-95.23	24.49	-25.00	-33.89	Vertical
2	7504.00	-55.49	RMS	36.69	-20.69	0.71	-95.23	23.03	-25.00	-30.49	Vertical
3	10005.00	-55.27	RMS	37.19	-20.96	0.51	-95.23	23.22	-25.00	-30.27	Vertical




Tx0

Part 27M Mode 19

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	5053.00	-59.18	RMS	32.60	-21.39	0.40	-95.23	24.44	-25.00	-34.18	Horizontal	
2	7579.00	-55.66	RMS	36.60	-20.70	0.69	-95.23	22.98	-25.00	-30.66	Horizontal	
3	10105.00	-54.95	RMS	37.12	-21.06	0.51	-95.23	23.71	-25.00	-29.95	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	5053.00	-59.17	RMS	32.60	-21.39	0.40	-95.23	24.45	-25.00	-34.17	Vertical	
2	7579.00	-55.84	RMS	36.60	-20.70	0.69	-95.23	22.80	-25.00	-30.84	Vertical	
3	10105.00	-55.34	RMS	37.12	-21.06	0.51	-95.23	23.32	-25.00	-30.34	Vertical	




Tx0

Part 27M Mode 19

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm		
1	5103.00	-59.42	RMS	32.61	-21.44	0.39	-95.23	24.25	-25.00	-34.42	Horizontal		
2	7654.00	-55.65	RMS	36.59	-20.73	0.61	-95.23	23.11	-25.00	-30.65	Horizontal		
3	10205.00	-54.76	RMS	37.29	-21.16	0.51	-95.23	23.83	-25.00	-29.76	Horizontal		



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm		
1	5103.00	-58.78	RMS	32.61	-21.44	0.39	-95.23	24.89	-25.00	-33.78	Vertical		
2	7654.00	-55.76	RMS	36.59	-20.73	0.61	-95.23	23.00	-25.00	-30.76	Vertical		
3	10205.00	-55.06	RMS	37.29	-21.16	0.51	-95.23	23.53	-25.00	-30.06	Vertical		




Tx0

Part 27M Mode 21

NR SA n41 20M Ch501204 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.63	RMS	32.79	-21.34	0.40	-95.23	24.75	-25.00	-33.63	Horizontal	
2	7492.00	-55.17	RMS	36.72	-20.69	0.71	-95.23	23.32	-25.00	-30.17	Horizontal	
3	9989.00	-54.86	RMS	37.18	-20.96	0.51	-95.23	23.64	-25.00	-29.86	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.90	RMS	32.79	-21.34	0.40	-95.23	24.48	-25.00	-33.90	Vertical	
2	7492.00	-55.12	RMS	36.72	-20.69	0.71	-95.23	23.37	-25.00	-30.12	Vertical	
3	9989.00	-55.16	RMS	37.18	-20.96	0.51	-95.23	23.34	-25.00	-30.16	Vertical	




Tx0

Part 27M Mode 21

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5169.00	-59.41	RMS	32.66	-21.50	0.39	-95.23	24.27	-25.00	-34.41	Horizontal
2	7753.00	-55.49	RMS	36.51	-20.76	0.48	-95.23	23.51	-25.00	-30.49	Horizontal
3	10337.00	-54.98	RMS	37.37	-21.29	0.50	-95.23	23.67	-25.00	-29.98	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5169.00	-59.54	RMS	32.66	-21.50	0.39	-95.23	24.14	-25.00	-34.54	Vertical
2	7753.00	-55.50	RMS	36.51	-20.76	0.48	-95.23	23.50	-25.00	-30.50	Vertical
3	10337.00	-55.00	RMS	37.37	-21.29	0.50	-95.23	23.65	-25.00	-30.00	Vertical




Tx0

Part 27M Mode 21

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-60.58	RMS	32.30	-21.67	0.50	-95.23	23.52	-25.00	-35.58 Horizontal
2	8014.00	-55.24	RMS	36.60	-20.86	0.44	-95.23	23.81	-25.00	-30.24 Horizontal
3	10685.00	-54.70	RMS	37.50	-21.43	0.50	-95.23	23.96	-25.00	-29.70 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-60.46	RMS	32.30	-21.67	0.50	-95.23	23.64	-25.00	-35.46 Vertical
2	8014.00	-55.35	RMS	36.60	-20.86	0.44	-95.23	23.70	-25.00	-30.35 Vertical
3	10685.00	-54.70	RMS	37.50	-21.43	0.50	-95.23	23.96	-25.00	-29.70 Vertical




Tx1

Part 27M Mode 20

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5003.00	-59.17	RMS	32.79	-21.34	0.40	-95.23	24.21	-25.00	-34.17	Horizontal	
2	7504.00	-51.07	RMS	36.69	-20.69	0.71	-95.23	27.45	-25.00	-26.07	Horizontal	
3	10005.00	-55.50	RMS	37.19	-20.96	0.51	-95.23	22.99	-25.00	-30.50	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5003.00	-56.26	RMS	32.79	-21.34	0.40	-95.23	27.12	-25.00	-31.26	Vertical	
2	7504.00	-46.81	RMS	36.69	-20.69	0.71	-95.23	31.71	-25.00	-21.81	Vertical	
3	10005.00	-55.34	RMS	37.19	-20.96	0.51	-95.23	23.15	-25.00	-30.34	Vertical	




Tx1

Part 27M Mode 20

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-59.18	RMS	32.60	-21.39	0.40	-95.23	24.44	-25.00	-34.18	Horizontal	
2	7579.00	-53.79	RMS	36.60	-20.70	0.69	-95.23	24.85	-25.00	-28.79	Horizontal	
3	10105.00	-55.71	RMS	37.12	-21.06	0.51	-95.23	22.95	-25.00	-30.71	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-56.79	RMS	32.60	-21.39	0.40	-95.23	26.83	-25.00	-31.79	Vertical	
2	7579.00	-50.20	RMS	36.60	-20.70	0.69	-95.23	28.44	-25.00	-25.20	Vertical	
3	10105.00	-55.45	RMS	37.12	-21.06	0.51	-95.23	23.21	-25.00	-30.45	Vertical	




Tx1

Part 27M Mode 20

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 20M Ch512000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	5103.00	-58.90	RMS	32.61	-21.44	0.39	-95.23	24.77	-25.00	-33.90	Horizontal		
2	7654.00	-52.83	RMS	36.59	-20.73	0.61	-95.23	25.93	-25.00	-27.83	Horizontal		
3	10205.00	-55.00	RMS	37.29	-21.16	0.51	-95.23	23.59	-25.00	-30.00	Horizontal		



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 20M Ch512000 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB							
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	5103.00	-56.35	RMS	32.61	-21.44	0.39	-95.23	27.32	-25.00	-31.35	Vertical		
2	7654.00	-51.04	RMS	36.59	-20.73	0.61	-95.23	27.72	-25.00	-26.04	Vertical		
3	10205.00	-55.08	RMS	37.29	-21.16	0.51	-95.23	23.51	-25.00	-30.08	Vertical		

Tx1

Part 27M Mode 22


NR SA n41 20M Ch501204 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Horizontal
: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-55.74	RMS	32.79	-21.34	0.40	-95.23	27.64	-25.00	-30.74	Horizontal
2	7492.00	-48.34	RMS	36.72	-20.69	0.71	-95.23	30.15	-25.00	-23.34	Horizontal
3	9989.00	-54.93	RMS	37.18	-20.96	0.51	-95.23	23.57	-25.00	-29.93	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Vertical
: SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-57.59	RMS	32.79	-21.34	0.40	-95.23	25.79	-25.00	-32.59	Vertical
2	7492.00	-49.66	RMS	36.72	-20.69	0.71	-95.23	28.83	-25.00	-24.66	Vertical
3	9989.00	-54.93	RMS	37.18	-20.96	0.51	-95.23	23.57	-25.00	-29.93	Vertical




Tx1

Part 27M Mode 22

NR SA n41 20M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-56.64	RMS	32.66	-21.50	0.39	-95.23	27.04	-25.00	-31.64 Horizontal
2	7753.00	-50.40	RMS	36.51	-20.76	0.48	-95.23	28.60	-25.00	-25.40 Horizontal
3	10337.00	-54.90	RMS	37.37	-21.29	0.50	-95.23	23.75	-25.00	-29.90 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-57.40	RMS	32.66	-21.50	0.39	-95.23	26.28	-25.00	-32.40 Vertical
2	7753.00	-51.36	RMS	36.51	-20.76	0.48	-95.23	27.64	-25.00	-26.36 Vertical
3	10337.00	-54.92	RMS	37.37	-21.29	0.50	-95.23	23.73	-25.00	-29.92 Vertical




Tx1

Part 27M Mode 22

NR SA n41 20M Ch535998 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1		dB	dB		dBuV	dBm	dB
1	5343.00	-57.07	RMS	32.30	-21.67	0.50	-95.23	27.03	-25.00	-32.07	Horizontal	
2	8014.00	-46.55	RMS	36.60	-20.86	0.44	-95.23	32.50	-25.00	-21.55	Horizontal	
3	10685.00	-54.53	RMS	37.50	-21.43	0.50	-95.23	24.13	-25.00	-29.53	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1		dB	dB		dBuV	dBm	dB
1	5343.00	-56.81	RMS	32.30	-21.67	0.50	-95.23	27.29	-25.00	-31.81	Vertical	
2	8014.00	-50.13	RMS	36.60	-20.86	0.44	-95.23	28.92	-25.00	-25.13	Vertical	
3	10685.00	-54.75	RMS	37.50	-21.43	0.50	-95.23	23.91	-25.00	-29.75	Vertical	




Tx1

Part 27M Mode 23


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.29	RMS	32.66	-21.50	0.39	-95.23	24.39	-25.00	-34.29 Horizontal
2	7753.00	-55.18	RMS	36.51	-20.76	0.48	-95.23	23.82	-25.00	-30.18 Horizontal
3	10337.00	-54.75	RMS	37.37	-21.29	0.50	-95.23	23.90	-25.00	-29.75 Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1223_240624 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.16	RMS	32.66	-21.50	0.39	-95.23	24.52	-25.00	-34.16 Vertical
2	7753.00	-55.17	RMS	36.51	-20.76	0.48	-95.23	23.83	-25.00	-30.17 Vertical
3	10337.00	-54.64	RMS	37.37	-21.29	0.50	-95.23	24.01	-25.00	-29.64 Vertical




Ant2+1

Part 27M Mode 24

NR SA n41 20M Ch501204 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	4995.00	-58.84	RMS	32.79	-21.34	0.40	-95.23	24.54	-25.00	-33.84	Horizontal
2	7492.00	-52.04	RMS	36.72	-20.69	0.71	-95.23	26.45	-25.00	-27.04	Horizontal
3	9989.00	-54.98	RMS	37.18	-20.96	0.51	-95.23	23.52	-25.00	-29.98	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	4995.00	-58.77	RMS	32.79	-21.34	0.40	-95.23	24.61	-25.00	-33.77	Vertical
2	7492.00	-52.42	RMS	36.72	-20.69	0.71	-95.23	26.07	-25.00	-27.42	Vertical
3	9989.00	-55.25	RMS	37.18	-20.96	0.51	-95.23	23.25	-25.00	-30.25	Vertical




Ant2+1

Part 27M Mode 24

NR SA n41 20M Ch518598 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.20	RMS	32.66	-21.50	0.39	-95.23	24.48	-25.00	-34.20	Horizontal			
2	7753.00	-49.88	RMS	36.51	-20.76	0.48	-95.23	29.12	-25.00	-24.88	Horizontal			
3	10337.00	-54.45	RMS	37.37	-21.29	0.50	-95.23	24.20	-25.00	-29.45	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.29	RMS	32.66	-21.50	0.39	-95.23	24.39	-25.00	-34.29	Vertical			
2	7753.00	-48.62	RMS	36.51	-20.76	0.48	-95.23	30.38	-25.00	-23.62	Vertical			
3	10337.00	-54.89	RMS	37.37	-21.29	0.50	-95.23	23.76	-25.00	-29.89	Vertical			




Ant2+1

Part 27M Mode 24

NR SA n41 20M Ch535998 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	5343.00	-60.77	RMS	32.30	-21.67	0.50	-95.23	23.33	-25.00	-35.77		Horizontal
2	8014.00	-55.30	RMS	36.60	-20.86	0.44	-95.23	23.75	-25.00	-30.30		Horizontal
3	10685.00	-54.93	RMS	37.50	-21.43	0.50	-95.23	23.73	-25.00	-29.93		Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	5343.00	-60.74	RMS	32.30	-21.67	0.50	-95.23	23.36	-25.00	-35.74		Vertical
2	8014.00	-55.17	RMS	36.60	-20.86	0.44	-95.23	23.88	-25.00	-30.17		Vertical
3	10685.00	-54.55	RMS	37.50	-21.43	0.50	-95.23	24.11	-25.00	-29.55		Vertical




Ant0+5

Part 27M Mode 25

NR SA n41 20M Ch501204 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch501204 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.91	RMS	32.79	-21.34	0.40	-95.23	24.47	-25.00	-33.91 Horizontal
2	7492.00	-55.00	RMS	36.72	-20.69	0.71	-95.23	23.49	-25.00	-30.00 Horizontal
3	9989.00	-55.11	RMS	37.18	-20.96	0.51	-95.23	23.39	-25.00	-30.11 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch501204 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.71	RMS	32.79	-21.34	0.40	-95.23	24.67	-25.00	-33.71 Vertical
2	7492.00	-54.55	RMS	36.72	-20.69	0.71	-95.23	23.94	-25.00	-29.55 Vertical
3	9989.00	-55.27	RMS	37.18	-20.96	0.51	-95.23	23.23	-25.00	-30.27 Vertical




Ant0+5

Part 27M Mode 25

NR SA n41 20M Ch518598 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch518598 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.59	RMS	32.66	-21.50	0.39	-95.23	24.09	-25.00	-34.59	Horizontal			
2	7753.00	-54.64	RMS	36.51	-20.76	0.48	-95.23	24.36	-25.00	-29.64	Horizontal			
3	10337.00	-54.55	RMS	37.37	-21.29	0.50	-95.23	24.10	-25.00	-29.55	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch518598 1RB1 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5169.00	-59.47	RMS	32.66	-21.50	0.39	-95.23	24.21	-25.00	-34.47	Vertical			
2	7753.00	-55.62	RMS	36.51	-20.76	0.48	-95.23	23.38	-25.00	-30.62	Vertical			
3	10337.00	-54.81	RMS	37.37	-21.29	0.50	-95.23	23.84	-25.00	-29.81	Vertical			

Ant0+5

Part 27M Mode 25

NR SA n41 20M Ch535998 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 20M Ch535998 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5343.00	-60.56	RMS	32.30	-21.67	0.50	-95.23	23.54	-25.00	-35.56	Horizontal
2	8014.00	-55.35	RMS	36.60	-20.86	0.44	-95.23	23.70	-25.00	-30.35	Horizontal
3	10685.00	-54.71	RMS	37.50	-21.43	0.50	-95.23	23.95	-25.00	-29.71	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 20M Ch535998 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5343.00	-60.58	RMS	32.30	-21.67	0.50	-95.23	23.52	-25.00	-35.58	Vertical
2	8014.00	-55.17	RMS	36.60	-20.86	0.44	-95.23	23.88	-25.00	-30.17	Vertical
3	10685.00	-54.78	RMS	37.50	-21.43	0.50	-95.23	23.88	-25.00	-29.78	Vertical




Tx0

Part 270 Mode 26

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-52.74	RMS	36.80	-20.72	1.08	-95.23	25.33	-13.00	-39.74 Horizontal
2	11104.00	-53.22	RMS	37.91	-21.42	0.91	-95.23	24.61	-13.00	-40.22 Horizontal
3	14805.00	-49.83	RMS	41.28	-22.51	0.76	-95.23	25.87	-13.00	-36.83 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-55.17	RMS	36.80	-20.72	1.08	-95.23	22.90	-13.00	-42.17 Vertical
2	11104.00	-51.41	RMS	37.91	-21.42	0.91	-95.23	26.42	-13.00	-38.41 Vertical
3	14805.00	-50.47	RMS	41.28	-22.51	0.76	-95.23	25.23	-13.00	-37.47 Vertical




Tx0

Part 270 Mode 26

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-52.86	RMS	36.57	-20.73	0.97	-95.23	25.56	-13.00	-39.86	Horizontal			
2	11494.00	-53.42	RMS	38.50	-21.50	0.92	-95.23	23.89	-13.00	-40.42	Horizontal			
3	15325.00	-50.52	RMS	40.75	-22.55	0.86	-95.23	25.65	-13.00	-37.52	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7663.00	-53.61	RMS	36.57	-20.73	0.97	-95.23	24.81	-13.00	-40.61	Vertical			
2	11494.00	-53.66	RMS	38.50	-21.50	0.92	-95.23	23.65	-13.00	-40.66	Vertical			
3	15325.00	-50.39	RMS	40.75	-22.55	0.86	-95.23	25.78	-13.00	-37.39	Vertical			




Tx0

Part 270 Mode 26

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
1	7923.00	-55.34	RMS	36.60	-20.82	1.02	-95.23	-95.23	23.09	-13.00	-42.34	Horizontal
2	11884.00	-53.25	RMS	38.57	-21.46	0.94	-95.23	-95.23	23.93	-13.00	-40.25	Horizontal
3	15845.00	-50.62	RMS	40.81	-22.77	0.95	-95.23	-95.23	25.62	-13.00	-37.62	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB						
1	7923.00	-55.37	RMS	36.60	-20.82	1.02	-95.23	-95.23	23.06	-13.00	-42.37	Vertical
2	11884.00	-53.26	RMS	38.57	-21.46	0.94	-95.23	-95.23	23.92	-13.00	-40.26	Vertical
3	15845.00	-50.43	RMS	40.81	-22.77	0.95	-95.23	-95.23	25.81	-13.00	-37.43	Vertical




Tx1

Part 270 Mode 27

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.12	RMS	36.80	-20.72	1.08	-95.23	23.95	-13.00	-41.12	Horizontal			
2	11104.00	-48.20	RMS	37.91	-21.42	0.91	-95.23	29.63	-13.00	-35.20	Horizontal			
3	14805.00	-50.33	RMS	41.28	-22.51	0.76	-95.23	25.37	-13.00	-37.33	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.81	RMS	36.80	-20.72	1.08	-95.23	23.26	-13.00	-41.81	Vertical			
2	11104.00	-48.73	RMS	37.91	-21.42	0.91	-95.23	29.10	-13.00	-35.73	Vertical			
3	14805.00	-50.40	RMS	41.28	-22.51	0.76	-95.23	25.30	-13.00	-37.40	Vertical			




Tx1

Part 270 Mode 27

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7663.00	-54.67	RMS	36.57	-20.73	0.97	-95.23	23.75	-13.00	-41.67 Horizontal
2	11494.00	-48.98	RMS	38.50	-21.50	0.92	-95.23	28.33	-13.00	-35.98 Horizontal
3	15325.00	-50.46	RMS	40.75	-22.55	0.86	-95.23	25.71	-13.00	-37.46 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7663.00	-54.36	RMS	36.57	-20.73	0.97	-95.23	24.06	-13.00	-41.36 Vertical
2	11494.00	-48.60	RMS	38.50	-21.50	0.92	-95.23	28.71	-13.00	-35.60 Vertical
3	15325.00	-50.50	RMS	40.75	-22.55	0.86	-95.23	25.67	-13.00	-37.50 Vertical




Tx1

Part 270 Mode 27

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-53.92	RMS	36.60	-20.82	1.02	-95.23	24.51	-13.00	-40.92	Horizontal	
2	11884.00	-53.49	RMS	38.57	-21.46	0.94	-95.23	23.69	-13.00	-40.49	Horizontal	
3	15845.00	-50.60	RMS	40.81	-22.77	0.95	-95.23	25.64	-13.00	-37.60	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-55.27	RMS	36.60	-20.82	1.02	-95.23	23.16	-13.00	-42.27	Vertical	
2	11884.00	-53.42	RMS	38.57	-21.46	0.94	-95.23	23.76	-13.00	-40.42	Vertical	
3	15845.00	-50.69	RMS	40.81	-22.77	0.95	-95.23	25.55	-13.00	-37.69	Vertical	




Tx1

Part 270 Mode 28


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-54.86	RMS	36.57	-20.73	0.97	-95.23	23.56	-13.00	-41.86	Horizontal
2 11494.00	-53.24	RMS	38.50	-21.50	0.92	-95.23	24.07	-13.00	-40.24	Horizontal
3 15325.00	-49.84	RMS	40.75	-22.55	0.86	-95.23	26.33	-13.00	-36.84	Horizontal
4 19156.00	-63.72	RMS	38.28	-38.93	-9.54	-95.23	41.70	-13.00	-50.72	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-53.89	RMS	36.57	-20.73	0.97	-95.23	24.53	-13.00	-40.89	Vertical
2 11494.00	-52.92	RMS	38.50	-21.50	0.92	-95.23	24.39	-13.00	-39.92	Vertical
3 15325.00	-49.95	RMS	40.75	-22.55	0.86	-95.23	26.22	-13.00	-36.95	Vertical
4 19156.00	-59.32	RMS	38.28	-38.93	-9.54	-95.23	46.10	-13.00	-46.32	Vertical




Ant6+1

Part 270 Mode 29

NR SA n77 20M Ch647334 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.53	RMS	36.80	-20.72	1.08	-95.23	23.54	-13.00	-41.53	Horizontal			
2	11104.00	-53.58	RMS	37.91	-21.42	0.91	-95.23	24.25	-13.00	-40.58	Horizontal			
3	14805.00	-49.99	RMS	41.28	-22.51	0.76	-95.23	25.71	-13.00	-36.99	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.81	RMS	36.80	-20.72	1.08	-95.23	23.26	-13.00	-41.81	Vertical			
2	11104.00	-53.67	RMS	37.91	-21.42	0.91	-95.23	24.16	-13.00	-40.67	Vertical			
3	14805.00	-49.81	RMS	41.28	-22.51	0.76	-95.23	25.89	-13.00	-36.81	Vertical			




Ant6+1

Part 270 Mode 29

NR SA n77 20M Ch656000 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7663.00	-54.98	RMS	36.57	-20.73	0.97	-95.23	23.44	-13.00	-41.98	Horizontal
2	11494.00	-53.38	RMS	38.50	-21.50	0.92	-95.23	23.93	-13.00	-40.38	Horizontal
3	15325.00	-49.83	RMS	40.75	-22.55	0.86	-95.23	26.34	-13.00	-36.83	Horizontal




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical


: SA n77 20M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7663.00	-54.91	RMS	36.57	-20.73	0.97	-95.23	23.51	-13.00	-41.91	Vertical
2	11494.00	-53.12	RMS	38.50	-21.50	0.92	-95.23	24.19	-13.00	-40.12	Vertical
3	15325.00	-49.64	RMS	40.75	-22.55	0.86	-95.23	26.53	-13.00	-36.64	Vertical

**Ant6+1****Part 270 Mode 29****NR SA n77 20M Ch664666 1RB1 QPSK****H**

Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: SA n77 20M Ch664666 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7923.00	-54.60	RMS	36.60	-20.82	1.02	-95.23	23.83	-13.00	-41.60	Horizontal
2	11884.00	-52.45	RMS	38.57	-21.46	0.94	-95.23	24.73	-13.00	-39.45	Horizontal
3	15845.00	-49.88	RMS	40.81	-22.77	0.95	-95.23	26.36	-13.00	-36.88	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: SA n77 20M Ch664666 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7923.00	-54.66	RMS	36.60	-20.82	1.02	-95.23	23.77	-13.00	-41.66	Vertical
2	11884.00	-52.52	RMS	38.57	-21.46	0.94	-95.23	24.66	-13.00	-39.52	Vertical
3	15845.00	-50.02	RMS	40.81	-22.77	0.95	-95.23	26.22	-13.00	-37.02	Vertical




Ant7+5

Part 270 Mode 30

NR SA n77 20M Ch647334 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.57	RMS	36.80	-20.72	1.08	-95.23	23.50	-13.00	-41.57	Horizontal			
2	11104.00	-53.91	RMS	37.91	-21.42	0.91	-95.23	23.92	-13.00	-40.91	Horizontal			
3	14805.00	-49.97	RMS	41.28	-22.51	0.76	-95.23	25.73	-13.00	-36.97	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.91	RMS	36.80	-20.72	1.08	-95.23	23.16	-13.00	-41.91	Vertical			
2	11104.00	-53.85	RMS	37.91	-21.42	0.91	-95.23	23.98	-13.00	-40.85	Vertical			
3	14805.00	-49.93	RMS	41.28	-22.51	0.76	-95.23	25.77	-13.00	-36.93	Vertical			




Ant7+5

Part 270 Mode 30

NR SA n77 20M Ch656000 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7663.00	-54.83	RMS	36.57	-20.73	0.97	-95.23	23.59	-13.00	-41.83	Horizontal
2	11494.00	-53.46	RMS	38.50	-21.50	0.92	-95.23	23.85	-13.00	-40.46	Horizontal
3	15325.00	-49.81	RMS	40.75	-22.55	0.86	-95.23	26.36	-13.00	-36.81	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	7663.00	-54.92	RMS	36.57	-20.73	0.97	-95.23	23.50	-13.00	-41.92	Vertical
2	11494.00	-53.37	RMS	38.50	-21.50	0.92	-95.23	23.94	-13.00	-40.37	Vertical
3	15325.00	-49.88	RMS	40.75	-22.55	0.86	-95.23	26.29	-13.00	-36.88	Vertical




Ant7+5

Part 270 Mode 30

NR SA n77 20M Ch664666 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7923.00	-54.91	RMS	36.60	-20.82	1.02	-95.23	23.52	-13.00	-41.91 Horizontal
2	11884.00	-52.98	RMS	38.57	-21.46	0.94	-95.23	24.20	-13.00	-39.98 Horizontal
3	15845.00	-50.17	RMS	40.81	-22.77	0.95	-95.23	26.07	-13.00	-37.17 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7923.00	-55.03	RMS	36.60	-20.82	1.02	-95.23	23.40	-13.00	-42.03 Vertical
2	11884.00	-52.90	RMS	38.57	-21.46	0.94	-95.23	24.28	-13.00	-39.90 Vertical
3	15845.00	-50.12	RMS	40.81	-22.77	0.95	-95.23	26.12	-13.00	-37.12 Vertical




Tx0

Part 27Q Mode 31

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-56.39	RMS	36.30	-20.93	1.08	-95.23	22.39	-13.00	-43.39 Horizontal
2	10354.00	-54.62	RMS	37.38	-21.30	0.88	-95.23	23.65	-13.00	-41.62 Horizontal
3	13805.00	-50.48	RMS	40.41	-21.37	0.64	-95.23	25.07	-13.00	-37.48 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-55.07	RMS	36.30	-20.93	1.08	-95.23	23.71	-13.00	-42.07 Vertical
2	10354.00	-54.88	RMS	37.38	-21.30	0.88	-95.23	23.39	-13.00	-41.88 Vertical
3	13805.00	-50.76	RMS	40.41	-21.37	0.64	-95.23	24.79	-13.00	-37.76 Vertical




Tx0

Part 27Q Mode 31


NR SA n77 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.59	RMS		36.30	-20.93	1.03	-95.23	23.24	-13.00	-42.59	Horizontal
2	10474.00	-54.95	RMS		37.25	-21.42	0.89	-95.23	23.56	-13.00	-41.95	Horizontal
3	13965.00	-50.57	RMS		40.83	-21.48	0.62	-95.23	24.69	-13.00	-37.57	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-54.81	RMS		36.30	-20.93	1.03	-95.23	24.02	-13.00	-41.81	Vertical
2	10474.00	-55.08	RMS		37.25	-21.42	0.89	-95.23	23.43	-13.00	-42.08	Vertical
3	13965.00	-50.55	RMS		40.83	-21.48	0.62	-95.23	24.71	-13.00	-37.55	Vertical




Tx0

Part 27Q Mode 31

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	7063.00	-55.46	RMS		36.30	-20.90	1.01 -95.23	23.36	-13.00	-42.46	Horizontal	
2	10594.00	-54.77	RMS		37.40	-21.44	0.89 -95.23	23.61	-13.00	-41.77	Horizontal	
3	14125.00	-50.46	RMS		41.00	-21.78	0.63 -95.23	24.92	-13.00	-37.46	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	7063.00	-52.72	RMS		36.30	-20.90	1.01 -95.23	26.10	-13.00	-39.72	Vertical	
2	10594.00	-54.83	RMS		37.40	-21.44	0.89 -95.23	23.55	-13.00	-41.83	Vertical	
3	14125.00	-50.72	RMS		41.00	-21.78	0.63 -95.23	24.66	-13.00	-37.72	Vertical	




Tx1

Part 27Q Mode 32

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-53.07	RMS	36.30	-20.93	1.08	-95.23	25.71	-13.00	-40.07	Horizontal	
2	10354.00	-50.79	RMS	37.38	-21.30	0.88	-95.23	27.48	-13.00	-37.79	Horizontal	
3	13805.00	-50.51	RMS	40.41	-21.37	0.64	-95.23	25.04	-13.00	-37.51	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.30	RMS	36.30	-20.93	1.08	-95.23	24.48	-13.00	-41.30	Vertical	
2	10354.00	-54.78	RMS	37.38	-21.30	0.88	-95.23	23.49	-13.00	-41.78	Vertical	
3	13805.00	-50.65	RMS	40.41	-21.37	0.64	-95.23	24.90	-13.00	-37.65	Vertical	




Tx1

Part 27Q Mode 32

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-50.76	RMS	36.30	-20.93	1.03	-95.23	28.07	-13.00	-37.76	Horizontal	
2	10474.00	-50.46	RMS	37.25	-21.42	0.89	-95.23	28.05	-13.00	-37.46	Horizontal	
3	13965.00	-50.39	RMS	40.83	-21.48	0.62	-95.23	24.87	-13.00	-37.39	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-51.35	RMS	36.30	-20.93	1.03	-95.23	27.48	-13.00	-38.35	Vertical	
2	10474.00	-54.47	RMS	37.25	-21.42	0.89	-95.23	24.04	-13.00	-41.47	Vertical	
3	13965.00	-50.42	RMS	40.83	-21.48	0.62	-95.23	24.84	-13.00	-37.42	Vertical	




Tx1

Part 27Q Mode 32


NR SA n77 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7063.00	-47.44	RMS	36.30	-20.90	1.01	-95.23	31.38	-13.00	-34.44	Horizontal
2	10594.00	-47.84	RMS	37.40	-21.44	0.89	-95.23	30.54	-13.00	-34.84	Horizontal
3	14125.00	-50.50	RMS	41.00	-21.78	0.63	-95.23	24.88	-13.00	-37.50	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: SA n77 20M Ch636000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7063.00	-52.26	RMS	36.30	-20.90	1.01	-95.23	26.56	-13.00	-39.26	Vertical
2	10594.00	-52.70	RMS	37.40	-21.44	0.89	-95.23	25.68	-13.00	-39.70	Vertical
3	14125.00	-50.47	RMS	41.00	-21.78	0.63	-95.23	24.91	-13.00	-37.47	Vertical




Tx1

Part 27Q Mode 33


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 6983.00	-55.44	RMS	36.30	-20.93	1.03	-95.23	23.39	-13.00	-42.44	Horizontal
2 10474.00	-49.94	RMS	37.25	-21.42	0.89	-95.23	28.57	-13.00	-36.94	Horizontal
3 13965.00	-49.97	RMS	40.83	-21.48	0.62	-95.23	25.29	-13.00	-36.97	Horizontal
4 20948.00	-60.80	RMS	38.39	-36.64	-9.54	-95.23	42.22	-13.00	-47.80	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: LTE B5 10M Ch20525 1RB0 QPSK
: SA n77 20M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 6983.00	-55.44	RMS	36.30	-20.93	1.03	-95.23	23.39	-13.00	-42.44	Vertical
2 10474.00	-50.46	RMS	37.25	-21.42	0.89	-95.23	28.05	-13.00	-37.46	Vertical
3 13965.00	-49.89	RMS	40.83	-21.48	0.62	-95.23	25.37	-13.00	-36.89	Vertical
4 20948.00	-47.02	RMS	38.39	-36.64	-9.54	-95.23	56.00	-13.00	-34.02	Vertical




Ant6+1

Part 27Q Mode 34

NR SA n77 20M Ch630668 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-56.34	RMS	36.30	-20.93	1.08	-95.23	22.44	-13.00	-43.34 Horizontal
2	10354.00	-54.91	RMS	37.38	-21.30	0.88	-95.23	23.36	-13.00	-41.91 Horizontal
3	13805.00	-50.45	RMS	40.41	-21.37	0.64	-95.23	25.10	-13.00	-37.45 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-55.66	RMS	36.30	-20.93	1.08	-95.23	23.12	-13.00	-42.66 Vertical
2	10354.00	-54.64	RMS	37.38	-21.30	0.88	-95.23	23.63	-13.00	-41.64 Vertical
3	13805.00	-50.61	RMS	40.41	-21.37	0.64	-95.23	24.94	-13.00	-37.61 Vertical




Ant6+1

Part 27Q Mode 34

NR SA n77 20M Ch633334 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.58	RMS		36.30	-20.93	1.03	-95.23	23.25	-13.00	-42.58	Horizontal
2	10474.00	-54.97	RMS		37.25	-21.42	0.89	-95.23	23.54	-13.00	-41.97	Horizontal
3	13965.00	-49.79	RMS		40.83	-21.48	0.62	-95.23	25.47	-13.00	-36.79	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.94	RMS		36.30	-20.93	1.03	-95.23	22.89	-13.00	-42.94	Vertical
2	10474.00	-54.95	RMS		37.25	-21.42	0.89	-95.23	23.56	-13.00	-41.95	Vertical
3	13965.00	-50.27	RMS		40.83	-21.48	0.62	-95.23	24.99	-13.00	-37.27	Vertical




Ant6+1

Part 27Q Mode 34

NR SA n77 20M Ch636000 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.47	RMS		36.30	-20.90	1.01	-95.23	23.35	-13.00	-42.47	Horizontal
2	10594.00	-54.90	RMS		37.40	-21.44	0.89	-95.23	23.48	-13.00	-41.90	Horizontal
3	14125.00	-50.30	RMS		41.00	-21.78	0.63	-95.23	25.08	-13.00	-37.30	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.57	RMS		36.30	-20.90	1.01	-95.23	23.25	-13.00	-42.57	Vertical
2	10594.00	-54.30	RMS		37.40	-21.44	0.89	-95.23	24.08	-13.00	-41.30	Vertical
3	14125.00	-50.47	RMS		41.00	-21.78	0.63	-95.23	24.91	-13.00	-37.47	Vertical




Ant7+5

Part 27Q Mode 35

NR SA n77 20M Ch630668 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-56.06	RMS	36.30	-20.93	1.08	-95.23	22.72	-13.00	-43.06	Horizontal	
2	10354.00	-54.70	RMS	37.38	-21.30	0.88	-95.23	23.57	-13.00	-41.70	Horizontal	
3	13805.00	-50.30	RMS	40.41	-21.37	0.64	-95.23	25.25	-13.00	-37.30	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-55.94	RMS	36.30	-20.93	1.08	-95.23	22.84	-13.00	-42.94	Vertical	
2	10354.00	-54.68	RMS	37.38	-21.30	0.88	-95.23	23.59	-13.00	-41.68	Vertical	
3	13805.00	-50.50	RMS	40.41	-21.37	0.64	-95.23	25.05	-13.00	-37.50	Vertical	




Ant7+5

Part 27Q Mode 35

NR SA n77 20M Ch633334 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-55.55	RMS	36.30	-20.93	1.03	-95.23	23.28	-13.00	-42.55	Horizontal			
2	10474.00	-55.02	RMS	37.25	-21.42	0.89	-95.23	23.49	-13.00	-42.02	Horizontal			
3	13965.00	-49.90	RMS	40.83	-21.48	0.62	-95.23	25.36	-13.00	-36.90	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6983.00	-55.42	RMS	36.30	-20.93	1.03	-95.23	23.41	-13.00	-42.42	Vertical			
2	10474.00	-54.76	RMS	37.25	-21.42	0.89	-95.23	23.75	-13.00	-41.76	Vertical			
3	13965.00	-50.15	RMS	40.83	-21.48	0.62	-95.23	25.11	-13.00	-37.15	Vertical			




Ant7+5

Part 27Q Mode 35

NR SA n77 20M Ch636000 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7063.00	-55.31	RMS	36.30	-20.90	1.01	-95.23	23.51	-13.00	-42.31	Horizontal
2	10594.00	-54.61	RMS	37.40	-21.44	0.89	-95.23	23.77	-13.00	-41.61	Horizontal
3	14125.00	-50.20	RMS	41.00	-21.78	0.63	-95.23	25.18	-13.00	-37.20	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7063.00	-55.09	RMS	36.30	-20.90	1.01	-95.23	23.73	-13.00	-42.09	Vertical
2	10594.00	-54.49	RMS	37.40	-21.44	0.89	-95.23	23.89	-13.00	-41.49	Vertical
3	14125.00	-50.39	RMS	41.00	-21.78	0.63	-95.23	24.99	-13.00	-37.39	Vertical




Tx0

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-68.55	RMS	24.60	-25.17	0.64	-95.23	26.61	-13.00	-55.55
2	2444.00	-64.13	RMS	26.70	-24.11	0.61	-95.23	27.90	-13.00	-51.13
3	3258.00	-64.06	RMS	28.00	-22.78	0.41	-95.23	25.54	-13.00	-51.06



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-68.27	RMS	24.60	-25.17	0.64	-95.23	26.89	-13.00	-55.27
2	2444.00	-61.24	RMS	26.70	-24.11	0.61	-95.23	30.79	-13.00	-48.24
3	3258.00	-64.06	RMS	28.00	-22.78	0.41	-95.23	25.54	-13.00	-51.06




Tx0

Part 90S Mode 1

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.71	RMS	24.60	-25.16	0.64	-95.23	26.44	-13.00	-55.71	Horizontal
2	2451.00	-64.37	RMS	26.68	-24.10	0.60	-95.23	27.68	-13.00	-51.37	Horizontal
3	3268.00	-64.07	RMS	28.00	-22.77	0.41	-95.23	25.52	-13.00	-51.07	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.72	RMS	24.60	-25.16	0.64	-95.23	26.43	-13.00	-55.72	Vertical
2	2451.00	-62.18	RMS	26.68	-24.10	0.60	-95.23	29.87	-13.00	-49.18	Vertical
3	3268.00	-64.36	RMS	28.00	-22.77	0.41	-95.23	25.23	-13.00	-51.36	Vertical