




Tx0

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-68.22	RMS	24.60	-25.16	0.64	-95.23	26.93	-13.00	-55.22	Horizontal
2	2459.00	-64.09	RMS	26.52	-24.09	0.60	-95.23	28.11	-13.00	-51.09	Horizontal
3	3278.00	-64.25	RMS	28.00	-22.75	0.41	-95.23	25.32	-13.00	-51.25	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-68.49	RMS	24.60	-25.16	0.64	-95.23	26.66	-13.00	-55.49	Vertical
2	2459.00	-62.54	RMS	26.52	-24.09	0.60	-95.23	29.66	-13.00	-49.54	Vertical
3	3278.00	-64.08	RMS	28.00	-22.75	0.41	-95.23	25.49	-13.00	-51.08	Vertical




Tx0

Part 90S Mode 2

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-68.58	RMS	24.60	-25.16	0.64	-95.23	26.57	-13.00	-55.58	Horizontal
2	2453.00	-65.47	RMS	26.64	-24.10	0.60	-95.23	26.62	-13.00	-52.47	Horizontal
3	3270.00	-64.47	RMS	28.00	-22.76	0.41	-95.23	25.11	-13.00	-51.47	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-68.32	RMS	24.60	-25.16	0.64	-95.23	26.83	-13.00	-55.32	Vertical
2	2453.00	-60.69	RMS	26.64	-24.10	0.60	-95.23	31.40	-13.00	-47.69	Vertical
3	3270.00	-64.14	RMS	28.00	-22.76	0.41	-95.23	25.44	-13.00	-51.14	Vertical




Tx0

Part 90S Mode 5

EN-DC B2+n26 10M + 15M Ch18900 1RB0 QPSK + Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1635.00	-68.74 RMS	24.60	-25.16	0.64	-95.23	26.41	-13.00	-55.74	Horizontal
2	1880.00	-14.60 RMS	25.10	-24.86	0.50	-95.23	79.89	-13.00	-1.60	Horizontal
3	2453.00	-61.05 RMS	26.64	-24.10	0.60	-95.23	31.04	-13.00	-48.05	Horizontal
4	3270.00	-64.56 RMS	28.00	-22.76	0.41	-95.23	25.02	-13.00	-51.56	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	1635.00	-68.58 RMS	24.60	-25.16	0.64	-95.23	26.57	-13.00	-55.58	Vertical
2	1880.00	-17.77 RMS	25.10	-24.86	0.50	-95.23	76.72	-13.00	-4.77	Vertical
3	2453.00	-60.88 RMS	26.64	-24.10	0.60	-95.23	31.21	-13.00	-47.88	Vertical
4	3270.00	-64.57 RMS	28.00	-22.76	0.41	-95.23	25.01	-13.00	-51.57	Vertical

Remark: #2 is fundamental signal which can be ignored.




Tx1

Part 90S Mode 3

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-68.94	RMS	24.60	-25.17	0.64	-95.23	26.22	-13.00	-55.94	Horizontal
2	2444.00	-65.19	RMS	26.70	-24.11	0.61	-95.23	26.84	-13.00	-52.19	Horizontal
3	3258.00	-64.04	RMS	28.00	-22.78	0.41	-95.23	25.56	-13.00	-51.04	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-68.49	RMS	24.60	-25.17	0.64	-95.23	26.67	-13.00	-55.49	Vertical
2	2444.00	-64.20	RMS	26.70	-24.11	0.61	-95.23	27.83	-13.00	-51.20	Vertical
3	3258.00	-63.96	RMS	28.00	-22.78	0.41	-95.23	25.64	-13.00	-50.96	Vertical




Tx1

Part 90S Mode 3

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.65	RMS	24.60	-25.16	0.64	-95.23	26.50	-13.00	-55.65	Horizontal
2	2451.00	-65.11	RMS	26.68	-24.10	0.60	-95.23	26.94	-13.00	-52.11	Horizontal
3	3268.00	-64.23	RMS	28.00	-22.77	0.41	-95.23	25.36	-13.00	-51.23	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.81	RMS	24.60	-25.16	0.64	-95.23	26.34	-13.00	-55.81	Vertical
2	2451.00	-62.26	RMS	26.68	-24.10	0.60	-95.23	29.79	-13.00	-49.26	Vertical
3	3268.00	-64.26	RMS	28.00	-22.77	0.41	-95.23	25.33	-13.00	-51.26	Vertical




Tx1

Part 90S Mode 3

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-68.88	RMS	24.60	-25.16	0.64	-95.23	26.27	-13.00	-55.88	Horizontal
2	2459.00	-65.96	RMS	26.52	-24.09	0.60	-95.23	26.24	-13.00	-52.96	Horizontal
3	3278.00	-64.11	RMS	28.00	-22.75	0.41	-95.23	25.46	-13.00	-51.11	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-69.02	RMS	24.60	-25.16	0.64	-95.23	26.13	-13.00	-56.02	Vertical
2	2459.00	-64.03	RMS	26.52	-24.09	0.60	-95.23	28.17	-13.00	-51.03	Vertical
3	3278.00	-64.33	RMS	28.00	-22.75	0.41	-95.23	25.24	-13.00	-51.33	Vertical




Tx1

Part 90S Mode 4

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	1635.00	-68.55	RMS	24.60	-25.16	0.64	-95.23	26.60	-13.00	-55.55	Horizontal	
2	2453.00	-65.88	RMS	26.64	-24.10	0.60	-95.23	26.21	-13.00	-52.88	Horizontal	
3	3270.00	-64.47	RMS	28.00	-22.76	0.41	-95.23	25.11	-13.00	-51.47	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	1635.00	-68.48	RMS	24.60	-25.16	0.64	-95.23	26.67	-13.00	-55.48	Vertical	
2	2453.00	-62.88	RMS	26.64	-24.10	0.60	-95.23	29.21	-13.00	-49.88	Vertical	
3	3270.00	-63.91	RMS	28.00	-22.76	0.41	-95.23	25.67	-13.00	-50.91	Vertical	




Tx0

Part 90R Mode 6

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-68.97	RMS	24.40	-25.24	0.69	-95.23	26.41	-42.15	-26.82	Horizontal
2	2366.00	-65.34	RMS	26.94	-24.22	0.59	-95.23	26.58	-13.00	-52.34	Horizontal
3	3154.00	-64.39	RMS	28.01	-22.90	0.43	-95.23	25.30	-13.00	-51.39	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-69.05	RMS	24.40	-25.24	0.69	-95.23	26.33	-42.15	-26.90	Vertical
2	2366.00	-65.93	RMS	26.94	-24.22	0.59	-95.23	25.99	-13.00	-52.93	Vertical
3	3154.00	-64.34	RMS	28.01	-22.90	0.43	-95.23	25.35	-13.00	-51.34	Vertical




Tx0

Part 90R Mode 6

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-68.70	RMS	24.42	-25.23	0.68	-95.23	26.66	-42.15	-26.55	Horizontal
2	2373.00	-65.60	RMS	26.84	-24.21	0.60	-95.23	26.40	-13.00	-52.60	Horizontal
3	3164.00	-64.45	RMS	28.03	-22.89	0.43	-95.23	25.21	-13.00	-51.45	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-69.14	RMS	24.42	-25.23	0.68	-95.23	26.22	-42.15	-26.99	Vertical
2	2373.00	-65.74	RMS	26.84	-24.21	0.60	-95.23	26.26	-13.00	-52.74	Vertical
3	3164.00	-64.18	RMS	28.03	-22.89	0.43	-95.23	25.48	-13.00	-51.18	Vertical




Tx0

Part 90R Mode 6

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-68.84	RMS	24.47	-25.22	0.68	-95.23	26.46	-42.15	-26.69 Horizontal
2	2381.00	-65.95	RMS	26.70	-24.20	0.61	-95.23	26.17	-13.00	-52.95 Horizontal
3	3174.00	-64.57	RMS	28.05	-22.88	0.43	-95.23	25.06	-13.00	-51.57 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-68.72	RMS	24.47	-25.22	0.68	-95.23	26.58	-42.15	-26.57 Vertical
2	2381.00	-66.09	RMS	26.70	-24.20	0.61	-95.23	26.03	-13.00	-53.09 Vertical
3	3174.00	-64.44	RMS	28.05	-22.88	0.43	-95.23	25.19	-13.00	-51.44 Vertical




Tx0

Part 90R Mode 7

NR SA n14 10M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-68.83	RMS	24.40	-25.24	0.69	-95.23	26.55	-42.15	-26.68	Horizontal
2	2366.00	-65.51	RMS	26.94	-24.22	0.59	-95.23	26.41	-13.00	-52.51	Horizontal
3	3155.00	-64.21	RMS	28.01	-22.90	0.43	-95.23	25.48	-13.00	-51.21	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-68.65	RMS	24.40	-25.24	0.69	-95.23	26.73	-42.15	-26.50	Vertical
2	2366.00	-65.86	RMS	26.94	-24.22	0.59	-95.23	26.06	-13.00	-52.86	Vertical
3	3155.00	-64.14	RMS	28.01	-22.90	0.43	-95.23	25.55	-13.00	-51.14	Vertical




Tx1

Part 90R Mode 8

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-68.76	RMS	24.40	-25.24	0.69	-95.23	26.62	-42.15	-26.61	Horizontal
2	2366.00	-65.70	RMS	26.94	-24.22	0.59	-95.23	26.22	-13.00	-52.70	Horizontal
3	3154.00	-64.34	RMS	28.01	-22.90	0.43	-95.23	25.35	-13.00	-51.34	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-68.87	RMS	24.40	-25.24	0.69	-95.23	26.51	-42.15	-26.72	Vertical
2	2366.00	-65.58	RMS	26.94	-24.22	0.59	-95.23	26.34	-13.00	-52.58	Vertical
3	3154.00	-64.36	RMS	28.01	-22.90	0.43	-95.23	25.33	-13.00	-51.36	Vertical




Tx1

Part 90R Mode 8

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-68.86	RMS	24.42	-25.23	0.68	-95.23	26.50	-42.15	-26.71	Horizontal
2	2373.00	-65.61	RMS	26.84	-24.21	0.60	-95.23	26.39	-13.00	-52.61	Horizontal
3	3164.00	-64.27	RMS	28.03	-22.89	0.43	-95.23	25.39	-13.00	-51.27	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-69.14	RMS	24.42	-25.23	0.68	-95.23	26.22	-42.15	-26.99	Vertical
2	2373.00	-65.42	RMS	26.84	-24.21	0.60	-95.23	26.58	-13.00	-52.42	Vertical
3	3164.00	-64.35	RMS	28.03	-22.89	0.43	-95.23	25.31	-13.00	-51.35	Vertical




Tx1

Part 90R Mode 8

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm									
1	1587.00	-68.79	RMS	24.47	-25.22	0.68	-95.23	26.51	-42.15	-26.64	Horizontal
2	2381.00	-65.64	RMS	26.70	-24.20	0.61	-95.23	26.48	-13.00	-52.64	Horizontal
3	3174.00	-64.39	RMS	28.05	-22.88	0.43	-95.23	25.24	-13.00	-51.39	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm									
1	1587.00	-68.84	RMS	24.47	-25.22	0.68	-95.23	26.46	-42.15	-26.69	Vertical
2	2381.00	-65.86	RMS	26.70	-24.20	0.61	-95.23	26.26	-13.00	-52.86	Vertical
3	3174.00	-64.42	RMS	28.05	-22.88	0.43	-95.23	25.21	-13.00	-51.42	Vertical




Tx1

Part 90R Mode 9

NR SA n14 10M Ch158600 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-68.96	RMS	24.40	-25.24	0.69	-95.23	26.42	-42.15	-26.81	Horizontal
2	2366.00	-65.71	RMS	26.94	-24.22	0.59	-95.23	26.21	-13.00	-52.71	Horizontal
3	3155.00	-64.11	RMS	28.01	-22.90	0.43	-95.23	25.58	-13.00	-51.11	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-68.68	RMS	24.40	-25.24	0.69	-95.23	26.70	-42.15	-26.53	Vertical
2	2366.00	-65.29	RMS	26.94	-24.22	0.59	-95.23	26.64	-13.00	-52.29	Vertical
3	3155.00	-64.15	RMS	28.01	-22.90	0.43	-95.23	25.54	-13.00	-51.15	Vertical




Tx1

Part 27D Mode 11

NR SA n30 10M Ch462000 1RB0 BPSK

M




Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: NR n30 10M Ch462000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2306.00	-27.94	RMS	26.86	-24.30	0.46	-95.23	64.27	-40.00	12.06	Horizontal



Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Vertical

: NR n30 10M Ch462000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2306.00	-29.35	RMS	26.86	-24.30	0.46	-95.23	62.86	-40.00	10.65	Vertical

Remark: #1 is fundamental signal which can be ignored.

**B2-1. Summary of each worse mode**

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 27D	LTE B30	L	6916	-48.76	RMS	36.30	-20.93	0.34	-95.23	30.76	-40.00	-8.76	V	Tx0
2	Part 27D	LTE B30	M	6917	-50.90	RMS	36.30	-20.93	0.34	-95.23	28.62	-40.00	-10.90	V	Tx0
3	Part 27D	LTE B30	M	6924	-54.01	RMS	36.30	-20.93	0.34	-95.23	25.51	-40.00	-14.01	V	Tx1
4	Part 27D	LTE B30	M	6917	-53.68	RMS	36.30	-20.93	0.34	-95.23	25.84	-40.00	-13.68	V	Tx1




Tx0

Part 27D Mode 1

LTE B30 5M Ch27685 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.57	RMS	31.74	-21.68	0.30	-95.23	0.00	-40.00	-19.57 Horizontal
2	6916.00	-53.15	RMS	36.30	-20.93	0.34	-95.23	26.37	-40.00	-13.15 Horizontal
3	9221.00	-55.16	RMS	36.96	-21.12	0.23	-95.23	24.00	-40.00	-15.16 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-58.95	RMS	31.74	-21.68	0.30	-95.23	25.92	-40.00	-18.95 Vertical
2	6916.00	-48.76	RMS	36.30	-20.93	0.34	-95.23	30.76	-40.00	-8.76 Vertical
3	9221.00	-55.29	RMS	36.96	-21.12	0.23	-95.23	23.87	-40.00	-15.29 Vertical




Tx0


Part 27D Mode 1

LTE B30 5M Ch27710 1RB0 QPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4616.00	-59.88	RMS	31.76	-21.68	0.30	-95.23	24.97	-40.00	-19.88 Horizontal
2	6924.00	-54.04	RMS	36.30	-20.93	0.34	-95.23	25.48	-40.00	-14.04 Horizontal
3	9231.00	-55.29	RMS	36.94	-21.12	0.22	-95.23	23.90	-40.00	-15.29 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4616.00	-59.87	RMS	31.76	-21.68	0.30	-95.23	24.98	-40.00	-19.87 Vertical
2	6924.00	-49.45	RMS	36.30	-20.93	0.34	-95.23	30.07	-40.00	-9.45 Vertical
3	9231.00	-55.19	RMS	36.94	-21.12	0.22	-95.23	24.00	-40.00	-15.19 Vertical




Tx0


Part 27D Mode 1

LTE B30 5M Ch27735 1RB0 QPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-59.39	RMS	31.78	-21.67	0.30	-95.23	25.43	-40.00	-19.39 Horizontal
2	6931.00	-54.04	RMS	36.30	-20.93	0.35	-95.23	25.47	-40.00	-14.04 Horizontal
3	9241.00	-55.41	RMS	36.92	-21.11	0.21	-95.23	23.80	-40.00	-15.41 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4621.00	-59.88	RMS	31.78	-21.67	0.30	-95.23	24.94	-40.00	-19.88 Vertical
2	6931.00	-49.95	RMS	36.30	-20.93	0.35	-95.23	29.56	-40.00	-9.95 Vertical
3	9241.00	-55.38	RMS	36.92	-21.11	0.21	-95.23	23.83	-40.00	-15.38 Vertical




Tx0

Part 27D Mode 2

LTE B30 10M Ch27710 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.77	RMS	31.74	-21.68	0.30	-95.23	25.10	-40.00	-19.77 Horizontal
2	6917.00	-53.20	RMS	36.30	-20.93	0.34	-95.23	26.32	-40.00	-13.20 Horizontal
3	9222.00	-55.52	RMS	36.96	-21.12	0.23	-95.23	23.64	-40.00	-15.52 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-59.68	RMS	31.74	-21.68	0.30	-95.23	25.19	-40.00	-19.68 Vertical
2	6917.00	-50.90	RMS	36.30	-20.93	0.34	-95.23	28.62	-40.00	-10.90 Vertical
3	9222.00	-55.48	RMS	36.96	-21.12	0.23	-95.23	23.68	-40.00	-15.48 Vertical




Tx1


Part 27D Mode 3

LTE B30 5M Ch27685 1RB0 QPSK

L



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4611.00	-58.64	RMS	31.74	-21.68	0.30	-95.23	26.23	-40.00	-18.64		Horizontal
2	6916.00	-56.09	RMS	36.30	-20.93	0.34	-95.23	23.43	-40.00	-16.09		Horizontal
3	9221.00	-55.61	RMS	36.96	-21.12	0.23	-95.23	23.55	-40.00	-15.61		Horizontal



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4611.00	-58.13	RMS	31.74	-21.68	0.30	-95.23	26.74	-40.00	-18.13		Vertical
2	6916.00	-54.82	RMS	36.30	-20.93	0.34	-95.23	24.70	-40.00	-14.82		Vertical
3	9221.00	-55.28	RMS	36.96	-21.12	0.23	-95.23	23.88	-40.00	-15.28		Vertical




Tx1

Part 27D Mode 3

LTE B30 5M Ch27710 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-57.91	RMS	31.76	-21.68	0.30	-95.23	26.94	-40.00	-17.91 Horizontal
2	6924.00	-55.92	RMS	36.30	-20.93	0.34	-95.23	23.60	-40.00	-15.92 Horizontal
3	9231.00	-55.21	RMS	36.94	-21.12	0.22	-95.23	23.98	-40.00	-15.21 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-58.30	RMS	31.76	-21.68	0.30	-95.23	26.55	-40.00	-18.30 Vertical
2	6924.00	-54.01	RMS	36.30	-20.93	0.34	-95.23	25.51	-40.00	-14.01 Vertical
3	9231.00	-55.19	RMS	36.94	-21.12	0.22	-95.23	24.00	-40.00	-15.19 Vertical




Tx1

Part 27D Mode 3

LTE B30 5M Ch27735 1RB0 QPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4621.00	-58.10	RMS	31.78	-21.67	0.30	-95.23	26.72	-40.00	-18.10		Horizontal
2	6931.00	-55.93	RMS	36.30	-20.93	0.35	-95.23	23.58	-40.00	-15.93		Horizontal
3	9241.00	-55.18	RMS	36.92	-21.11	0.21	-95.23	24.03	-40.00	-15.18		Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm										
1	4621.00	-57.50	RMS	31.78	-21.67	0.30	-95.23	27.32	-40.00	-17.50		Vertical
2	6931.00	-55.28	RMS	36.30	-20.93	0.35	-95.23	24.23	-40.00	-15.28		Vertical
3	9241.00	-55.16	RMS	36.92	-21.11	0.21	-95.23	24.05	-40.00	-15.16		Vertical




Tx1

Part 27D Mode 4

LTE B30 10M Ch27710 1RB0 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Horizontal

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-58.91	RMS	31.74	-21.68	0.30	-95.23	25.96	-40.00	-18.91 Horizontal
2	6917.00	-55.55	RMS	36.30	-20.93	0.34	-95.23	23.97	-40.00	-15.55 Horizontal
3	9222.00	-55.41	RMS	36.96	-21.12	0.23	-95.23	23.75	-40.00	-15.41 Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1223_240624 Vertical

: LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4611.00	-58.25	RMS	31.74	-21.68	0.30	-95.23	26.62	-40.00	-18.25 Vertical
2	6917.00	-53.68	RMS	36.30	-20.93	0.34	-95.23	25.84	-40.00	-13.68 Vertical
3	9222.00	-55.33	RMS	36.96	-21.12	0.23	-95.23	23.83	-40.00	-15.33 Vertical




Tx0

Part 27D Mode 1

LTE B30 5M Ch27685 1RB0 QPSK

L




Site : 03CH21-HY

Condition: -40 3m LF_63303&001_241217 Horizontal

: LTE Band 30 5M Ch27685 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB					dBm	dB	
1	2308.00	-30.85	RMS	26.88	-24.29	0.46	-95.23	61.33	-40.00	9.15	Horizontal	



Site : 03CH21-HY

Condition: -40 3m LF_63303&001_241217 Vertical

: LTE Band 30 5M Ch27685 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB					dBm	dB	
1	2308.00	-33.41	RMS	26.88	-24.29	0.46	-95.23	58.77	-40.00	6.59	Vertical	

Remark: #1 is fundamental signal which can be ignored.

—THE END—