



FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 10MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge




**FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM / Full RB****Lowest Band Edge****Highest Band Edge**




FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 15MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge




Highest Band Edge




FR1 n26 / 15MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n26 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge




Highest Band Edge






FR1 n26 / 20MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge




**FR1 n26 / 20MHz / DFT-s-OFDM / 16QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n26 / 20MHz / DFT-s-OFDM / 64QAM / Full RB****Lowest Band Edge****Highest Band Edge**



FR1 n26 / 20MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge




Highest Band Edge



FR1 n26 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





Conducted Spurious Emission

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0015	PASS
40	Normal Voltage	0.0003	
30	Normal Voltage	0.0013	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0002	
0	Normal Voltage	0.0030	
-10	Normal Voltage	0.0009	
-20	Normal Voltage	0.0006	
-30	Normal Voltage	0.0005	
20	Maximum Voltage	0.0019	
20	Normal Voltage	0.0015	
20	Minimum Voltage	0.0013	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**FR1 n26_Part90S****Peak-to-Average Ratio**

Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.38	5.72	6.38	6.58	PASS
Mode	FR1 n26 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.28				PASS




FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK



16QAM



64QAM



256QAM



**26dB Bandwidth**


Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.39		9.92					

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.46	5.40	10.43	10.36				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.41	5.38	10.38	10.34				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




**FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB**

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



**Occupied Bandwidth**


Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.52		9.00					

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.51	4.51	9.33	9.33				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.50	4.52	9.34	9.35				




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM




256QAM




**Emission masks – In-band emissions**

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / QPSK

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 16QAM


Lowest MASK / 1RB0




Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 64QAM

Lowest MASK / 1RB0



Highest MASK / 1RBmax



Lowest MASK / Full RB




Highest MASK / Full RB






FR1 n26 / 5MHz / DFT-S OFDM / 256QAM

Lowest MASK / 1RB0




12:50:51 AM 12/16/2024

Highest MASK / 1RBmax




12:59:12 AM 12/16/2024

Lowest MASK / Full RB



12:50:10 AM 12/16/2024

Highest MASK / Full RB




12:58:30 AM 12/16/2024



FR1 n26 / 5MHz / CP OFDM / QPSK / Full RB

Lowest MASK



Highest MASK





FR1 n26 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Middle MASK / Full RB



FR1 n26 / 10MHz / DFT-s-OFDM / QPSK

Lowest MASK / Full RB



**FR1 n26 / 10MHz / DFT-s-OFDM / 16QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / DFT-s-OFDM / 64QAM****Middle MASK / Full RB**

**FR1 n26 / 10MHz / DFT-s-OFDM / 256QAM****Middle MASK / Full RB****FR1 n26 / 10MHz / CP OFDM / QPSK / Full RB****Middle MASK**



Emission masks – Out of band emissions

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0007	PASS
40	Normal Voltage	0.0009	
30	Normal Voltage	0.0000	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0014	
0	Normal Voltage	0.0015	
-10	Normal Voltage	0.0027	
-20	Normal Voltage	0.0002	
-30	Normal Voltage	0.0043	
20	Maximum Voltage	0.0007	
20	Normal Voltage	0.0013	
20	Minimum Voltage	0.0046	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**FR1 n26 Part90s Straddle Channel****Peak-to-Average Ratio**

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.52	5.64	6.50	6.48	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.42				PASS




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM













**26dB Bandwidth**

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.44		9.87		14.78		19.50	

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.47	5.30	10.32	10.39	15.36	15.41	21.35	21.27
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.32	5.32	10.37	10.35	15.33	15.34	21.34	21.50

FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM



FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**Occupied Bandwidth**

Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.53		9.02		13.47		18.03	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.51	9.33	9.32	14.14	14.15	19.07	19.02
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.52	4.50	9.35	9.33	14.15	14.12	19.05	19.08


FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



Frequency Stability

Test Conditions		FR1 n26 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	2.5 ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0009	PASS
40	Normal Voltage	0.0015	
30	Normal Voltage	0.0027	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0003	
0	Normal Voltage	0.0013	
-10	Normal Voltage	0.0017	
-20	Normal Voltage	0.0013	
-30	Normal Voltage	0.0012	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0033	
20	Minimum Voltage	0.0020	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n30****Peak-to-Average Ratio**

Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.42	5.72	6.60	6.48	PASS
Mode	FR1 n30 / 10MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.52				PASS




FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM








256QAM



**26dB Bandwidth**

Mode	FR1 n30 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	5.34		10.03					


Mode	FR1 n30 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	5.44	5.42	10.37	10.46				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	5.33	5.28	10.47	10.42				

FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM





FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM



**Occupied Bandwidth**


Mode	FR1 n30 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.51		9.02					

Mode	FR1 n30 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.52	4.51	9.36	9.36				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.51	4.50	9.37	9.36				




FR1 n30 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n30 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n30 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM







Conducted Band Edge

FR1 n30 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / 1 RB / Lower zoom in



Highest Band Edge / 1 RB / Lower zoom in






Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in






Lowest Band Edge / Full RB




07:22:52 PM 12/24/2024

Highest Band Edge / Full RB




07:30:45 PM 12/24/2024

Lowest Band Edge / Full RB / Lower zoom in



08:41:10 PM 12/24/2024

Highest Band Edge / Full RB / Lower zoom in





08:50:22 PM 12/24/2024



Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




07:24:09 PM 12/24/2024




07:32:03 PM 12/24/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



08:42:00 PM 12/24/2024





08:51:12 PM 12/24/2024




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




07:26:05 PM 12/24/2024




07:34:00 PM 12/24/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



08:43:38 PM 12/24/2024





08:52:51 PM 12/24/2024




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in





Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in







FR1 n30 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




07:26:44 PM 12/24/2024




07:34:39 PM 12/24/2024

Lowest Band Edge / 1 RB / Lower zoom in

Highest Band Edge / 1 RB / Lower zoom in



08:45:17 PM 12/24/2024





08:54:30 PM 12/24/2024




Lowest Band Edge / 1 RB / Upper zoom in

Highest Band Edge / 1 RB / Upper zoom in







Lowest Band Edge / Full RB




Highest Band Edge / Full RB



Lowest Band Edge / Full RB / Lower zoom in



Highest Band Edge / Full RB / Lower zoom in





Lowest Band Edge / Full RB / Upper zoom in

Highest Band Edge / Full RB / Upper zoom in

