





FR1 n14 / 5MHz / DFT-S OFDM / 64QAM

Middle Channel


1RB0



1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 64QAM

Highest Channel


1RB0



1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM

Lowest Channel

1RB0



1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM

Middle Channel

1RB0



1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM

Highest Channel

1RB0



1RBmax



Full RB






FR1 n14 / 10MHz / DFT-S OFDM / BPSK

Middle Channel

Full RB






FR1 n14 / 10MHz / DFT-S OFDM / QPSK

Middle Channel


Full RB



FR1 n14 / 10MHz / DFT-S OFDM / 16QAM

Middle Channel

Full RB






FR1 n14 / 10MHz / DFT-S OFDM / 64QAM

Middle Channel

Full RB



FR1 n14 / 10MHz / DFT-S OFDM / 256QAM

Middle Channel

Full RB






FR1 n14 / 5MHz / CP OFDM / QPSK / Full RB

Highest Channel



FR1 n14 / 10MHz / CP OFDM / QPSK / Full RB

Middle Channel







Conducted Spurious Emission

FR1 n14 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n14 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0015	PASS
40	Normal Voltage	0.0098	
30	Normal Voltage	0.0150	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0005	
0	Normal Voltage	0.0173	
-10	Normal Voltage	0.0120	
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0086	
20	Maximum Voltage	0.0211	
20	Normal Voltage	0.0146	
20	Minimum Voltage	0.0121	

Note:

1. Normal Voltage = 3.89 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**FR1 n25****Peak-to-Average Ratio**

Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.80	5.92	6.88	6.94	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.80				PASS




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM



**26dB Bandwidth**


Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.29		9.99		14.83		19.48	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	25.00		33.30		36.82		43.58	

Mode	FR1 n25 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.46	5.37	10.46	10.38	15.54	15.42	21.41	21.35
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.38	5.30	10.49	10.36	15.48	15.43	21.51	21.35
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	26.20	26.10	33.10	33.66	38.23	38.16	43.94	43.71
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	26.22	26.12	32.96	33.01	38.82	38.60	43.75	43.94




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM













64QAM








256QAM







FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n25 / 15MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM







FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n25 / 20MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n25 / 25MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM




FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n25 / 35MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM


FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB
PI/2 BPSK

FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB
QPSK

16QAM

64QAM

256QAM



**Occupied Bandwidth**

Mode	FR1 n25 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.54		9.00		13.52		18.03	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	23.05		29.14		32.64		39.14	

Mode	FR1 n25 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.52	4.50	9.33	9.37	14.20	14.18	19.12	19.07
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.52	4.53	9.37	9.38	14.21	14.20	19.12	19.17
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	23.91	23.86	29.06	29.01	33.95	34.00	39.01	39.00
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	23.93	23.84	29.00	28.92	34.03	33.95	38.99	39.04


FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



FR1 n25 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 30MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM




FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 35MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM



256QAM







Conducted Band Edge

FR1 n25 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / 16QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / 64QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n25 / 5MHz / DFT-S OFDM / 256QAM


Lowest Band Edge / 1RB0



Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n25 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n25 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n25 / 10MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n25 / 10MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n25 / 10MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



11:21:08 PM 03/14/2025

Highest Band Edge / Full RB



11:26:51 PM 03/14/2025


FR1 n25 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



11:21:59 PM 03/14/2025

Highest Band Edge




11:22:49 PM 03/14/2025




FR1 n25 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n25 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





Highest Band Edge / Full RB



FR1 n25 / 15MHz / DFT-s-OFDM / 64QAM

Highest Band Edge / Full RB





FR1 n25 / 15MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n25 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n25 / 20MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 20MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n25 / 20MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n25 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n25 / 25MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



11:50:50 PM 03/14/2025


Highest Band Edge / Full RB



11:53:19 PM 03/14/2025

FR1 n25 / 25MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



11:50:02 PM 03/14/2025

Highest Band Edge / Full RB



11:54:06 PM 03/14/2025




FR1 n25 / 25MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 25MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n25 / 25MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 25MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge




Highest Band Edge





FR1 n25 / 30MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



12:00:45 AM 03/15/2025


Highest Band Edge / Full RB



12:03:14 AM 03/15/2025

FR1 n25 / 30MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



11:59:57 PM 03/14/2025

Highest Band Edge / Full RB



12:04:02 AM 03/15/2025



FR1 n25 / 30MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



11:59:09 PM 03/14/2025


Highest Band Edge / Full RB



12:04:50 AM 03/15/2025


FR1 n25 / 30MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



11:58:21 PM 03/14/2025

Highest Band Edge / Full RB



12:05:38 AM 03/15/2025




FR1 n25 / 30MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n25 / 30MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge






FR1 n25 / 35MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 35MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n25 / 35MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB




FR1 n25 / 35MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n25 / 35MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



12:16:24 AM 03/15/2025

Highest Band Edge / Full RB



12:07:30 AM 03/15/2025


FR1 n25 / 35MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



12:12:21 AM 03/15/2025

Highest Band Edge



12:11:32 AM 03/15/2025



FR1 n25 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n25 / 40MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n25 / 40MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 40MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge






Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n25 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0028	PASS
40	Normal Voltage	0.0000	
30	Normal Voltage	0.0034	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0006	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0009	
-20	Normal Voltage	0.0037	
-30	Normal Voltage	0.0029	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0034	
20	Minimum Voltage	0.0008	

Note:

1. Normal Voltage = 3.89 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.5 V..
2. The frequency fundamental emissions stay within the authorized frequency block.


**FR1 n26****Peak-to-Average Ratio**

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.56	5.68	6.46	6.34	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.64				PASS




FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM



26dB Bandwidth

Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.24		9.91		14.65		19.50	
BW	25MHz							
Mod.	PI/2 BPSK							
Middle CH	-							

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.41	5.39	10.45	10.43	15.34	15.37	21.56	21.25
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.71	5.24	10.38	10.38	15.33	15.33	21.42	21.44
BW	25MHz							
Mod.	QPSK	16QAM						
Middle CH	-	-						
Mod.	64QAM	256QAM						
Middle CH	-	-						