



Report No.: FG4N0918G

FCC Part 96.47 TEST REPORT

FCC ID : A4RGUL82

Equipment : Phone **Model Name** : GUL82

Applicant : Google LLC

> 1600 Amphitheatre Parkway, Mountain View, CA, 94043 USA

: FCC Part 96.47 **Standard**

RF Interface : NR n48

The product was received on Nov. 29, 2024, and testing was performed from Feb. 26, 2025 to Feb. 26, 2025. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

TEL: 886-3-327-0868

FAX: 886-3-327-0855

Sporton International Inc. Wensan Laboratory

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C)

Page Number

Issue Date

: 1 of 12

: Apr. 22, 2025 Report Template No.: BU5- CR247WL5G AC MA Version 2.1 Report Version : 01

Table of Contents

Report No. : FG4N0918G

His	story (of this test report	3		
		ry of Test Result			
	Gene	eral Description	į		
	1 1	Product Feature of Equipment Under Test	Į.		
	1.2	Modification of EUT	F.		
	—	Testing Laboratory			
		Applicable Standards			
2	Test Configuration of Equipment Under Test				
		Connection Diagram of Test System			
3		User Device additional requirement			
		Test Requirement			
		Test Procedure			
		Test Result			
4	Meas	suring Equipment List	12		
Αn	pendi	ix A. Setup Photographs			

TEL: 886-3-327-0868 Page Number : 2 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

History of this test report

Report No.: FG4N0918G

Report No.	Version	Description	Issue Date
FG4N0918G	01	Initial issue of report	Apr. 22, 2025

TEL: 886-3-327-0868 Page Number : 3 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

Summary of Test Result

Report No.: FG4N0918G

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

Conformity Assessment Condition:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: William Chen Report Producer: Mila Chen

TEL: 886-3-327-0868 Page Number : 4 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature

Report No.: FG4N0918G

General Specs

 $\label{eq:gsm/wcdma/lte/sg} GSM/WCDMA/LTE/5G\ NR/NTN\ ,\ Bluetooth,\ BLE,\ BLE\ channel\ sounding,\ Thread,\ Wi-Fi\ 802.11be,\ NFC,\ WPC\ Rx,\ UWB\ and\ GNSS\ Rx.$

Antenna Type

WWAN:

<Ant. 1>: ILA Antenna <Ant. 5>: IFA Antenna <Ant. 6>: IFA Antenna <Ant. 7>: IFA Antenna

Remark: The above EUT's information was declared by manufacturer. Please refer to Disclaimer in report summary.

EUT Information List			
S/N	Performed Test Item		
4B151FDCQ00078	Conducted Measurement		

1.2 Modification of EUT

No modifications are made to the EUT during the entire test sessions.

TEL: 886-3-327-0868 Page Number : 5 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

1.3 Testing Laboratory

Test Site	Sporton International Inc. Wensan Laboratory			
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855			
Test Site No.	Sporton Site No.			
Test Site No.	TH05-HY			
Test Engineer	Alston Tsai			
Temperature	23 ~ 24 °C			
Relative Humidity	41 ~ 44 %			

Report No.: FG4N0918G

FCC designation No.: TW3786

1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification


Remark:

- 1. All test items were verified and recorded according to the standards and without any deviation during the test.
- 2. The TAF code is not including all the FCC KDB listed without accreditation.

TEL: 886-3-327-0868 Page Number : 6 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



Report No.: FG4N0918G

: 01

The companion device is a certified NR CBSD (FCC ID: PIDAS2900)

TEL: 886-3-327-0868 Page Number : 7 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

Report No.: FG4N0918G

(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

3.2 Test Procedure

The following procedure is following in accordance with WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, using the certified Airspan NR CBSD (FCC ID: PIDAS2900) as companion device to present compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Configure SAS granted CBSD to operate at frequency 3560-3600 MHz and power level 10 dBm/MHz
- 2. Enable CBSD service from Airspan ACP management
- 3. Check EUD Tx Frequency and power
- 4. Disable CBSD service from Airspan ACP management
 - a. Check if EUD stops transmission within 10 seconds.
- 5. Configure SAS granted CBSD to operate at frequency 3650-3690 MHz and power level 20 dBm/MHz
- 6. Enable CBSD service from Airspan ACP management
- 7. Check EUD Tx Frequency and power
- 8. Disable CBSD service from Airspan ACP management
 - a. Check if EUD stops transmission within 10 seconds.

TEL: 886-3-327-0868 Page Number : 8 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

3.3 Test Result


[Step 1] Configure SAS granted CBSD to operate at frequency 3560-3600 MHz and power level 10 dBm/MHz

Report No.: FG4N0918G

[Step 3] Check EUD Tx Frequency and power



[Step 4.a.] EUD stops transmission within 10 seconds right after receiving instructions from its associated CBSD.



TEL: 886-3-327-0868 Page Number : 9 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

[Step 5] Configure SAS granted CBSD to operate at frequency 3650-3690 MHz & power level 20 dBm/MHz

Report No.: FG4N0918G

[Step 7] Check EUD Tx Frequency and power




TEL: 886-3-327-0868 Page Number : 10 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

[Step 8.a.] After changing the frequency and power level,

Report No.: FG4N0918G

The EUD discontinues operating, changes frequencies, or changes its operational power level within 10 seconds right after receiving instructions from its associated CBSD. Test result is a PASS.



TEL: 886-3-327-0868 Page Number : 11 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025

4 Measuring Equipment List

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV3044	101433	10Hz~44GHz	Nov. 12, 2024	Feb. 26, 2025	Nov. 11, 2025	Conducted (TH05-HY)
Coupler	MVE	MVE-4816-10	A400024	N/A	Jun. 27, 2024	Feb. 26, 2025	Jun. 26, 2025	Conducted (TH05-HY)

Report No.: FG4N0918G



TEL: 886-3-327-0868 Page Number : 12 of 12 FAX: 886-3-327-0855 Issue Date : Apr. 22, 2025