





LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 27.FEB.2025 17:00:58





Date: 27.FEB.2025 17:03:36



LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 71 / 5MHz

Lowest Channel / QPSK




Date: 28.NOV.2024 01:03:30

Middle Channel / QPSK



Date: 28.NOV.2024 01:04:58

Highest Channel / QPSK




Date: 28.NOV.2024 01:06:36




LTE Band 71 / 10MHz

Lowest Channel / QPSK




Date: 28.NOV.2024 09:54:11

Middle Channel / QPSK



Date: 28.NOV.2024 09:55:40

Highest Channel / QPSK




Date: 28.NOV.2024 09:57:08




LTE Band 71 / 15MHz

Lowest Channel / QPSK




Date: 28.NOV.2024 10:41:14

Middle Channel / QPSK



Date: 28.NOV.2024 10:42:44

Highest Channel / QPSK




Date: 28.NOV.2024 10:44:13




LTE Band 71 / 20MHz

Lowest Channel / QPSK




Date: 27.FEB.2025 17:22:38

Middle Channel / QPSK



Date: 27.FEB.2025 17:23:50

Highest Channel / QPSK



Date: 27.FEB.2025 17:25:02

Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
35	Normal Voltage	0.0175	PASS
30	Normal Voltage	0.0148	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0222	
0	Normal Voltage	0.0106	
20	Maximum Voltage	0.0026	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0056	

Note:

1. Normal Voltage = 3.88 V. ; Minimum Voltage = 3.0 V. ; Maximum Voltage = 4.48 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode


Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol
1	Part 22H	LTE B26	M	2496	-55.98	RMS	32.56	-50.60	0.27	-95.23	57.02	-13.00	-42.98	V
2	Part 24E	LTE B25	M	3750	-47.42	RMS	33.20	-49.14	0.75	-95.23	63.00	-13.00	-34.42	V
3	Part 27N	LTE B71	M	2016	-55.89	RMS	31.90	-51.54	0.24	-95.23	58.74	-13.00	-42.89	V
4	Part 27H	LTE B12	M	1408	-60.47	RMS	28.42	-53.24	0.40	-95.23	59.18	-13.00	-47.47	V
5	Part 27F	LTE B13	H	1568	-62.92	RMS	27.90	-52.72	0.32	-95.23	56.81	-42.15	-20.77	V
6	Part 27M	LTE B7	H	10200	-58.54	RMS	37.30	-41.12	0.47	-95.23	40.04	-25.00	-33.54	H
7	Part 27L	LTE B66	M	3480	-41.84	RMS	32.80	-49.27	0.97	-95.23	68.89	-13.00	-28.84	H
1	Part 90S	LTE B26	H	3276	-62.84	RMS	32.90	-49.43	0.14	-95.23	48.78	-13.00	-49.84	V
2	Part 90S	LTE B26	M	3256	-63.51	RMS	32.82	-49.45	0.13	-95.23	48.22	-13.00	-50.51	V
3	Part 90S	LTE B26	M	3266	-62.72	RMS	32.86	-49.44	0.13	-95.23	48.96	-13.00	-49.72	V
4	Part 90S	LTE B26	M	3256	-63.17	RMS	32.82	-49.45	0.13	-95.23	48.56	-13.00	-50.17	V



Part 22H Mode 1


LTE B26 15M Ch26865 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26865 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-66.70	RMS	28.70	-52.50	0.31	-95.23	52.02	-13.00	-53.70
2	2480.00	-61.68	RMS	32.40	-50.64	0.31	-95.23	51.48	-13.00	-48.68
3	3296.00	-62.86	RMS	32.98	-49.41	0.14	-95.23	48.66	-13.00	-49.86



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26865 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-67.34	RMS	28.70	-52.50	0.31	-95.23	51.38	-13.00	-54.34
2	2480.00	-61.57	RMS	32.40	-50.64	0.31	-95.23	51.59	-13.00	-48.57
3	3296.00	-62.72	RMS	32.98	-49.41	0.14	-95.23	48.80	-13.00	-49.72



Part 22H Mode 1


LTE B26 15M Ch26915 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26915 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin		Pol
				Factor	1	EIRPCF		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-66.72	RMS		28.70	-52.49	0.31	-95.23	51.99	-13.00	-53.72	Horizontal
2	2496.00	-57.60	RMS		32.56	-50.60	0.27	-95.23	55.40	-13.00	-44.60	Horizontal
3	3320.00	-63.01	RMS		33.00	-49.38	0.15	-95.23	48.45	-13.00	-50.01	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26915 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin		Pol
				Factor	1	EIRPCF		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-65.80	RMS		28.70	-52.49	0.31	-95.23	52.91	-13.00	-52.80	Vertical
2	2496.00	-55.98	RMS		32.56	-50.60	0.27	-95.23	57.02	-13.00	-42.98	Vertical
3	3320.00	-63.53	RMS		33.00	-49.38	0.15	-95.23	47.93	-13.00	-50.53	Vertical



Part 22H Mode 1


LTE B26 15M Ch26965 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26965 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1672.00	-67.24	RMS	28.72	-52.47	0.31	-95.23	51.43	-13.00	-54.24	Horizontal
2	2512.00	-61.93	RMS	32.70	-50.57	0.24	-95.23	50.93	-13.00	-48.93	Horizontal
3	3336.00	-63.56	RMS	33.00	-49.37	0.16	-95.23	47.88	-13.00	-50.56	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26965 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1672.00	-67.28	RMS	28.72	-52.47	0.31	-95.23	51.39	-13.00	-54.28	Vertical
2	2512.00	-61.47	RMS	32.70	-50.57	0.24	-95.23	51.39	-13.00	-48.47	Vertical
3	3336.00	-63.59	RMS	33.00	-49.37	0.16	-95.23	47.85	-13.00	-50.59	Vertical



Part 24E Mode 2


LTE B25 20M Ch26140 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 25 20M CH26140 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-54.98	RMS	33.11	-49.17	0.81	-95.23	55.50	-13.00	-41.98	Horizontal			
2	5550.00	-60.87	RMS	34.90	-44.24	0.43	-95.23	43.27	-13.00	-47.87	Horizontal			
3	7400.00	-60.82	RMS	35.70	-43.00	0.58	-95.23	41.13	-13.00	-47.82	Horizontal			



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 25 20M CH26140 1RB0 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3705.00	-47.82	RMS	33.11	-49.17	0.81	-95.23	62.66	-13.00	-34.82	Vertical			
2	5550.00	-61.57	RMS	34.90	-44.24	0.43	-95.23	42.57	-13.00	-48.57	Vertical			
3	7400.00	-61.15	RMS	35.70	-43.00	0.58	-95.23	40.80	-13.00	-48.15	Vertical			



Part 24E Mode 2


LTE B25 20M Ch26340 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 25 20M CH26340 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3750.00	-52.53	RMS	33.20	-49.14	0.75	-95.23	57.89	-13.00	-39.53 Horizontal
2	5610.00	-60.86	RMS	34.82	-44.00	0.42	-95.23	43.13	-13.00	-47.86 Horizontal
3	7480.00	-61.03	RMS	35.64	-43.04	0.64	-95.23	40.96	-13.00	-48.03 Horizontal



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 25 20M CH26340 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3750.00	-47.42	RMS	33.20	-49.14	0.75	-95.23	63.00	-13.00	-34.42 Vertical
2	5610.00	-61.31	RMS	34.82	-44.00	0.42	-95.23	42.68	-13.00	-48.31 Vertical
3	7480.00	-61.34	RMS	35.64	-43.04	0.64	-95.23	40.65	-13.00	-48.34 Vertical



Part 24E Mode 2


LTE B25 20M Ch26590 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 25 20M CH26590 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3795.00	-53.54	RMS	33.29	-49.11	0.69	-95.23	56.82	-13.00	-40.54 Horizontal
2	5685.00	-61.29	RMS	34.97	-43.76	0.38	-95.23	42.35	-13.00	-48.29 Horizontal
3	7580.00	-60.51	RMS	35.86	-42.93	0.72	-95.23	41.07	-13.00	-47.51 Horizontal



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 25 20M CH26590 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3795.00	-47.56	RMS	33.29	-49.11	0.69	-95.23	62.80	-13.00	-34.56 Vertical
2	5685.00	-61.53	RMS	34.97	-43.76	0.38	-95.23	42.11	-13.00	-48.53 Vertical
3	7580.00	-60.62	RMS	35.86	-42.93	0.72	-95.23	40.96	-13.00	-47.62 Vertical



Part 27N Mode 3


LTE B71 20M Ch133222 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 20M CH133222 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1336.00	-65.73	RMS	29.26	-53.31	0.48	-95.23	53.07	-13.00	-52.73
2	1992.00	-61.63	RMS	31.88	-51.60	0.24	-95.23	53.08	-13.00	-48.63
3	2648.00	-63.86	RMS	32.50	-50.19	0.09	-95.23	48.97	-13.00	-50.86



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 20M CH133222 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1336.00	-64.74	RMS	29.26	-53.31	0.48	-95.23	54.06	-13.00	-51.74
2	1992.00	-61.68	RMS	31.88	-51.60	0.24	-95.23	53.03	-13.00	-48.68
3	2648.00	-63.55	RMS	32.50	-50.19	0.09	-95.23	49.28	-13.00	-50.55



Part 27N Mode 3


LTE B71 20M Ch133297 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 20M CH133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-64.06	RMS	29.26	-53.28	0.47	-95.23	54.72	-13.00	-51.06
2	2016.00	-59.14	RMS	31.90	-51.54	0.24	-95.23	55.49	-13.00	-46.14
3	2680.00	-64.23	RMS	32.40	-50.11	0.12	-95.23	48.59	-13.00	-51.23



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 20M CH133297 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1344.00	-63.83	RMS	29.26	-53.28	0.47	-95.23	54.95	-13.00	-50.83
2	2016.00	-55.89	RMS	31.90	-51.54	0.24	-95.23	58.74	-13.00	-42.89
3	2680.00	-64.39	RMS	32.40	-50.11	0.12	-95.23	48.43	-13.00	-51.39



Part 27N Mode 3


LTE B71 20M Ch133372 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 20M CH133372 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1360.00	-66.52	RMS	29.20	-53.23	0.45	-95.23	52.29	-13.00	-53.52
2	2034.00	-64.77	RMS	31.72	-51.50	0.24	-95.23	50.00	-13.00	-51.77
3	2712.00	-64.41	RMS	32.28	-50.03	0.15	-95.23	48.42	-13.00	-51.41



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 20M CH133372 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1360.00	-65.42	RMS	29.20	-53.23	0.45	-95.23	53.39	-13.00	-52.42
2	2034.00	-64.72	RMS	31.72	-51.50	0.24	-95.23	50.05	-13.00	-51.72
3	2712.00	-64.31	RMS	32.28	-50.03	0.15	-95.23	48.52	-13.00	-51.31



Part 27H Mode 4

LTE B12 10M Ch23060 1RB0 QPSK

L




Site : 03CH07-HY

Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal

Mode : LTE Band 12 10M CH23060 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-65.61	RMS	28.50	-53.26	0.40	-95.23	53.98	-13.00	-52.61
2	2096.00	-65.58	RMS	31.66	-51.48	0.24	-95.23	49.23	-13.00	-52.58
3	2792.00	-63.34	RMS	32.60	-49.89	0.22	-95.23	48.96	-13.00	-50.34



Site : 03CH07-HY

Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical

Mode : LTE Band 12 10M CH23060 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1400.00	-65.24	RMS	28.50	-53.26	0.40	-95.23	54.35	-13.00	-52.24
2	2096.00	-65.64	RMS	31.66	-51.48	0.24	-95.23	49.17	-13.00	-52.64
3	2792.00	-63.32	RMS	32.60	-49.89	0.22	-95.23	48.98	-13.00	-50.32



Part 27H Mode 4


LTE B12 10M Ch23095 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 12 10M CH23095 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	1408.00	-62.03	RMS	28.42	-53.24	0.40	-95.23	57.62	-13.00	-49.03	Horizontal
2	2104.00	-64.27	RMS	31.74	-51.46	0.24	-95.23	50.44	-13.00	-51.27	Horizontal
3	2808.00	-63.31	RMS	32.60	-49.85	0.23	-95.23	48.94	-13.00	-50.31	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 12 10M CH23095 1RB0 QPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1408.00	-60.47	RMS	28.42	-53.24	0.40	-95.23	59.18	-13.00	-47.47	Vertical
2	2104.00	-64.26	RMS	31.74	-51.46	0.24	-95.23	50.45	-13.00	-51.26	Vertical
3	2808.00	-63.38	RMS	32.60	-49.85	0.23	-95.23	48.87	-13.00	-50.38	Vertical



Part 27H Mode 4


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 12 10M CH23130 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1416.00	-65.09	RMS	28.40	-53.21	0.39	-95.23	54.56	-13.00	-52.09	Horizontal
2	2120.00	-64.44	RMS	31.80	-51.43	0.24	-95.23	50.18	-13.00	-51.44	Horizontal
3	2824.00	-63.25	RMS	32.60	-49.83	0.23	-95.23	48.98	-13.00	-50.25	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 12 10M CH23130 1RB0 QPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1416.00	-62.63	RMS	28.40	-53.21	0.39	-95.23	57.02	-13.00	-49.63	Vertical
2	2120.00	-64.49	RMS	31.80	-51.43	0.24	-95.23	50.13	-13.00	-51.49	Vertical
3	2824.00	-63.48	RMS	32.60	-49.83	0.23	-95.23	48.75	-13.00	-50.48	Vertical



Part 27F Mode 5


LTE B13 5M Ch23205 1RB0 QPSK

L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M CH23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1559.00	-66.77	RMS	27.89	-52.75	0.33	-95.23	52.99	-42.15	-24.62	Horizontal
2	2336.00	-64.61	RMS	32.00	-50.94	0.41	-95.23	49.15	-13.00	-51.61	Horizontal
3	3108.00	-63.52	RMS	32.72	-49.56	0.18	-95.23	48.37	-13.00	-50.52	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M CH23205 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1559.00	-66.33	RMS	27.89	-52.75	0.33	-95.23	53.43	-42.15	-24.18	Vertical
2	2336.00	-62.38	RMS	32.00	-50.94	0.41	-95.23	51.38	-13.00	-49.38	Vertical
3	3108.00	-63.23	RMS	32.72	-49.56	0.18	-95.23	48.66	-13.00	-50.23	Vertical



Part 27F Mode 5


LTE B13 5M Ch23230 1RB0 QPSK

M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M CH23230 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1560.00	-64.14	RMS	27.90	-52.74	0.33	-95.23	55.60	-42.15	-21.99	Horizontal
2	2344.00	-62.68	RMS	32.00	-50.92	0.42	-95.23	51.05	-13.00	-49.68	Horizontal
3	3120.00	-62.72	RMS	32.74	-49.55	0.17	-95.23	49.15	-13.00	-49.72	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M CH23230 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1560.00	-64.95	RMS	27.90	-52.74	0.33	-95.23	54.79	-42.15	-22.80	Vertical
2	2344.00	-62.89	RMS	32.00	-50.92	0.42	-95.23	50.84	-13.00	-49.89	Vertical
3	3120.00	-63.58	RMS	32.74	-49.55	0.17	-95.23	48.29	-13.00	-50.58	Vertical



Part 27F Mode 5


LTE B13 5M Ch23255 1RB0 QPSK

H



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M CH23255 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	1568.00	-63.53	RMS	27.90	-52.72	0.32	-95.23	56.20	-42.15	-21.38	Horizontal
2	2352.00	-63.71	RMS	32.00	-50.91	0.43	-95.23	50.00	-13.00	-50.71	Horizontal
3	3128.00	-63.35	RMS	32.76	-49.55	0.17	-95.23	48.50	-13.00	-50.35	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M CH23255 1RB0 QPSK


	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1568.00	-62.92	RMS	27.90	-52.72	0.32	-95.23	56.81	-42.15	-20.77	Vertical
2	2352.00	-61.03	RMS	32.00	-50.91	0.43	-95.23	52.68	-13.00	-48.03	Vertical
3	3128.00	-63.50	RMS	32.76	-49.55	0.17	-95.23	48.35	-13.00	-50.50	Vertical



Part 27M Mode 6


LTE B7 20M Ch20850 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 7 20M CH20850 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4995.00	-62.52	RMS	34.39	-46.58	0.50	-95.23	44.40	-25.00	-37.52 Horizontal
2	7500.00	-60.89	RMS	35.60	-43.04	0.66	-95.23	41.12	-25.00	-35.89 Horizontal
3	10005.00	-59.34	RMS	37.00	-41.59	0.47	-95.23	40.01	-25.00	-34.34 Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 7 20M CH20850 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	4995.00	-61.73	RMS	34.39	-46.58	0.50	-95.23	45.19	-25.00	-36.73 Vertical
2	7500.00	-60.06	RMS	35.60	-43.04	0.66	-95.23	41.95	-25.00	-35.06 Vertical
3	10005.00	-59.15	RMS	37.00	-41.59	0.47	-95.23	40.20	-25.00	-34.15 Vertical



Part 27M Mode 6


LTE B7 20M Ch21100 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 7 20M CH21100 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5055.00	-61.82	RMS	34.11	-46.33	0.44	-95.23	45.19	-25.00	-36.82 Horizontal
2	7590.00	-60.75	RMS	35.88	-42.91	0.73	-95.23	40.78	-25.00	-35.75 Horizontal
3	10095.00	-58.82	RMS	37.09	-41.37	0.47	-95.23	40.22	-25.00	-33.82 Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 7 20M CH21100 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5055.00	-61.84	RMS	34.11	-46.33	0.44	-95.23	45.17	-25.00	-36.84 Vertical
2	7590.00	-60.91	RMS	35.88	-42.91	0.73	-95.23	40.62	-25.00	-35.91 Vertical
3	10095.00	-58.89	RMS	37.09	-41.37	0.47	-95.23	40.15	-25.00	-33.89 Vertical



Part 27M Mode 6


LTE B7 20M Ch21350 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 7 20M CH21350 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5100.00	-61.97	RMS	34.20	-46.14	0.40	-95.23	44.80	-25.00	-36.97	Horizontal			
2	7650.00	-60.30	RMS	35.90	-42.83	0.70	-95.23	41.17	-25.00	-35.30	Horizontal			
3	10200.00	-58.54	RMS	37.30	-41.12	0.47	-95.23	40.04	-25.00	-33.54	Horizontal			



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 7 20M CH21350 1RB0 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5100.00	-62.10	RMS	34.20	-46.14	0.40	-95.23	44.67	-25.00	-37.10	Vertical			
2	7650.00	-60.52	RMS	35.90	-42.83	0.70	-95.23	40.95	-25.00	-35.52	Vertical			
3	10200.00	-58.58	RMS	37.30	-41.12	0.47	-95.23	40.00	-25.00	-33.58	Vertical			



Part 27L Mode 7


LTE B66 20M Ch132072 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 20M CH132072 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3435.00	-43.61	RMS	32.83	-49.29	0.97	-95.23	67.11	-13.00	-30.61	Horizontal			
2	5130.00	-61.68	RMS	34.44	-46.02	0.36	-95.23	44.77	-13.00	-48.68	Horizontal			
3	6840.00	-60.65	RMS	35.70	-42.60	0.75	-95.23	40.73	-13.00	-47.65	Horizontal			



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 20M CH132072 1RB0 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3435.00	-55.21	RMS	32.83	-49.29	0.97	-95.23	55.51	-13.00	-42.21	Vertical			
2	5130.00	-62.33	RMS	34.44	-46.02	0.36	-95.23	44.12	-13.00	-49.33	Vertical			
3	6840.00	-60.79	RMS	35.70	-42.60	0.75	-95.23	40.59	-13.00	-47.79	Vertical			



Part 27L Mode 7


LTE B66 20M Ch132322 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 20M CH132322 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3480.00	-41.84	RMS	32.80	-49.27	0.97	-95.23	68.89	-13.00	-28.84	Horizontal			
2	5205.00	-61.99	RMS	34.59	-45.71	0.29	-95.23	44.07	-13.00	-48.99	Horizontal			
3	6940.00	-60.96	RMS	35.80	-42.84	0.77	-95.23	40.53	-13.00	-47.96	Horizontal			



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 20M CH132322 1RB0 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3480.00	-54.14	RMS	32.80	-49.27	0.97	-95.23	56.59	-13.00	-41.14	Vertical			
2	5205.00	-60.93	RMS	34.59	-45.71	0.29	-95.23	45.13	-13.00	-47.93	Vertical			
3	6940.00	-61.07	RMS	35.80	-42.84	0.77	-95.23	40.42	-13.00	-48.07	Vertical			



Part 27L Mode 7


LTE B66 20M Ch132572 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 20M CH132572 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3525.00	-45.38	RMS	32.85	-49.26	0.96	-95.23	65.30	-13.00	-32.38	Horizontal			
2	5280.00	-62.20	RMS	34.56	-45.42	0.36	-95.23	43.53	-13.00	-49.20	Horizontal			
3	7040.00	-60.74	RMS	35.70	-43.00	0.72	-95.23	41.07	-13.00	-47.74	Horizontal			



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 20M CH132572 1RB0 QPSK


	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	3525.00	-47.85	RMS	32.85	-49.26	0.96	-95.23	62.83	-13.00	-34.85	Vertical			
2	5280.00	-62.35	RMS	34.56	-45.42	0.36	-95.23	43.38	-13.00	-49.35	Vertical			
3	7040.00	-61.00	RMS	35.70	-43.00	0.72	-95.23	40.81	-13.00	-48.00	Vertical			



Part 90S Mode 1


LTE B26 5M Ch26715 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 5M CH26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1632.00	-66.87	RMS		28.44	-52.56	0.31	-95.23	52.17	-13.00	-53.87		Horizontal
2	2442.00	-64.42	RMS		32.20	-50.71	0.40	-95.23	48.92	-13.00	-51.42		Horizontal
3	3256.00	-63.25	RMS		32.82	-49.45	0.13	-95.23	48.48	-13.00	-50.25		Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 5M CH26715 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1632.00	-68.11	RMS		28.44	-52.56	0.31	-95.23	50.93	-13.00	-55.11		Vertical
2	2442.00	-64.23	RMS		32.20	-50.71	0.40	-95.23	49.11	-13.00	-51.23		Vertical
3	3256.00	-63.15	RMS		32.82	-49.45	0.13	-95.23	48.58	-13.00	-50.15		Vertical



Part 90S Mode 1


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 5M CH26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1640.00	-66.49	RMS	28.60	-52.54	0.31	-95.23	52.37	-13.00	-53.49
2	2450.00	-64.13	RMS	32.20	-50.70	0.38	-95.23	49.22	-13.00	-51.13
3	3266.00	-63.41	RMS	32.86	-49.44	0.13	-95.23	48.27	-13.00	-50.41



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 5M CH26740 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1640.00	-67.93	RMS	28.60	-52.54	0.31	-95.23	50.93	-13.00	-54.93
2	2450.00	-64.35	RMS	32.20	-50.70	0.38	-95.23	49.00	-13.00	-51.35
3	3266.00	-63.10	RMS	32.86	-49.44	0.13	-95.23	48.58	-13.00	-50.10



Part 90S Mode 1


LTE B26 5M Ch26765 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1638.00	-65.89	RMS	28.56	-52.55	0.31	-95.23	53.02	-13.00	-52.89
2	2457.00	-63.98	RMS	32.27	-50.68	0.36	-95.23	49.30	-13.00	-50.98
3	3272.00	-63.07	RMS	32.89	-49.43	0.14	-95.23	48.56	-13.00	-50.07



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26765 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1640.00	-67.29	RMS	28.60	-52.54	0.31	-95.23	51.57	-13.00	-54.29
2	2457.00	-63.56	RMS	32.27	-50.68	0.36	-95.23	49.72	-13.00	-50.56
3	3276.00	-62.84	RMS	32.90	-49.43	0.14	-95.23	48.78	-13.00	-49.84



Part 90S Mode 2


LTE B26 10M Ch26740 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M CH26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1632.00	-66.62	RMS	28.44	-52.56	0.31	-95.23	52.42	-13.00	-53.62
2	2442.00	-63.75	RMS	32.20	-50.71	0.40	-95.23	49.59	-13.00	-50.75
3	3256.00	-63.82	RMS	32.82	-49.45	0.13	-95.23	47.91	-13.00	-50.82



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M CH26740 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1632.00	-67.95	RMS	28.44	-52.56	0.31	-95.23	51.09	-13.00	-54.95
2	2442.00	-64.47	RMS	32.20	-50.71	0.40	-95.23	48.87	-13.00	-51.47
3	3256.00	-63.51	RMS	32.82	-49.45	0.13	-95.23	48.22	-13.00	-50.51



Part 90S Mode 3


LTE B26 15M Ch26790 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1640.00	-66.85	RMS	28.60	-52.54	0.31	-95.23	52.01	-13.00	-53.85 Horizontal
2	2450.00	-63.84	RMS	32.20	-50.70	0.38	-95.23	49.51	-13.00	-50.84 Horizontal
3	3266.00	-62.88	RMS	32.86	-49.44	0.13	-95.23	48.80	-13.00	-49.88 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26790 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1640.00	-67.43	RMS	28.60	-52.54	0.31	-95.23	51.43	-13.00	-54.43 Vertical
2	2450.00	-64.28	RMS	32.20	-50.70	0.38	-95.23	49.07	-13.00	-51.28 Vertical
3	3266.00	-62.72	RMS	32.86	-49.44	0.13	-95.23	48.96	-13.00	-49.72 Vertical



Part 90S Mode 4


LTE B26 15M Ch26790 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 15M CH26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1632.00	-66.19	RMS	28.44	-52.56	0.31	-95.23	52.85	-13.00	-53.19
2	2442.00	-64.09	RMS	32.20	-50.71	0.40	-95.23	49.25	-13.00	-51.09
3	3256.00	-63.25	RMS	32.82	-49.45	0.13	-95.23	48.48	-13.00	-50.25



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 15M CH26765 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1632.00	-67.54	RMS	28.44	-52.56	0.31	-95.23	51.50	-13.00	-54.54
2	2442.00	-64.19	RMS	32.20	-50.71	0.40	-95.23	49.15	-13.00	-51.19
3	3256.00	-63.17	RMS	32.82	-49.45	0.13	-95.23	48.56	-13.00	-50.17



Part 27F Mode 5


LTE B13 5M Ch23255 1RB0 QPSK

H



Site : 03CH07-HY
Condition: 700 AC BAND 3m Bilog_35419 Horizontal
Mode : LTE Band 13 5M CH23255 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	782.72	14.71	RMS	27.24	4.81	0.00	-95.23	77.89	-13.00	27.71	Horizontal



Site : 03CH07-HY
Condition: 700 AC BAND 3m Bilog_35419 Vertical
Mode : LTE Band 13 5M CH23255 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	782.72	10.69	RMS	27.24	4.81	0.00	-95.23	73.87	-13.00	23.69	Vertical

Remark: #1 is fundamental signal which can be ignored.

————THE END————