





## FR1 n41 / 40MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 40MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 40MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB



12:07:42 17.11.2021

## Highest Band Edge / Full RB




12:13:21 17.11.2021




## FR1 n41 / 40MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 40MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 40MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge




## Highest Band Edge




## FR1 n41 / 50MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 50MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 50MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB



12:34:52 17.11.2021

## Highest Band Edge / Full RB




12:28:55 17.11.2021




## FR1 n41 / 50MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 50MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 50MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge



## Highest Band Edge







## FR1 n41 / 60MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 60MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 60MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 60MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB


## Highest Band Edge / Full RB






## FR1 n41 / 60MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 60MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge




## Highest Band Edge






## FR1 n41 / 80MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## FR1 n41 / 80MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 80MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 80MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB


## Highest Band Edge / Full RB






## FR1 n41 / 80MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 80MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge



## Highest Band Edge







## FR1 n41 / 90MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB


## Highest Band Edge / Full RB






## FR1 n41 / 90MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## FR1 n41 / 90MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 90MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB


## Highest Band Edge / Full RB






## FR1 n41 / 90MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 90MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge



## Highest Band Edge







## FR1 n41 / 100MHz / DFT-S OFDM / PI/2 BPSK

## Lowest Band Edge / Full RB

## Highest Band Edge / Full RB







## FR1 n41 / 100MHz / DFT-S OFDM / QPSK

## Lowest Band Edge / Full RB


## Highest Band Edge / Full RB






## FR1 n41 / 100MHz / DFT-S OFDM / 16QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 100MHz / DFT-S OFDM / 64QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB






## FR1 n41 / 100MHz / DFT-S OFDM / 256QAM

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## FR1 n41 / 100MHz / CP OFDM / QPSK / Full RB

## Lowest Band Edge

## Highest Band Edge







# Conducted Spurious Emission

FR1 n41 / 10MHz / DFT-S OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel



## Frequency Stability

| Test Conditions  |                   | FR1 n41 (PI/2 BPSK) / Middle Channel | Limit   |
|------------------|-------------------|--------------------------------------|---------|
| Temperature (°C) | Voltage (Volt)    | BW 20MHz                             | Note 2. |
|                  |                   | Deviation (ppm)                      | Result  |
| 50               | Normal Voltage    | 0.0032                               | PASS    |
| 40               | Normal Voltage    | 0.0013                               |         |
| 30               | Normal Voltage    | 0.0044                               |         |
| 20(Ref.)         | Normal Voltage    | 0.0000                               |         |
| 10               | Normal Voltage    | 0.0051                               |         |
| 0                | Normal Voltage    | 0.0022                               |         |
| -10              | Normal Voltage    | 0.0008                               |         |
| -20              | Normal Voltage    | 0.0019                               |         |
| -30              | Normal Voltage    | 0.0020                               |         |
| 20               | Maximum Voltage   | 0.0016                               |         |
| 20               | Normal Voltage    | 0.0000                               |         |
| 20               | Battery End Point | 0.0051                               |         |

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.60 V. ; Maximum Voltage =4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



## Appendix B. Test Results of Radiated Test

<Primary Antenna>

<Ant. 5>

### EN-DC 3A-n38A

| EN-DC 3A-n38A / 20MHz / PI/2 BPSK |                      |                 |                  |                         |                         |                          |                            |                             |                       |
|-----------------------------------|----------------------|-----------------|------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                           | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | SPA<br>Reading<br>(dBm) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Lowest                            | 5142                 | -49.65          | -25              | -24.65                  | -71.24                  | -60.80                   | 1.65                       | 12.80                       | H                     |
|                                   | 7716                 | -44.47          | -25              | -19.47                  | -70.55                  | -53.59                   | 2.02                       | 11.14                       | H                     |
|                                   | 10287                | -42.13          | -25              | -17.13                  | -71.97                  | -50.81                   | 2.39                       | 11.07                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5142                 | -50.24          | -25              | -25.24                  | -71.58                  | -61.39                   | 1.65                       | 12.80                       | V                     |
|                                   | 7716                 | -45.52          | -25              | -20.52                  | -71.41                  | -54.64                   | 2.02                       | 11.14                       | V                     |
|                                   | 10287                | -41.41          | -25              | -16.41                  | -71.42                  | -50.09                   | 2.39                       | 11.07                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
| Middle                            | 5172                 | -49.85          | -25              | -24.85                  | -71.44                  | -61.04                   | 1.65                       | 12.84                       | H                     |
|                                   | 7758                 | -45.05          | -25              | -20.05                  | -71.15                  | -54.18                   | 2.03                       | 11.15                       | H                     |
|                                   | 10341                | -41.66          | -25              | -16.66                  | -71.67                  | -50.29                   | 2.39                       | 11.03                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5172                 | -50.17          | -25              | -25.17                  | -71.56                  | -61.36                   | 1.65                       | 12.84                       | V                     |
|                                   | 7758                 | -45.98          | -25              | -20.98                  | -71.83                  | -55.11                   | 2.03                       | 11.15                       | V                     |
|                                   | 10341                | -41.41          | -25              | -16.41                  | -71.47                  | -50.04                   | 2.39                       | 11.03                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5202  | -49.77 | -25 | -24.77 | -71.39 | -60.99 | 1.66 | 12.88 | H |
|         | 7800  | -45.82 | -25 | -20.82 | -71.93 | -54.95 | 2.03 | 11.16 | H |
|         | 10404 | -40.86 | -25 | -15.86 | -71.06 | -49.44 | 2.39 | 10.98 | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 5202  | -50.15 | -25 | -25.15 | -71.6  | -61.37 | 1.66 | 12.88 | V |
|         | 7800  | -45.72 | -25 | -20.72 | -71.55 | -54.85 | 2.03 | 11.16 | V |
|         | 10404 | -40.59 | -25 | -15.59 | -70.71 | -49.17 | 2.39 | 10.98 | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**EN-DC 4A-n41A**

| EN-DC 4A-n41A / 20MHz / PI/2 BPSK |                      |                 |                  |                         |                         |                          |                            |                             |                       |
|-----------------------------------|----------------------|-----------------|------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                           | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | SPA<br>Reading<br>(dBm) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Lowest                            | 4992                 | -49.55          | -25              | -24.55                  | -71.04                  | -60.54                   | 1.61                       | 12.60                       | H                     |
|                                   | 7494                 | -45.42          | -25              | -20.42                  | -72.02                  | -54.54                   | 1.99                       | 11.11                       | H                     |
|                                   | 9990                 | -42.05          | -25              | -17.05                  | -71.03                  | -50.96                   | 2.40                       | 11.30                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 4992                 | -49.69          | -25              | -24.69                  | -70.72                  | -60.68                   | 1.61                       | 12.60                       | V                     |
|                                   | 7494                 | -45.52          | -25              | -20.52                  | -72.08                  | -54.64                   | 1.99                       | 11.11                       | V                     |
|                                   | 9990                 | -41.81          | -25              | -16.81                  | -71.56                  | -50.72                   | 2.40                       | 11.30                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
| Middle                            | 5166                 | -50.41          | -25              | -25.41                  | -72                     | -61.59                   | 1.65                       | 12.83                       | H                     |
|                                   | 7752                 | -45.71          | -25              | -20.71                  | -71.81                  | -54.84                   | 2.03                       | 11.15                       | H                     |
|                                   | 10341                | -42.06          | -25              | -17.06                  | -72.07                  | -50.69                   | 2.39                       | 11.03                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5166                 | -50.61          | -25              | -25.61                  | -71.99                  | -61.79                   | 1.65                       | 12.83                       | V                     |
|                                   | 7752                 | -46.35          | -25              | -21.35                  | -72.21                  | -55.48                   | 2.03                       | 11.15                       | V                     |
|                                   | 10341                | -42.01          | -25              | -17.01                  | -72.07                  | -50.64                   | 2.39                       | 11.03                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5340  | -50.42 | -25 | -25.42 | -72.57 | -61.80 | 1.70 | 13.08 | H |
|         | 8016  | -44.35 | -25 | -19.35 | -71.81 | -53.52 | 2.06 | 11.23 | H |
|         | 10683 | -41.55 | -25 | -16.55 | -72.39 | -49.96 | 2.49 | 10.90 | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 5340  | -50.29 | -25 | -25.29 | -72.1  | -61.67 | 1.70 | 13.08 | V |
|         | 8016  | -44.62 | -25 | -19.62 | -71.97 | -53.79 | 2.06 | 11.23 | V |
|         | 10683 | -41.65 | -25 | -16.65 | -72.25 | -50.06 | 2.49 | 10.90 | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



&lt;ASDIV Antenna&gt;

&lt;Ant. 1&gt;

**EN-DC 3A-n38A**

| EN-DC 3A-n38A / 20MHz / PI/2 BPSK |                      |                 |                  |                         |                         |                          |                            |                             |                       |
|-----------------------------------|----------------------|-----------------|------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                           | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | SPA<br>Reading<br>(dBm) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Lowest                            | 5142                 | -46.45          | -25              | -21.45                  | -68.04                  | -57.60                   | 1.65                       | 12.80                       | H                     |
|                                   | 7713                 | -40.15          | -25              | -15.15                  | -66.23                  | -49.27                   | 2.02                       | 11.14                       | H                     |
|                                   | 10287                | -41.87          | -25              | -16.87                  | -71.71                  | -50.55                   | 2.39                       | 11.07                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5142                 | -49.28          | -25              | -24.28                  | -70.62                  | -60.43                   | 1.65                       | 12.80                       | V                     |
|                                   | 7713                 | -44.08          | -25              | -19.08                  | -69.97                  | -53.20                   | 2.02                       | 11.14                       | V                     |
|                                   | 10287                | -41.71          | -25              | -16.71                  | -71.72                  | -50.39                   | 2.39                       | 11.07                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
| Middle                            | 5172                 | -46.74          | -25              | -21.74                  | -68.33                  | -57.93                   | 1.65                       | 12.84                       | H                     |
|                                   | 7758                 | -39.15          | -25              | -14.15                  | -65.25                  | -48.28                   | 2.03                       | 11.15                       | H                     |
|                                   | 10341                | -41.36          | -25              | -16.36                  | -71.37                  | -49.99                   | 2.39                       | 11.03                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5172                 | -49.60          | -25              | -24.60                  | -70.99                  | -60.79                   | 1.65                       | 12.84                       | V                     |
|                                   | 7758                 | -44.51          | -25              | -19.51                  | -70.36                  | -53.64                   | 2.03                       | 11.15                       | V                     |
|                                   | 10341                | -41.22          | -25              | -16.22                  | -71.28                  | -49.85                   | 2.39                       | 11.03                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5202  | -44.56 | -25 | -19.56 | -66.18 | -55.78 | 1.66 | 12.88 | H |
|         | 7806  | -40.68 | -25 | -15.68 | -66.83 | -49.81 | 2.03 | 11.16 | H |
|         | 10404 | -41.05 | -25 | -16.05 | -71.25 | -49.63 | 2.39 | 10.98 | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 5202  | -49.72 | -25 | -24.72 | -71.17 | -60.94 | 1.66 | 12.88 | V |
|         | 7806  | -43.77 | -25 | -18.77 | -69.62 | -52.90 | 2.03 | 11.16 | V |
|         | 10404 | -41.41 | -25 | -16.41 | -71.53 | -49.99 | 2.39 | 10.98 | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**EN-DC 4A-n41A**

| EN-DC 4A-n41A / 20MHz / PI/2 BPSK |                      |                 |                  |                         |                         |                          |                            |                             |                       |
|-----------------------------------|----------------------|-----------------|------------------|-------------------------|-------------------------|--------------------------|----------------------------|-----------------------------|-----------------------|
| Channel                           | Frequency<br>( MHz ) | EIRP<br>( dBm ) | Limit<br>( dBm ) | Over<br>Limit<br>( dB ) | SPA<br>Reading<br>(dBm) | S.G.<br>Power<br>( dBm ) | TX Cable<br>loss<br>( dB ) | TX Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) |
| Lowest                            | 4992                 | -49.51          | -25              | -24.51                  | -71                     | -60.50                   | 1.61                       | 12.60                       | H                     |
|                                   | 7494                 | -39.66          | -25              | -14.66                  | -66.26                  | -48.78                   | 1.99                       | 11.11                       | H                     |
|                                   | 9990                 | -42.10          | -25              | -17.10                  | -71.08                  | -51.01                   | 2.40                       | 11.30                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 4992                 | -49.87          | -25              | -24.87                  | -70.9                   | -60.86                   | 1.61                       | 12.60                       | V                     |
|                                   | 7494                 | -38.68          | -25              | -13.68                  | -65.24                  | -47.80                   | 1.99                       | 11.11                       | V                     |
|                                   | 9990                 | -41.30          | -25              | -16.30                  | -71.05                  | -50.21                   | 2.40                       | 11.30                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
| Middle                            | 5166                 | -49.51          | -25              | -24.51                  | -71.1                   | -60.69                   | 1.65                       | 12.83                       | H                     |
|                                   | 7752                 | -42.93          | -25              | -17.93                  | -69.03                  | -52.06                   | 2.03                       | 11.15                       | H                     |
|                                   | 10341                | -41.55          | -25              | -16.55                  | -71.56                  | -50.18                   | 2.39                       | 11.03                       | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | H                     |
|                                   | 5166                 | -50.19          | -25              | -25.19                  | -71.57                  | -61.37                   | 1.65                       | 12.83                       | V                     |
|                                   | 7752                 | -43.97          | -25              | -18.97                  | -69.82                  | -53.10                   | 2.03                       | 11.15                       | V                     |
|                                   | 10341                | -41.53          | -25              | -16.53                  | -71.59                  | -50.16                   | 2.39                       | 11.03                       | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |
|                                   |                      |                 |                  |                         |                         |                          |                            |                             | V                     |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5340  | -49.04 | -25 | -24.04 | -71.19 | -60.42 | 1.70 | 13.08 | H |
|         | 8016  | -41.30 | -25 | -16.30 | -68.76 | -50.47 | 2.06 | 11.23 | H |
|         | 10683 | -40.78 | -25 | -15.78 | -71.62 | -49.19 | 2.49 | 10.90 | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 5340  | -50.41 | -25 | -25.41 | -72.22 | -61.79 | 1.70 | 13.08 | V |
|         | 8016  | -41.72 | -25 | -16.72 | -69.07 | -50.89 | 2.06 | 11.23 | V |
|         | 10683 | -41.30 | -25 | -16.30 | -71.9  | -49.71 | 2.49 | 10.90 | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————