




Ant. 2

Part 270 Mode 27

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7663.00	-49.51	RMS	36.67	-21.29	0.80	-95.23	29.54	-13.00	-36.51	Horizontal
2	11494.00	-48.53	RMS	38.70	-21.55	0.44	-95.23	29.11	-13.00	-35.53	Horizontal
3	15325.00	-50.17	RMS	40.90	-23.17	0.43	-95.23	26.90	-13.00	-37.17	Horizontal
4	19156.00	-48.67	RMS	38.28	-38.56	-9.54	-95.23	56.38	-13.00	-35.67	Horizontal
5	22988.00	-61.75	RMS	39.02	-32.72	-9.54	-95.23	36.72	-13.00	-48.75	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7663.00	-45.41	RMS	36.67	-21.29	0.80	-95.23	33.64	-13.00	-32.41	Vertical
2	11494.00	-51.41	RMS	38.70	-21.55	0.44	-95.23	26.23	-13.00	-38.41	Vertical
3	15325.00	-50.26	RMS	40.90	-23.17	0.43	-95.23	26.81	-13.00	-37.26	Vertical
4	19156.00	-58.53	RMS	38.28	-38.56	-9.54	-95.23	46.52	-13.00	-45.53	Vertical
5	22988.00	-58.19	RMS	39.02	-32.72	-9.54	-95.23	40.28	-13.00	-45.19	Vertical




Ant. 2

Part 270 Mode 27

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7923.00	-44.47	RMS	36.60	-21.50	0.84	-95.23	34.82	-13.00	-31.47	Horizontal	
2	11884.00	-45.86	RMS	38.53	-21.78	0.43	-95.23	32.19	-13.00	-32.86	Horizontal	
3	15845.00	-50.78	RMS	40.71	-23.40	0.44	-95.23	26.70	-13.00	-37.78	Horizontal	
4	19806.00	-62.20	RMS	37.90	-37.47	-9.54	-95.23	42.14	-13.00	-49.20	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7923.00	-43.91	RMS	36.60	-21.50	0.84	-95.23	35.38	-13.00	-30.91	Vertical	
2	11884.00	-47.19	RMS	38.53	-21.78	0.43	-95.23	30.86	-13.00	-34.19	Vertical	
3	15845.00	-50.68	RMS	40.71	-23.40	0.44	-95.23	26.80	-13.00	-37.68	Vertical	
4	19806.00	-61.51	RMS	37.90	-37.47	-9.54	-95.23	42.83	-13.00	-48.51	Vertical	




MIMO <Ant. 2+5>

Part 270 Mode 30

NR SA n77 20M Ch647334 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-55.75	RMS	35.51	-21.26	1.03	-95.23	0.00	-13.00	-42.75	Horizontal
2	11104.00	-52.84	RMS	37.60	-21.61	0.44	-95.23	25.96	-13.00	-39.84	Horizontal
3	14805.00	-52.31	RMS	39.60	-23.08	0.42	-95.23	25.98	-13.00	-39.31	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-55.25	RMS	35.51	-21.26	1.03	-95.23	24.70	-13.00	-42.25	Vertical
2	11104.00	-54.19	RMS	37.60	-21.61	0.44	-95.23	24.61	-13.00	-41.19	Vertical
3	14805.00	-52.30	RMS	39.60	-23.08	0.42	-95.23	25.99	-13.00	-39.30	Vertical




MIMO <Ant. 2+5>

Part 270 Mode 30

NR SA n77 20M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7663.00	-49.71	RMS	35.70	-21.29	0.80	-95.23	30.31	-13.00	-36.71	Horizontal
2	11494.00	-48.07	RMS	37.99	-21.55	0.44	-95.23	30.28	-13.00	-35.07	Horizontal
3	15325.00	-52.03	RMS	39.40	-23.17	0.43	-95.23	26.54	-13.00	-39.03	Horizontal
4	19156.00	-65.43	RMS	38.28	-38.56	-9.54	-95.23	39.62	-13.00	-52.43	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7663.00	-47.53	RMS	35.70	-21.29	0.80	-95.23	32.49	-13.00	-34.53	Vertical
2	11494.00	-51.79	RMS	37.99	-21.55	0.44	-95.23	26.56	-13.00	-38.79	Vertical
3	15325.00	-51.93	RMS	39.40	-23.17	0.43	-95.23	26.64	-13.00	-38.93	Vertical
4	19156.00	-62.58	RMS	38.28	-38.56	-9.54	-95.23	42.47	-13.00	-49.58	Vertical




MIMO <Ant. 2+5>

Part 270 Mode 30

NR SA n77 20M Ch664666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-46.40	RMS	35.85	-21.50	0.84	-95.23	33.64	-13.00	-33.40	Horizontal
2	11884.00	-43.19	RMS	38.37	-21.78	0.43	-95.23	35.02	-13.00	-30.19	Horizontal
3	15845.00	-51.83	RMS	40.02	-23.40	0.44	-95.23	26.34	-13.00	-38.83	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-42.31	RMS	35.85	-21.50	0.84	-95.23	37.73	-13.00	-29.31	Vertical
2	11884.00	-45.99	RMS	38.37	-21.78	0.43	-95.23	32.22	-13.00	-32.99	Vertical
3	15845.00	-51.97	RMS	40.02	-23.40	0.44	-95.23	26.20	-13.00	-38.97	Vertical




Ant. 6


Part 27Q Mode 31

NR SA n77 20M Ch630668 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6903.00	-46.21	RMS	36.31	-21.50	1.43	-95.23	32.78	-13.00	-33.21	Horizontal	
2	10354.00	-33.74	RMS	37.39	-21.62	0.57	-95.23	45.15	-13.00	-20.74	Horizontal	
3	13805.00	-50.65	RMS	40.32	-21.94	0.45	-95.23	25.75	-13.00	-37.65	Horizontal	
4	20708.00	-62.98	RMS	38.22	-35.91	-9.54	-95.23	39.48	-13.00	-49.98	Horizontal	



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6903.00	-48.23	RMS	36.31	-21.50	1.43	-95.23	30.76	-13.00	-35.23	Vertical	
2	10354.00	-38.50	RMS	37.39	-21.62	0.57	-95.23	40.39	-13.00	-25.50	Vertical	
3	13805.00	-50.11	RMS	40.32	-21.94	0.45	-95.23	26.29	-13.00	-37.11	Vertical	
4	20708.00	-62.83	RMS	38.22	-35.91	-9.54	-95.23	39.63	-13.00	-49.83	Vertical	




Ant. 6

Part 27Q Mode 31

NR SA n77 20M Ch6333334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch6333334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB/m	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	6983.00	-43.44	RMS	36.47	-21.51	1.35	-95.23	35.48	-13.00	-30.44	Horizontal
2	10474.00	-35.83	RMS	37.10	-21.69	0.57	-95.23	43.42	-13.00	-22.83	Horizontal
3	13965.00	-49.57	RMS	40.76	-22.02	0.45	-95.23	26.47	-13.00	-36.57	Horizontal
4	20948.00	-62.68	RMS	38.39	-35.62	-9.54	-95.23	39.32	-13.00	-49.68	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch6333334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB/m	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	6983.00	-48.29	RMS	36.47	-21.51	1.35	-95.23	30.63	-13.00	-35.29	Vertical
2	10474.00	-37.26	RMS	37.10	-21.69	0.57	-95.23	41.99	-13.00	-24.26	Vertical
3	13965.00	-49.83	RMS	40.76	-22.02	0.45	-95.23	26.21	-13.00	-36.83	Vertical
4	20948.00	-64.93	RMS	38.39	-35.62	-9.54	-95.23	37.07	-13.00	-51.93	Vertical




Ant. 6

Part 27Q Mode 31

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB/m	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7063.00	-42.61	RMS	36.47	-21.46	1.25	-95.23	36.36	-13.00	-29.61	Horizontal
2	10594.00	-36.14	RMS	37.39	-21.69	0.56	-95.23	42.83	-13.00	-23.14	Horizontal
3	14125.00	-50.20	RMS	40.95	-22.23	0.46	-95.23	25.85	-13.00	-37.20	Horizontal
4	24719.00	-62.14	RMS	39.34	-31.62	-9.54	-95.23	34.91	-13.00	-49.14	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB/m	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7063.00	-49.48	RMS	36.47	-21.46	1.25	-95.23	29.49	-13.00	-36.48	Vertical
2	10594.00	-40.22	RMS	37.39	-21.69	0.56	-95.23	38.75	-13.00	-27.22	Vertical
3	14125.00	-50.39	RMS	40.95	-22.23	0.46	-95.23	25.66	-13.00	-37.39	Vertical
4	24719.00	-63.86	RMS	39.34	-31.62	-9.54	-95.23	33.19	-13.00	-50.86	Vertical




Ant. 6


Part 27Q Mode 33

EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	6983.00	-56.38	RMS	35.60	-21.51	1.35	-95.23	23.41	-13.00	-43.38	Horizontal		
2	10474.00	-55.60	RMS	37.15	-21.69	0.57	-95.23	23.60	-13.00	-42.60	Horizontal		
3	13965.00	-52.71	RMS	38.63	-22.02	0.45	-95.23	25.46	-13.00	-39.71	Horizontal		



	Freq Level		Detector	Ant Amp\Cb Filter		Factor	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB		dBuV	dBm	dB	
1	6983.00	-54.69	RMS	35.60	-21.51	1.35	-95.23	25.10	-13.00	-41.69	Vertical		
2	10474.00	-55.38	RMS	37.15	-21.69	0.57	-95.23	23.82	-13.00	-42.38	Vertical		
3	13965.00	-52.72	RMS	38.63	-22.02	0.45	-95.23	25.45	-13.00	-39.72	Vertical		




MIMO <Ant. 6+1>

Part 27Q Mode 34

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6903.00	-56.72	RMS	35.60	-21.50	1.43	-95.23	22.98	-13.00	-43.72	Horizontal
2	10354.00	-53.27	RMS	37.20	-21.62	0.57	-95.23	25.81	-13.00	-40.27	Horizontal
3	13805.00	-52.80	RMS	38.60	-21.94	0.45	-95.23	25.32	-13.00	-39.80	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6903.00	-56.82	RMS	35.60	-21.50	1.43	-95.23	22.88	-13.00	-43.82	Vertical
2	10354.00	-50.33	RMS	37.20	-21.62	0.57	-95.23	28.75	-13.00	-37.33	Vertical
3	13805.00	-52.50	RMS	38.60	-21.94	0.45	-95.23	25.62	-13.00	-39.50	Vertical




MIMO <Ant. 6+1>

Part 27Q Mode 34

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.29	RMS	35.60	-21.51	1.35	-95.23	24.50	-13.00	-42.29	Horizontal
2	10474.00	-49.98	RMS	37.15	-21.69	0.57	-95.23	29.22	-13.00	-36.98	Horizontal
3	13965.00	-53.03	RMS	38.63	-22.02	0.45	-95.23	25.14	-13.00	-40.03	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-56.52	RMS	35.60	-21.51	1.35	-95.23	23.27	-13.00	-43.52	Vertical
2	10474.00	-53.76	RMS	37.15	-21.69	0.57	-95.23	25.44	-13.00	-40.76	Vertical
3	13965.00	-53.03	RMS	38.63	-22.02	0.45	-95.23	25.14	-13.00	-40.03	Vertical




MIMO <Ant. 6+1>

Part 27Q Mode 34

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7063.00	-56.26	RMS	35.63	-21.46	1.25	-95.23	23.55	-13.00	-43.26		Horizontal
2	10594.00	-49.59	RMS	37.39	-21.69	0.56	-95.23	29.38	-13.00	-36.59		Horizontal
3	14125.00	-53.20	RMS	38.75	-22.23	0.46	-95.23	25.05	-13.00	-40.20		Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7063.00	-55.96	RMS	35.63	-21.46	1.25	-95.23	23.85	-13.00	-42.96		Vertical
2	10594.00	-50.00	RMS	37.39	-21.69	0.56	-95.23	28.97	-13.00	-37.00		Vertical
3	14125.00	-53.09	RMS	38.75	-22.23	0.46	-95.23	25.16	-13.00	-40.09		Vertical




Ant. 2

Part 27Q Mode 32

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	6903.00	-54.33	RMS	36.31	-21.50	1.43	-95.23	24.66	-13.00	-41.33	Horizontal
2	10354.00	-50.23	RMS	37.39	-21.62	0.57	-95.23	28.66	-13.00	-37.23	Horizontal
3	13805.00	-50.57	RMS	40.32	-21.94	0.45	-95.23	25.83	-13.00	-37.57	Horizontal
4	20708.00	-63.96	RMS	38.22	-35.91	-9.54	-95.23	38.50	-13.00	-50.96	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	6903.00	-55.49	RMS	36.31	-21.50	1.43	-95.23	23.50	-13.00	-42.49	Vertical
2	10354.00	-50.73	RMS	37.39	-21.62	0.57	-95.23	28.16	-13.00	-37.73	Vertical
3	13805.00	-50.09	RMS	40.32	-21.94	0.45	-95.23	26.31	-13.00	-37.09	Vertical
4	20708.00	-62.01	RMS	38.22	-35.91	-9.54	-95.23	40.45	-13.00	-49.01	Vertical




Ant. 2

Part 27Q Mode 32

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6983.00	-53.00	RMS	36.47	-21.51	1.35	-95.23	25.92	-13.00	-40.00	Horizontal
2	10474.00	-48.89	RMS	37.10	-21.69	0.57	-95.23	30.36	-13.00	-35.89	Horizontal
3	13965.00	-50.14	RMS	40.76	-22.02	0.45	-95.23	25.90	-13.00	-37.14	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6983.00	-54.49	RMS	36.47	-21.51	1.35	-95.23	24.43	-13.00	-41.49	Vertical
2	10474.00	-51.91	RMS	37.10	-21.69	0.57	-95.23	27.34	-13.00	-38.91	Vertical
3	13965.00	-50.17	RMS	40.76	-22.02	0.45	-95.23	25.87	-13.00	-37.17	Vertical




Ant. 2


Part 27Q Mode 32

NR SA n77 20M Ch636000 1RB1 BPSK

H



	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7063.00	-51.72	RMS	36.47	-21.46	1.25	-95.23	27.25	-13.00	-38.72	Horizontal
2	10594.00	-49.77	RMS	37.39	-21.69	0.56	-95.23	29.20	-13.00	-36.77	Horizontal
3	14125.00	-50.12	RMS	40.95	-22.23	0.46	-95.23	25.93	-13.00	-37.12	Horizontal
4	21188.00	-62.30	RMS	38.28	-35.13	-9.54	-95.23	39.32	-13.00	-49.30	Horizontal



	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	7063.00	-54.24	RMS	36.47	-21.46	1.25	-95.23	24.73	-13.00	-41.24	Vertical
2	10594.00	-51.12	RMS	37.39	-21.69	0.56	-95.23	27.85	-13.00	-38.12	Vertical
3	14125.00	-50.34	RMS	40.95	-22.23	0.46	-95.23	25.71	-13.00	-37.34	Vertical
4	21188.00	-65.10	RMS	38.28	-35.13	-9.54	-95.23	36.52	-13.00	-52.10	Vertical




MIMO <Ant. 2+5>

Part 27Q Mode 35

NR SA n77 20M Ch630668 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6903.00	-56.84	RMS	35.60	-21.50	1.43	-95.23	22.86	-13.00	-43.84	Horizontal
2	10354.00	-55.34	RMS	37.20	-21.62	0.57	-95.23	23.74	-13.00	-42.34	Horizontal
3	13805.00	-52.81	RMS	38.60	-21.94	0.45	-95.23	25.31	-13.00	-39.81	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch630668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	6903.00	-56.72	RMS	35.60	-21.50	1.43	-95.23	22.98	-13.00	-43.72	Vertical
2	10354.00	-53.68	RMS	37.20	-21.62	0.57	-95.23	25.40	-13.00	-40.68	Vertical
3	13805.00	-52.79	RMS	38.60	-21.94	0.45	-95.23	25.33	-13.00	-39.79	Vertical




MIMO <Ant. 2+5>

Part 27Q Mode 35

NR SA n77 20M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-56.14	RMS	35.60	-21.51	1.35	-95.23	23.65	-13.00	-43.14	Horizontal
2	10474.00	-53.99	RMS	37.15	-21.69	0.57	-95.23	25.21	-13.00	-40.99	Horizontal
3	13965.00	-52.64	RMS	38.63	-22.02	0.45	-95.23	25.53	-13.00	-39.64	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-56.57	RMS	35.60	-21.51	1.35	-95.23	23.22	-13.00	-43.57	Vertical
2	10474.00	-51.34	RMS	37.15	-21.69	0.57	-95.23	27.86	-13.00	-38.34	Vertical
3	13965.00	-53.17	RMS	38.63	-22.02	0.45	-95.23	25.00	-13.00	-40.17	Vertical




MIMO <Ant. 2+5>

Part 27Q Mode 35

NR SA n77 20M Ch636000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	7063.00	-56.22	RMS	35.63	-21.46	1.25	-95.23	23.59	-13.00	-43.22	Horizontal
2	10594.00	-53.17	RMS	37.39	-21.69	0.56	-95.23	25.80	-13.00	-40.17	Horizontal
3	14125.00	-52.97	RMS	38.75	-22.23	0.46	-95.23	25.28	-13.00	-39.97	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	7063.00	-56.36	RMS	35.63	-21.46	1.25	-95.23	23.45	-13.00	-43.36	Vertical
2	10594.00	-54.44	RMS	37.39	-21.69	0.56	-95.23	24.53	-13.00	-41.44	Vertical
3	14125.00	-53.08	RMS	38.75	-22.23	0.46	-95.23	25.17	-13.00	-40.08	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-59.20	RMS		24.60	-25.21	0.64	-95.23	36.00	-13.00	-46.20 Horizontal
2	2444.00	-53.79	RMS		26.90	-24.17	0.36	-95.23	38.35	-13.00	-40.79 Horizontal
3	3258.00	-64.51	RMS		28.13	-23.27	0.35	-95.23	25.51	-13.00	-51.51 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-57.14	RMS		24.60	-25.21	0.64	-95.23	38.06	-13.00	-44.14 Vertical
2	2444.00	-55.45	RMS		26.90	-24.17	0.36	-95.23	36.69	-13.00	-42.45 Vertical
3	3258.00	-64.09	RMS		28.13	-23.27	0.35	-95.23	25.93	-13.00	-51.09 Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-60.58	RMS	24.60	-25.21	0.64	-95.23	34.62	-13.00	-47.58	Horizontal
2	2451.00	-53.34	RMS	26.90	-24.16	0.35	-95.23	38.80	-13.00	-40.34	Horizontal
3	3268.00	-64.77	RMS	28.17	-23.26	0.35	-95.23	25.20	-13.00	-51.77	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-58.60	RMS	24.60	-25.21	0.64	-95.23	36.60	-13.00	-45.60	Vertical
2	2451.00	-55.81	RMS	26.90	-24.16	0.35	-95.23	36.33	-13.00	-42.81	Vertical
3	3268.00	-64.56	RMS	28.17	-23.26	0.35	-95.23	25.41	-13.00	-51.56	Vertical




Ant. 0

Part 90S Mode 1

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-60.55	RMS	24.60	-25.20	0.64	-95.23	34.64	-13.00	-47.55	Horizontal
2	2459.00	-55.67	RMS	26.90	-24.15	0.35	-95.23	36.46	-13.00	-42.67	Horizontal
3	3278.00	-64.27	RMS	28.21	-23.26	0.35	-95.23	25.66	-13.00	-51.27	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-58.63	RMS	24.60	-25.20	0.64	-95.23	36.56	-13.00	-45.63	Vertical
2	2459.00	-56.95	RMS	26.90	-24.15	0.35	-95.23	35.18	-13.00	-43.95	Vertical
3	3278.00	-64.62	RMS	28.21	-23.26	0.35	-95.23	25.31	-13.00	-51.62	Vertical




Ant. 0

Part 90S Mode 2

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-61.49	RMS	24.60	-25.20	0.64	-95.23	33.70	-13.00	-48.49 Horizontal
2	2453.00	-54.86	RMS	26.90	-24.16	0.35	-95.23	37.28	-13.00	-41.86 Horizontal
3	3270.00	-64.60	RMS	28.18	-23.26	0.35	-95.23	25.36	-13.00	-51.60 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-58.48	RMS	24.60	-25.20	0.64	-95.23	36.71	-13.00	-45.48 Vertical
2	2453.00	-55.40	RMS	26.90	-24.16	0.35	-95.23	36.74	-13.00	-42.40 Vertical
3	3270.00	-64.67	RMS	28.18	-23.26	0.35	-95.23	25.29	-13.00	-51.67 Vertical




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-63.10	RMS		24.60	-25.21	0.64	-95.23	32.10	-13.00	-50.10
2	2444.00	-47.10	RMS		26.90	-24.17	0.36	-95.23	45.04	-13.00	-34.10
3	3258.00	-64.45	RMS		28.13	-23.27	0.35	-95.23	25.57	-13.00	-51.45



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-64.14	RMS		24.60	-25.21	0.64	-95.23	31.06	-13.00	-51.14
2	2444.00	-46.75	RMS		26.90	-24.17	0.36	-95.23	45.39	-13.00	-33.75
3	3258.00	-64.54	RMS		28.13	-23.27	0.35	-95.23	25.48	-13.00	-51.54




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-63.75	RMS		24.60	-25.21	0.64	-95.23	31.45	-13.00	-50.75
2	2451.00	-46.42	RMS		26.90	-24.16	0.35	-95.23	45.72	-13.00	-33.42
3	3268.00	-64.25	RMS		28.17	-23.26	0.35	-95.23	25.72	-13.00	-51.25



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-64.64	RMS		24.60	-25.21	0.64	-95.23	30.56	-13.00	-51.64
2	2451.00	-45.65	RMS		26.90	-24.16	0.35	-95.23	46.49	-13.00	-32.65
3	3268.00	-64.53	RMS		28.17	-23.26	0.35	-95.23	25.44	-13.00	-51.53




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-64.18	RMS	24.60	-25.20	0.64	-95.23	31.01	-13.00	-51.18	Horizontal
2	2459.00	-46.52	RMS	26.90	-24.15	0.35	-95.23	45.61	-13.00	-33.52	Horizontal
3	3278.00	-64.15	RMS	28.21	-23.26	0.35	-95.23	25.78	-13.00	-51.15	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-64.56	RMS	24.60	-25.20	0.64	-95.23	30.63	-13.00	-51.56	Vertical
2	2459.00	-45.98	RMS	26.90	-24.15	0.35	-95.23	46.15	-13.00	-32.98	Vertical
3	3278.00	-64.49	RMS	28.21	-23.26	0.35	-95.23	25.44	-13.00	-51.49	Vertical




Ant. 1

Part 90S Mode 4

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-63.86	RMS	24.60	-25.20	0.64	-95.23	31.33	-13.00	-50.86 Horizontal
2	2453.00	-45.46	RMS	26.90	-24.16	0.35	-95.23	46.68	-13.00	-32.46 Horizontal
3	3270.00	-64.61	RMS	28.18	-23.26	0.35	-95.23	25.35	-13.00	-51.61 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-64.03	RMS	24.60	-25.20	0.64	-95.23	31.16	-13.00	-51.03 Vertical
2	2453.00	-44.65	RMS	26.90	-24.16	0.35	-95.23	47.49	-13.00	-31.65 Vertical
3	3270.00	-64.71	RMS	28.18	-23.26	0.35	-95.23	25.25	-13.00	-51.71 Vertical




Ant. 1

Part 90S Mode 5

EN-DC B2+n26 10M + 15M Ch18900 1RB0 QPSK + Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	1635.00	-68.60	RMS	24.60	-25.20	0.64	-95.23	26.59	-13.00	-55.60 Horizontal
2	2453.00	-53.77	RMS	26.64	-24.16	0.35	-95.23	38.63	-13.00	-40.77 Horizontal
3	3270.00	-64.62	RMS	28.00	-23.26	0.35	-95.23	25.52	-13.00	-51.62 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-68.37	RMS	24.60	-25.20	0.64	-95.23	26.82	-13.00	-55.37	Vertical
2	2453.00	-51.50	RMS	26.64	-24.16	0.35	-95.23	40.90	-13.00	-38.50	Vertical
3	3270.00	-64.71	RMS	28.00	-23.26	0.35	-95.23	25.43	-13.00	-51.71	Vertical




Ant. 0

Part 90R Mode 6

NR SA n14 10M Ch158600 1RB1 BPSK


M



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1578.00	-59.63	RMS		28.26	-25.29	0.64	-95.23	31.99	-42.15	-17.48		Horizontal
2	2366.00	-49.43	RMS		31.76	-24.26	0.37	-95.23	37.93	-13.00	-36.43		Horizontal
3	3155.00	-59.09	RMS		33.07	-23.29	0.36	-95.23	26.00	-13.00	-46.09		Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1578.00	-59.01	RMS		28.26	-25.29	0.64	-95.23	32.61	-42.15	-16.86		Vertical
2	2366.00	-44.81	RMS		31.76	-24.26	0.37	-95.23	42.55	-13.00	-31.81		Vertical
3	3155.00	-59.53	RMS		33.07	-23.29	0.36	-95.23	25.56	-13.00	-46.53		Vertical




Ant. 0

Part 90R Mode 7

NR SA n14 5M Ch158100 1RB1 BPSK


L



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1577.00	-58.95	RMS	28.24	-25.29	0.64	-95.23	32.69	-42.15	-16.80 Horizontal
2	2366.00	-51.29	RMS	31.76	-24.26	0.37	-95.23	36.07	-13.00	-38.29 Horizontal
3	3154.00	-59.76	RMS	33.08	-23.29	0.36	-95.23	25.32	-13.00	-46.76 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
: NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1577.00	-60.45	RMS	28.24	-25.29	0.64	-95.23	31.19	-42.15	-18.30 Vertical
2	2366.00	-47.32	RMS	31.76	-24.26	0.37	-95.23	40.04	-13.00	-34.32 Vertical
3	3154.00	-59.48	RMS	33.08	-23.29	0.36	-95.23	25.60	-13.00	-46.48 Vertical




Ant. 0

Part 90R Mode 7

NR SA n14 5M Ch158600 1RB1 BPSK


M



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1582.00	-58.23	RMS		28.34	-25.28	0.64	-95.23	33.30	-42.15	-16.08		Horizontal
2	2373.00	-47.75	RMS		31.83	-24.25	0.37	-95.23	39.53	-13.00	-34.75		Horizontal
3	3164.00	-59.41	RMS		33.02	-23.29	0.36	-95.23	25.73	-13.00	-46.41		Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1582.00	-59.65	RMS		28.34	-25.28	0.64	-95.23	31.88	-42.15	-17.50		Vertical
2	2373.00	-43.67	RMS		31.83	-24.25	0.37	-95.23	43.61	-13.00	-30.67		Vertical
3	3164.00	-59.45	RMS		33.02	-23.29	0.36	-95.23	25.69	-13.00	-46.45		Vertical




Ant. 0

Part 90R Mode 7

NR SA n14 5M Ch159100 1RB1 BPSK


H



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-64.18	RMS	28.44	-25.28	0.64	-95.23	27.25	-42.15	-22.03 Horizontal
2	2381.00	-59.22	RMS	31.90	-24.24	0.37	-95.23	27.98	-13.00	-46.22 Horizontal
3	3174.00	-59.81	RMS	32.96	-23.28	0.35	-95.23	25.39	-13.00	-46.81 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-64.04	RMS	28.44	-25.28	0.64	-95.23	27.39	-42.15	-21.89 Vertical
2	2381.00	-55.80	RMS	31.90	-24.24	0.37	-95.23	31.40	-13.00	-42.80 Vertical
3	3174.00	-59.54	RMS	32.96	-23.28	0.35	-95.23	25.66	-13.00	-46.54 Vertical




Ant. 0

Part 90R Mode 10


EN-DC B2+n14 10M + 10M Ch18900 1RB0 QPSK + Ch158600 1RB1 BPSK

M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal
: LTE Band 2 10M Ch18900 1RB0 QPSK
: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-67.20	RMS	24.40	-25.29	0.64	-95.23	28.28	-42.15	-25.05 Horizontal
2	2366.00	-50.15	RMS	26.94	-24.26	0.37	-95.23	42.03	-13.00	-37.15 Horizontal
3	3155.00	-64.24	RMS	28.01	-23.29	0.36	-95.23	25.91	-13.00	-51.24 Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical
: LTE Band 2 10M Ch18900 1RB0 QPSK
: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-64.67	RMS	24.40	-25.29	0.64	-95.23	30.81	-42.15	-22.52 Vertical
2	2366.00	-53.61	RMS	26.94	-24.26	0.37	-95.23	38.57	-13.00	-40.61 Vertical
3	3155.00	-64.42	RMS	28.01	-23.29	0.36	-95.23	25.73	-13.00	-51.42 Vertical




Ant. 1

Part 90R Mode 8

NR SA n14 10M Ch158600 1RB1 BPSK


M



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-64.81	RMS	28.26	-25.29	0.64	-95.23	26.81	-42.15	-22.66 Horizontal
2	2366.00	-42.97	RMS	31.76	-24.26	0.37	-95.23	44.39	-13.00	-29.97 Horizontal
3	3155.00	-59.63	RMS	33.07	-23.29	0.36	-95.23	25.46	-13.00	-46.63 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-64.74	RMS	28.26	-25.29	0.64	-95.23	26.88	-42.15	-22.59 Vertical
2	2366.00	-43.08	RMS	31.76	-24.26	0.37	-95.23	44.28	-13.00	-30.08 Vertical
3	3155.00	-59.52	RMS	33.07	-23.29	0.36	-95.23	25.57	-13.00	-46.52 Vertical




Ant. 1

Part 90R Mode 9

NR SA n14 5M Ch158100 1RB1 BPSK


L



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
NR SA n14 5M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1577.00	-65.28	RMS	dB/m	dB	dB	dB	dBuV	dBm	dB
2	2366.00	-54.65	RMS	28.24	-25.29	0.64	-95.23	26.36	-42.15	-23.13 Horizontal
3	3154.00	-59.02	RMS	31.76	-24.26	0.37	-95.23	32.71	-13.00	-41.65 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
NR SA n14 5M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1577.00	-64.99	RMS	dB/m	dB	dB	dB	dBuV	dBm	dB
2	2366.00	-58.31	RMS	28.24	-25.29	0.64	-95.23	26.65	-42.15	-22.84 Vertical
3	3154.00	-59.63	RMS	31.76	-24.26	0.37	-95.23	29.05	-13.00	-45.31 Vertical




Ant. 1

Part 90R Mode 9

NR SA n14 5M Ch158600 1RB1 BPSK


M



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-64.76	RMS	28.34	-25.28	0.64	-95.23	26.77	-42.15	-22.61 Horizontal
2	2373.00	-43.39	RMS	31.83	-24.25	0.37	-95.23	43.89	-13.00	-30.39 Horizontal
3	3164.00	-59.54	RMS	33.02	-23.29	0.36	-95.23	25.60	-13.00	-46.54 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-64.92	RMS	28.34	-25.28	0.64	-95.23	26.61	-42.15	-22.77 Vertical
2	2373.00	-42.72	RMS	31.83	-24.25	0.37	-95.23	44.56	-13.00	-29.72 Vertical
3	3164.00	-59.43	RMS	33.02	-23.29	0.36	-95.23	25.71	-13.00	-46.43 Vertical




Ant. 1

Part 90R Mode 9

NR SA n14 5M Ch159100 1RB1 BPSK


H



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Horizontal
NR SA n14 5M Ch159100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-64.61	RMS	28.44	-25.28	0.64	-95.23	26.82	-42.15	-22.46 Horizontal
2	2381.00	-55.50	RMS	31.90	-24.24	0.37	-95.23	31.70	-13.00	-42.50 Horizontal
3	3174.00	-59.52	RMS	32.96	-23.28	0.35	-95.23	25.68	-13.00	-46.52 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m ETS-Lindgren_3117_00227880_231004 Vertical
NR SA n14 5M Ch159100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-64.40	RMS	28.44	-25.28	0.64	-95.23	27.03	-42.15	-22.25 Vertical
2	2381.00	-56.82	RMS	31.90	-24.24	0.37	-95.23	30.38	-13.00	-43.82 Vertical
3	3174.00	-59.67	RMS	32.96	-23.28	0.35	-95.23	25.53	-13.00	-46.67 Vertical




Ant. 0

Part 27D Mode 11

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: NR n30 5M Ch462500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	1		dB	dB	dBuV	dBm	dB		
1	2312.00	-18.63	RMS	26.92	-24.33	0.46	-95.23	73.55	-40.00	21.37			Horizontal



Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Vertical

: NR n30 5M Ch462500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
	MHz	dBm		Factor	1		dB	dB	dBuV	dBm	dB		
1	2312.00	-30.44	RMS	26.92	-24.33	0.46	-95.23	61.74	-40.00	9.56			Vertical

Remark: #1 is fundamental signal which can be ignored.

—THE END—