

## **RE FCC ID: A5FEIA200MRF**

## To the certification reviewer:

We are hereby applying for limited modular approval of the above-referenced FCC ID, based on compliance with most of the criteria as detailed below.

Sincerely,

David Keating

**VP** Business Development

Part 15 Unlicensed Single Modular Transmitter Approval Justification per 15.212

Requirement per 15.212		reference
(i)	The radio elements of the modular transmitter must have their own RF shielding.	Shielding is provided by a ground plane on the printed wiring board.
(ii)	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided.	All modulation and data inputs are buffered by circuitry on the transmitter chip.
(iii)	The modular transmitter must have its own power supply regulation.	Power supply regulation is provided by circuitry on the transmitter chip and additional regulation is provided by circuitry on the module over the range of 9V to 3V volts.

## 22.09.12

(iv)	The modular transmitter must comply	The antenna is permanently attached.
	with the antenna and transmission	
	system requirements of §§ 15.203,	
	15.204(b) and 15.204(c).	
(v)	The modular transmitter must be tested	Testing was performed with the module
	in a stand-alone configuration, i.e., the	located inside of the intended host device.
	module must not be inside another device during testing for compliance with Part 15 parameters.	The Module will be used in the following Models:
		EiA207 Series Carbon Monoxide Alarms EiA208 Series Carbon Monoxide Alarms
		LIAZOS Series Carbon Monovide Alarms
(vi)	The modular transmitter must be	A sample of the host label is provided as an
	equipped with either a permanently	exhibit, showing the FCC identifier of the
	affixed label or must be capable of	module.
	electronically displaying its FCC	
	identification number. If the FCC ID is	
	not visible when the module is installed	
	inside another device, then the outside	
	of the device into which the module is	
	installed must also display a label	
	referring to the enclosed module.	
(vii)	The modular transmitter must comply	
	with any specific rules or operating	
	requirements that ordinarily apply to a	The module complies fully with the operating
	complete transmitter and the	requirements of Part 15 section FCC Part
	manufacturer must provide adequate	15.249 as demonstrated in the test report
	instructions along with the module to	exhibit.
	explain any such requirements. A copy	
	of these instructions must be included	
	in the application for equipment	
	authorization.	

77-03-15

(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.

This module operates under Part 15 section FCC Part 15.249, which is exempt from RF exposure evaluation owing to the very low operating power:

FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f), 15.255(g), and 15.257(g) require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(i).