

LISTS OF EXHIBITS

EXHIBIT	DESCRIPTION	FCC REFERENCE
1	Certification of Data	2.911
2	General Information	
	Production Plans	2.983(c)
	Application References	2.1061
	Data Submittal Procedure	2.999
3	Description	
	3A Technical Characteristics	2.983(d)(1)-(5)
	Application	
	3B Emission Designators and Bandwidth Calculation	2.983(d)(1)
	3C Frequency Band, associated Emission Designators and FCC Rule Part	2.983(d)(2)
4	Transmit Frequency Programmability	90.203
5	Function of Semiconductors and/or Other Active Devices	2.983(d)6
6	Circuit Diagrams	2.983(d)7
7	Instruction Manual	2.983(d)8
8	Tune-Up Procedure	2.983(d)9
9	Circuit Description Index	2.983(d)(10)-(12)
	9A Means For Frequency Stabilization	
	9B Means For Attenuating Spurious and Harmonic Emissions	
	9C Means for Limiting Modulation	
	9D Means for Limiting Power	
10	Measured Data Index	2.983(e)
	10A RF Output - Measured Data	2.985
	10B Frequency Stability vs. Voltage-Graph	2.995(d)(1)
	10C Conducted Spurious Emissions-Graph	2.991
	10D Radiated Spurious Emissions-Graph	2.993
	10E Occupied Bandwidth- (3200 2-LEVEL) Plots	2.989
	10F Occupied Bandwidth- (6400 2-LEVEL) Plots	2.989
	10G Occupied Bandwidth- (6400 4-LEVEL) Plots	2.989
	10H Frequency Stability vs. Temperature-Graph	2.995(a)(1),(b)
	10I Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=930.5MHz) Plot	2.989
	10J Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=12.5KHz) Plot	2.989
	10K Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=12.5KHz) Plot	2.989
	10L Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=940.5MHz) Plot	2.989
	10M Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=12.5KHz) Plot	2.989
	10N Occupied Bandwidth- (6400 4-LEVEL, 2.4 Dev, Fc=12.5KHz) Plot	2.989
	10P Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=935MHz) Plot	2.989
	10Q Occupied Bandwidth- (3200 4-Level, 2.4 Dev, Fc=935MHz) Plot	2.989
	10R Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=940MHz) Plot	2.989
	10S Occupied Bandwidth- (3200 4-Level, 2.4 Dev, Fc=940MHz) Plot	2.989
	10T Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=929MHz) Plot	2.989
	10U Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=930MHz) Plot	2.989
	10V Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=931MHz) Plot	2.989
	10W Occupied Bandwidth- (6400 4-Level, 2.4 Dev, Fc=932MHz) Plot	2.989
11	Identification (Nameplate) Information	2.983(f)
12	Photographs	2.983(g)
13	Test Procedures	
14	Human Exposure Compliance Statement	24.52

Frequency Band, Emission Designator & FCC Rule Part

The subject transmitter was approved, FCC Grant of Equipment Authorization attached - dated September 19, 1996, to operate in the following Frequency Bands and its associated Emission Designators, Power levels and applicable FCC Rule parts.

Frequency Band (MHz)	Emission Designator (Watts)	RF Power	FCC Rule Part
928 - 944	16K0F1D 16K0F3E 15K0F2D	300 to 100	22
930 - 941	8K00F1D 6K40F1D	300 to 100	24
928 - 930	16K0F1D 16K0F3E 15K0F2D	300 to 100	90
928 - 944	16K0F1D 16K0F3E 15K0F2D	300 to 100	94
935 - 940	8K00F1D 6K40F1D	300 to 100 300 to 100	90

This permissive change is requesting the operation of the subject transmitter to include the following Frequency Band and its associated Emission Designators, Power levels and applicable FCC Rule Part.

929 - 930	8K00F1D	300 to 100	90
931 - 932	8K00F1D	300 to 100	22

Applicant: Motorola

Equipment type: ABZ89FC5765

1. Transmitter Technical Characteristics -

- A. Emission designators: 16K0F1D, 16K0F3D, 15K0F2D, 8K00F1D, & 6K40F1D
- B. Frequency range: 928 - 941 MHz bands.
- C. Operating power Levels: Variable from 300 W to 100 W.
- D. Maximum power rating as per part 90 and 22.
- E. Transmitter operation:
The subject transmitter is intended to operate using FM modulation with 2 or 4 -level FSK at 6400, 3200 and 1600 BPS. Enclosed are the occupied bandwidth data for this permissive change showing compliance to FCC Rule Section 90.210(G) and 22 in the Frequency range of 929-930MHz and 931-932 MHz.

Exhibit 3A