

**Exhibit 7B: SAR Test Report Photographs**

Enterprise Mobility Solutions
EME Test Laboratory
Motorola Solutions Malaysia Sdn. Bhd. (455657-H)
Plot 2, Bayan Lepas Technoplex Industrial Park,
Mukim 12, S.W.D. (CSC)
11900 Bayan Lepas, Penang, Malaysia



A handwritten signature in black ink, reading 'Deanna Zakharia'.

Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 10/3/2012

Report Revision History

Date	Revision	Comments
9/26/2012	O	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT w/ antenna PMAD4127A with offered battery NNTN8359A and body worn PMLN6086A against the phantom and audio cable PMMN4067B attached. Same position used for the other applicable offered antennas.




Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAD4127A	8	30	45
PMAD4128A	8	30	45
PMAD4130A	8	30	40
PMAD4131A	8	30	40
PMAD4132A	8	30	51
*PMAD4126A	8	30	45
*PMAD4129A	8	30	40

*Bandwidth is outside FCC Part 90

1.2 Face

DUT w/ front side separated 2.5cm from phantom with antenna PMAD4127A and battery NNTN8359A
Same position used for the other applicable offered antennas.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAD4127A	28	40	45
PMAD4128A	28	40	45
PMAD4130A	28	40	43
PMAD4131A	28	40	43
PMAD4132A	28	40	50
*PMAD4126A	28	40	45
*PMAD4129A	28	40	43

*Bandwidth is outside FCC Part 90

1.3 Head

Not applicable.

1.4 Hand

Not applicable.

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT w/antenna PMAD4131A battery NNTN8359A, audio cable PMMN4067B and body worn PMLN6097A against the phantom. Same position used for the other applicable offered antennas.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAD4127A	0	68	129
PMAD4128A	0	68	129
PMAD4130A	0	68	104
PMAD4131A	0	68	104
PMAD4132A	0	68	150

DUT w/antenna PMAD4127A battery NNTN8359A, audio cable PMMN4067B and body worn PMLN6099A against the phantom. Same position used for the other applicable offered antennas.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAD4127A	0	70	135
PMAD4128A	0	70	135
PMAD4130A	0	70	108
PMAD4131A	0	70	108
PMAD4132A	0	68	150

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable.

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories. Refer to Part 1 of 2, section 7.0 for more details.

6.1 Antenna dimension and photo(s):

No.	Antenna Kit #	Physical Length (mm)	Electrical Length
1	PMAD4132A	21	5/8 wave
2	PMAD4128A	17	5/8 wave
3	PMAD4127A	17	5/8 wave
4	PMAD4126A	17	5/8 wave
5	PMAD4131A	11	1/4 wave
6	PMAD4129A	11	1/4 wave
7	PMAD4130A	11	1/4 wave



6.2 Body worn accessories:



**DUT Back View
Belt clip PMLN6086A**



**DUT Side View
Belt clip PMLN6086A**



**DUT Back View
Carry case PMLN6097A**



**DUT Side View
Carry case PMLN6097A**



**DUT Front View
Carry case PMLN6097A**



DUT Back View
Carry case PMLN6099A



DUT Side View
Carry case PMLN6099A



DUT Front View
Carry case PMLN6099A

6.3 Battery accessories:



Left-Right; Back, front and side views: NNTN8359A

6.4 Audio accessories:



PMMN4067B ATEX/CSA RSM




PMLN6090A Headset w/ PMLN6368A adaptor

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	138.5	56.7	19.8
Radio with battery NNTN8359A	138.5	56.7	39.8

For illustration purposes the following figure reflects the location of the device's dimensions.



Note: H = Height; W = Width; D = Depth

$W = (\text{Width @ Top}) / (\text{Width @ PTT})$

$D = (\text{Depth @ Bottom}) / (\text{Depth @ PTT})$