

INDEX OF SUBMITTED MEASURED DATA

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Graphs)

6F-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
6F-2: 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing
6F-3: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing
6F-4: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing
6F-5: 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing
6F-6: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing
6F-7: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
6F-8: 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing
6F-9: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing
6F-10: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing
6F-11: 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing
6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (6 Graphs)

6G-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
& 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing
6G-2: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing
6G-3: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing
& 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing
6G-4: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing
6G-5: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
& 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing
6G-6: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing
6G-7: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing
& 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing
6G-8: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

EXHIBIT 6F (Revised)
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-2: 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-3: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-4: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-5: 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing




Table 6F-6: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-7: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-8: 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-9: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-10: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.




Table 6F-11: 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing




Table 6F-12: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is less than -100dBc.

Exhibit 6-G (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)


Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 44 Watts

438.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-20	*	*
1314.0375	-20	-52.30	-51.40
1752.0500	-20	-60.25	-58.66
2190.0625	-20	-57.52	-54.87
2628.0750	-20	-62.42	-59.27
3066.0875	-20	-63.64	-60.18
3504.1000	-20	-63.89	-59.45
3942.1125	-20	*	*
4380.1250	-20	*	*




Transmit Radiated Spurious Emissions: ELM EPP U2HP

Tx Power: 44 Watts

454.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1007

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-20	*	*
1362.0375	-20	-60.01	-61.49
1816.0500	-20	-65.84	-60.30
2270.0625	-20	-56.85	-52.97
2724.0750	-20	-65.40	-61.01
3178.0875	-20	-63.74	*
3632.1000	-20	-62.68	-59.66
4086.1125	-20	*	*
4540.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-1: 44 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
& 44 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 44 Watts****469.9875 MHz****Channel Spacing 12.5kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-20	-54.79	-59.14
1409.9625	-20	-56.38	-56.73
1879.9500	-20	-44.31	-42.03
2349.9375	-20	-37.77	-36.78
2819.9250	-20	-55.48	-51.12
3289.9125	-20	-60.97	-54.34
3759.9000	-20	-56.97	-51.55
4229.8875	-20	-60.36	-55.75
4699.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-2: 44 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 44 Watts****438.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-13	*	*
1314.0375	-13	-49.74	-50.42
1752.0500	-13	-57.76	-54.81
2190.0625	-13	-55.16	-54.20
2628.0750	-13	-60.14	-56.23
3066.0875	-13	-59.63	-57.44
3504.1000	-13	-60.40	-58.35
3942.1125	-13	*	*
4380.1250	-13	*	*

**Transmit Radiated Spurious Emissions: ELM EPP U2HP****Tx Power: 44 Watts****454.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-13	-54.85	-44.77
1362.0375	-13	-58.58	-59.53
1816.0500	-13	-55.35	-51.46
2270.0625	-13	-49.85	-48.41
2724.0750	-13	-62.91	-60.70
3178.0875	-13	-61.97	*
3632.1000	-13	-59.15	-54.28
4086.1125	-13	*	*
4540.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.


Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

December 1, 2005

6G-3: 44 Watts, 438.0125 MHz, 25 kHz Channel Spacing
 & 44 Watts, 454.0125 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 44 Watts****469.9875 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-57.97	-58.98
1409.9625	-13	-57.92	-56.94
1879.9500	-13	-49.10	-46.19
2349.9375	-13	-43.85	-42.47
2819.9250	-13	-62.91	-59.34
3289.9125	-13	-62.76	-55.07
3759.9000	-13	-59.24	-53.92
4229.8875	-13	-60.93	*
4699.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-4: 44 Watts, 469.9875 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 25 Watts****438.0125 MHz****Channel Spacing 12.5kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-20	*	*
1314.0375	-20	-59.58	-59.84
1752.0500	-20	-68.59	-65.82
2190.0625	-20	-70.17	-67.96
2628.0750	-20	-66.34	*
3066.0875	-20	*	*
3504.1000	-20	*	*
3942.1125	-20	*	*
4380.1250	-20	*	*

**Transmit Radiated Spurious Emissions: ELM EPP U2HP****Tx Power: 25 Watts****454.0125 MHz****Channel Spacing 12.5kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-20	*	*
1362.0375	-20	-62.82	-64.93
1816.0500	-20	-65.64	-62.70
2270.0625	-20	-59.68	-57.61
2724.0750	-20	-67.03	-61.82
3178.0875	-20	*	*
3632.1000	-20	*	*
4086.1125	-20	*	*
4540.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.


The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan**December 1, 2005****FCC Registration: 91932 / Industry Canada: IC3679**

6G-5: 25 Watts, 438.0125 MHz, 12.5 kHz Channel Spacing
& 25 Watts, 454.0125 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 25 Watts****469.9875 MHz****Channel Spacing 12.5kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-20	-61.47	-62.34
1409.9625	-20	-62.30	-62.55
1879.9500	-20	-55.13	-53.82
2349.9375	-20	-51.99	-50.59
2819.9250	-20	-64.63	-62.82
3289.9125	-20	-63.81	-56.20
3759.9000	-20	*	*
4229.8875	-20	*	*
4699.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan


December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-6: 25 Watts, 469.9875 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 25 Watts****438.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
876.0250	-13	*	*
1314.0375	-13	-55.09	-55.81
1752.0500	-13	-61.75	-59.63
2190.0625	-13	-65.19	-63.46
2628.0750	-13	-64.12	*
3066.0875	-13	-62.74	*
3504.1000	-13	-63.65	*
3942.1125	-13	*	*
4380.1250	-13	*	*

**Transmit Radiated Spurious Emissions: ELM EPP U2HP****Tx Power: 25 Watts****454.0125 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
908.0250	-13	*	*
1362.0375	-13	-62.82	-62.65
1816.0500	-13	-60.39	-56.88
2270.0625	-13	-53.04	-51.18
2724.0750	-13	-64.36	-60.99
3178.0875	-13	*	*
3632.1000	-13	-62.62	-58.19
4086.1125	-13	*	*
4540.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.


The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan**December 1, 2005****FCC Registration: 91932 / Industry Canada: IC3679**

6G-7: 25 Watts, 438.0125 MHz, 25 kHz Channel Spacing
& 25 Watts, 454.0125 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: ELM EPP U2HP**Tx Power: 25 Watts****469.9875 MHz****Channel Spacing 25kHz | S/N 019TFU1007**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-59.32	-59.69
1409.9625	-13	-59.50	-59.26
1879.9500	-13	-52.06	-50.75
2349.9375	-13	-47.21	-48.91
2819.9250	-13	-63.43	-61.68
3289.9125	-13	-63.26	-55.89
3759.9000	-13	-59.87	-56.29
4229.8875	-13	*	*
4699.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

December 1, 2005

FCC Registration: 91932 / Industry Canada: IC3679

6G-8: 25 Watts, 469.9875 MHz, 25 kHz Channel Spacing