

INDEX OF SUBMITTED MEASURED DATA

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Graphs)

- 6F-1: 44 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
- 6F-2: 44 Watts, 421.500 MHz, 12.5 kHz Channel Spacing
- 6F-3: 44 Watts, 439.975 MHz, 12.5 kHz Channel Spacing
- 6F-4: 44 Watts, 403.025 MHz, 25 kHz Channel Spacing
- 6F-5: 44 Watts, 421.500 MHz, 25 kHz Channel Spacing
- 6F-6: 44 Watts, 439.975 MHz, 25 kHz Channel Spacing
- 6F-7: 25 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
- 6F-8: 25 Watts, 421.500 MHz, 12.5 kHz Channel Spacing
- 6F-9: 25 Watts, 439.975 MHz, 12.5 kHz Channel Spacing
- 6F-10: 25 Watts, 403.025 MHz, 25 kHz Channel Spacing
- 6F-11: 25 Watts, 421.500 MHz, 25 kHz Channel Spacing
- 6F-12: 25 Watts, 439.975 MHz, 25 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (6 Graphs)

- 6G-1: 44 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
& 44 Watts, 421.500 MHz, 12.5 kHz Channel Spacing
- 6G-2: 44 Watts, 439.975 MHz, 12.5 kHz Channel Spacing
- 6G-3: 44 Watts, 403.025 MHz, 25 kHz Channel Spacing
& 44 Watts, 421.500 MHz, 25 kHz Channel Spacing
- 6G-4: 44 Watts, 439.975 MHz, 25 kHz Channel Spacing
- 6G-5: 25 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
& 25 Watts, 421.500 MHz, 12.5 kHz Channel Spacing
- 6G-6: 25 Watts, 439.975 MHz, 12.5 kHz Channel Spacing
- 6G-7: 25 Watts, 403.025 MHz, 25 kHz Channel Spacing
& 25 Watts, 421.500 MHz, 25 kHz Channel Spacing
- 6G-8: 25 Watts, 439.975 MHz, 25 kHz Channel Spacing


EXHIBIT 6F (Revised)**Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)**

Table 6F-1: 44 Watts, 403.025 MHz, 12.5 kHz Channel Spacing




Table 6F-2: 44 Watts, 421.500 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.




Table 6F-3: 44 Watts, 439.975 MHz, 12.5 kHz Channel Spacing




Table 6F-4: 44 Watts, 403.025 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.




Table 6F-5: 44 Watts, 421.500 MHz, 25 kHz Channel Spacing




Table 6F-6: 44 Watts, 439.975 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.




Table 6F-7: 25 Watts, 403.025 MHz, 12.5 kHz Channel Spacing




Table 6F-7: 25 Watts, 403.025 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.




Table 6F-9: 25 Watts, 439.975 MHz, 12.5 kHz Channel Spacing




Table 6F-10: 25 Watts, 403.025 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.




Table 6F-11: 25 Watts, 421.500 MHz, 25 kHz Channel Spacing




Table 6F-12: 25 Watts, 439.975 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 41dB below the specification limits.

Exhibit 6-G (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

403.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.0250	-20	*	*
1209.0375	-20	-54.21	-57.03
1612.0500	-20	-65.09	-62.12
2015.0625	-20	-58.46	-53.37
2418.0750	-20	-49.62	-54.00
2821.0875	-20	-47.17	-48.32
3224.1000	-20	*	*
3627.1125	-20	-60.55	-58.29
4030.1250	-20	-61.93	*




Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

421.0125 MHz

Channel Spacing 12.5kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
842.0250	-20	-54.75	*
1263.0375	-20	-54.76	-56.91
1684.0500	-20	-68.11	-67.38
2105.0625	-20	-57.21	-55.53
2526.0750	-20	-52.05	-52.79
2947.0875	-20	-57.56	-56.95
3368.1000	-20	-64.42	*
3789.1125	-20	*	*
4210.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambient.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 8, 2005

6G-1: 44 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
& 44 Watts, 421.500 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

439.9875 MHz

Channel Spacing 12.5kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
879.9750	-20	*	*
1319.9625	-20	-55.75	-57.40
1759.9500	-20	-62.37	-64.99
2199.9375	-20	-57.69	-54.69
2639.9250	-20	-51.06	-54.67
3079.9125	-20	-62.90	-57.98
3519.9000	-20	-61.26	-58.53
3959.8875	-20	*	*
4399.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 8, 2005

6G-2: 44 Watts, 439.975 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

403.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.0250	-13	*	*
1209.0375	-13	-56.45	-56.62
1612.0500	-13	-67.69	-63.00
2015.0625	-13	-58.37	-53.03
2418.0750	-13	*	-51.03
2821.0875	-13	-52.69	-54.69
3224.1000	-13	*	*
3627.1125	-13	-61.25	-58.52
4030.1250	-13	*	*




Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

421.0125 MHz

Channel Spacing 25kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
842.0250	-13	-54.25	-59.90
1263.0375	-13	-56.16	-59.34
1684.0500	-13	-66.86	-67.14
2105.0625	-13	-57.94	-51.07
2526.0750	-13	-52.01	-49.63
2947.0875	-13	-61.49	-57.17
3368.1000	-13	*	*
3789.1125	-13	*	*
4210.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambient.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 9, 2005

6G-3: 44 Watts, 403.025 MHz, 25 kHz Channel Spacing
& 44 Watts, 421.500 MHz, 25 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 44 Watts

439.9875 MHz

Channel Spacing 25kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
879.9750	-13	*	*
1319.9625	-13	-55.99	-60.59
1759.9500	-13	-58.77	-63.23
2199.9375	-13	-55.06	-52.56
2639.9250	-13	-49.50	-53.05
3079.9125	-13	-61.06	-58.14
3519.9000	-13	-62.15	-59.03
3959.8875	-13	*	*
4399.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.


Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

December 9, 2005

6G-4: 44 Watts, 439.975 MHz, 25 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP
Tx Power: 25 Watts
403.0125 MHz **Channel Spacing 12.5kHz | S/N 019TFU1001**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.0250	-20	*	-60.61
1209.0375	-20	-56.71	-60.36
1612.0500	-20	-70.56	-67.81
2015.0625	-20	-64.50	-59.99
2418.0750	-20	*	-55.03
2821.0875	-20	-58.15	-59.96
3224.1000	-20	*	*
3627.1125	-20	*	*
4030.1250	-20	*	*



Transmit Radiated Spurious Emissions: ELM EPP U1HP
Tx Power: 25 Watts
421.0125 MHz **Channel Spacing 12.5kHz | S/N 019TFU1001**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
842.0250	-20	-55.50	*
1263.0375	-20	-53.69	-55.64
1684.0500	-20	-65.00	-67.06
2105.0625	-20	-58.42	-56.10
2526.0750	-20	-58.65	-57.15
2947.0875	-20	-60.30	-58.12
3368.1000	-20	*	*
3789.1125	-20	*	*
4210.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 8, 2005

6G-5: 25 Watts, 403.025 MHz, 12.5 kHz Channel Spacing
& 25 Watts, 421.500 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 25 Watts

439.9875 MHz

Channel Spacing 12.5kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
879.9750	-20	*	*
1319.9625	-20	-54.90	-62.27
1759.9500	-20	-66.75	-68.08
2199.9375	-20	-62.70	-60.46
2639.9250	-20	-53.67	-55.84
3079.9125	-20	*	*
3519.9000	-20	*	*
3959.8875	-20	*	*
4399.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.


Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 8, 2005

6G-6: 25 Watts, 439.975 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP
Tx Power: 25 Watts
403.0125 MHz **Channel Spacing 25kHz | S/N 019TFU1001**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.0250	-13	*	*
1209.0375	-13	-61.18	-61.86
1612.0500	-13	-69.97	-68.02
2015.0625	-13	-63.56	-58.39
2418.0750	-13	*	-52.34
2821.0875	-13	-61.97	-59.41
3224.1000	-13	*	*
3627.1125	-13	*	*
4030.1250	-13	*	*



Transmit Radiated Spurious Emissions: ELM EPP U1HP
Tx Power: 25 Watts
421.0125 MHz **Channel Spacing 25kHz | S/N 019TFU1001**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
842.0250	-13	-54.80	-61.43
1263.0375	-13	-58.48	-59.10
1684.0500	-13	-70.80	-68.58
2105.0625	-13	-61.63	-59.94
2526.0750	-13	-60.41	-58.64
2947.0875	-13	-64.32	-60.89
3368.1000	-13	*	*
3789.1125	-13	*	*
4210.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 9, 2005

6G-7: 25 Watts, 403.025 MHz, 25 kHz Channel Spacing
& 25 Watts, 421.500 MHz, 25 kHz Channel Spacing


Transmit Radiated Spurious Emissions: ELM EPP U1HP

Tx Power: 25 Watts

439.9875 MHz

Channel Spacing 25kHz | S/N 019TFU1001

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
879.9750	-13	*	*
1319.9625	-13	-56.02	-53.74
1759.9500	-13	-65.72	-62.68
2199.9375	-13	-60.87	-56.18
2639.9250	-13	-55.06	-53.74
3079.9125	-13	*	*
3519.9000	-13	-63.50	*
3959.8875	-13	*	*
4399.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambient.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

December 9, 2005

6G-8: 25 Watts, 439.975 MHz, 25 kHz Channel Spacing