

**Exhibit 7B: SAR Test Report Photographs**

Enterprise Mobility Solutions
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd (455657-H)
Customer Solution Center
Plot 2, Bayan Lepas Technoplex Industrial Park,
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 9/27/2012

Exhibit 7B Revision History

Date	Revision	Comments
09/26/12	O	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body


DUT w/ antenna PMAE4082A offered battery NNTN8359A, audio cable PMMN4067B and body worn accessory PMLN6086A against the phantom. Same position used for the other offered antennas (see table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4082A	8	29	44
PMAE4081A	8	29	44
PMAE4083A	8	29	38
PMAE4084A	8	29	38
PMAE4085A	8	29	48

1.2 Face

DUT w/ front side separated 2.5cm from phantom with antenna PMAE4082A and battery NNTN8359A. Same position used for the other offered antennas (see table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4082A	30	40	43
PMAE4081A	30	40	43
PMAE4083A	30	40	43
PMAE4084A	30	40	43
PMAE4085A	30	40	45

1.3 Head

Not Applicable

1.4 Hand

Not Applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT w/ antenna PMAE4081A, battery NNTN8359A and body worn PMLN6097A attached, audio cable PMMN4067B against the phantom. Same position used for the other offered antennas (see table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4081A	5	70	115
PMAE4082A	5	70	115
PMAE4083A	5	70	97
PMAE4084A	5	70	97
PMAE4085A	5	70	118

DUT w/ antenna PMAE4081A, battery NNTN8359A and body worn PMLN6099A attached, audio cable PMMN4067B against the phantom. Same position used for the other offered antennas (see table below).



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4081A	0	70	118
PMAE4082A	0	70	118
PMAE4083A	0	70	93
PMAE4084A	0	70	93
PMAE4085A	0	70	124

Front Side against phantom**Not Applicable**

2.2 Back side against phantom
Not Applicable

2.3 Front 2.5cm separation
Not Applicable

2.4 Back 2.5cm separation
Not Applicable

2.5 Antenna 2.5cm separation
Not Applicable

3.0 Other SAR tested position at the face

3.1 Back of DUT at 2.5 cm separation
Not Applicable

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not Applicable

4.2 Left ear tilt
Not Applicable

4.3 Right ear touch
Not Applicable

4.4 Right ear tilt
Not Applicable

5.0 Other SAR tested positions at the hand

5.1 Left side
Not Applicable

5.2 Right side
Not Applicable

5.3 Top side
Not Applicable

5.4 Bottom side
Not Applicable

5.5 Back side
Not Applicable

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories.

6.1 Antennas dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
PMAE4081A	14	$\frac{1}{4}$ wave
PMAE4082A	14	$\frac{1}{4}$ wave
PMAE4083A	9	$\frac{1}{4}$ wave
PMAE4084A	9	$\frac{1}{4}$ wave
PMAE4085A	16	$\frac{1}{4}$ wave



6.2 Body worn accessories



DUT Side View
Belt clip PMLN6086A
2 inch



DUT Back View
Belt clip PMLN6086A
2 inch



DUT Front View
Hard Leather Carry Case w/ Swivel
Belt Loop PMLN6097A
2.5 inch



DUT Side View
Hard Leather Carry Case w/ Swivel
Belt Loop PMLN6097A
2.5 inch



DUT Back View
Hard Leather Carry Case w/ Swivel
Belt Loop PMLN6097A
2.5 inch



DUT Front View
Soft Leather Carry Case w/
Swivel Belt Loop PMLN6099A
2.5 inch



DUT Side View
Soft Leather Carry Case w/
Swivel Belt Loop PMLN6099A
2.5 inch



DUT Back View
Soft Leather Carry Case w/
Swivel Belt Loop PMLN6099A
2.5 inch

6.3 Battery accessories



Front, Back, and Side View
NNTN8359A

6.4 Audio accessories



PMMN4067B IMPRESS ATEX CSA RSM




PMLN6090A with PMLN6368A
IS approved Level dependent Headset with Head band; with
IS approved adapter with connector for Motorola GCAI, 4
pole Nexus

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	138.5	56.7	19.8
Radio with battery NNTN8359A	138.5	56.7	39.8

The following figure reflects the location of the device's dimensions.



Note: H = Height; W = Width; D₁ = Depth w/ battery; D₂ = Depth w/o battery