

EUT AND PRODUCT INFORMATION

Type of Equipment	UPCS (DECT 6.0)
Applicant Name	Panasonic Corporation of North America
Responsible Mfr Name	Panasonic System Networks Co., Ltd. Communication system Business Unit
Address	1-62, 4-chome, Minoshima, Hakata-ku, Fukuoka 812-8531, Japan
Contact	Yukio Kaneko

	FP			
EUT Type/System	\boxtimes			
FCC ID	ACJ96NKX-TGE230			
	(IC:216A-KXTGE230)			
Model name	KX-TGE230			
HW Version	PNLB2278xx			
SW Version	SW401			
Max antenna Gain (dBi)	0dBi			
Can the EUT be Initiating Device	YES			
Does the EUT transmit signaling channels	⊠ YES			
Max number of slots in use simultaneously	1 slot			
Test standard:	FCC part 15D Other: Industry Canada RSS-213, Issue 2			
Frequency Band	1921.536 – 1928.448 MHz			
# of RF Channels	5			
Frame Period	10 ms			
Max. Burst length	417us / duplex channel			
Min. Burst Length	106us / signaling channel			
# of Logical Channels	60 (12 duplex channels per RF carrier)			
Operating Mode	Simplex	Duplex		



ANTENNAS								
Base (FP)	Antenna	Type			I	nternal	External	
	1		Pattern A	ntenna			\boxtimes	
	2							
	3							
	4							
	Does RX and	ΓX use	the same antenn	ıa(s)?		Ye	es	☐ No
Handset (PP)	Antenna		Тур	oe -		I	nternal	External
	1		Pattern A	Intenna				
	2							
	Does RX and	ΓX use	the same antenn	na(s)?		Y	es	☐ No
ANTENNA DIVERSITY								
	Antenna		Diversity Sup			port	ted	
			TX			RX		
Base (FP)	1							
and Repeater	2							
	3							
	4							
Handset (PP)	1							
	2							
VOLTAGE .	AND TEMPI	ERAT	URE RANG	ES				
VOLTAGES	VOLTAGES		FP		PP			
Nominal Volta	age		120V AC	-				
Cut-Off Voltage (if applicable)				-	-			
POWER SOURCE		Type		Manufacturer				
Base or Repeater		PNLV226 (AC Adaptor)		Panasonic				
Handset (PP) (charger)		PN	PNLV233 (AC Adaptor)			Panasonio	:	
Data Connection	rata Connections							
		∣ ∐ Oti	hers (please spe	cify)				



ANCILLARY EQUIPMENT		
Description	AC Adaptor and Charger	
Туре	PNLV226 (AC Adaptor) and PNLC1050(Charger)	
Manufacturer	Panasonic	

HOST DEVICE		
Description		
Туре		
Manufacturer		

ADDITIONAL INFORMATION				



MANUFACTURERS DECLARATIONS				
FCC part 15.323 (c)(5)				
No device or group of co-operating devices located within 1m of each other shall during any frame period occupy more than 6 MHz of aggregate bandwidth, or alternatively, more than one third of the time and spectrum windows defined by the system.				
Applicant Agrees	⊠ Yes	□ No		
FCC part 15.323 (c)(10)				
The applicant hereby declares that the system in this application does use the criteria of $(c)(10)$ of this section.				
Applicant Agrees	⊠ Yes	□ No		
FCC part 15.323 (c)(11)				
The applicant hereby declares that system in this application does not use the criteria of (c)(11) of this section.				
Applicant Agrees	⊠ Yes	No		
FCC part 15.323 (c)(12)				
The provisions of $(c)(10)$ or $(c)(11)$ of this section shall not be used to extend the range of spectrum occupied over space or time for the purpose of denying fair access to spectrum to other devices.				
Applicant Agrees	⊠ Yes	□ No		
FCC part 15.307 (b)				
The Applicant is a participating member of UTAM, Inc. and will provide an affidavit from UTAM, Inc. certifying this.				
Confirmed By Applicant	⊠ Yes	No		
ADDITIONAL REMARKS:				
>				
DECLARED BY: Richard Mullen Richard Mullen				
December 12, 2013				