

Radiated Emission


Date : 2022/01/19 15:10:02

Model Name : ID-5100
 Model Number : DX-3484
 Serial No. : 0000406
 Test Condition : A-Band / ALL SCAN / RX

Reference No. : -
 Power Supply : DC 13.8
 Temp/Humi : 23 / 35%
 Operator : F.Kinugawa

Memo : Heterodyne=Normal / GTEM/小

Limit1 : FCC Part15 Subpart.B Class B (3m)



No.	Freq. [MHz]	Vector Sum [dB]	Field Strength		Limit <AV> [dBuV/m]	Margin<AV>		Comment
			(H)	(V)		(H)	(V)	
			[dBuV/m]	[dBuV/m]		[dB]	[dB]	
1	2154.000	12.0	39.9	37.6	54.0	14.1	16.4	
2	2158.500	11.5	39.4	37.3	54.0	14.6	16.7	
3	2162.500	12.4	40.3	38.3	54.0	13.7	15.7	
4	2166.000	11.7	39.6	37.7	54.0	14.4	16.3	
5	2167.500	11.3	39.2	37.3	54.0	14.8	16.7	

Radiated Emission


Date : 2022/01/19 15:34:25

Model Name : ID-5100
 Model Number : DX-3484
 Serial No. : 0000406
 Test Condition : A-Band / ALL SCAN / RX

Reference No. : -
 Power Supply : DC 13.8
 Temp/Humi : 23 / 35%
 Operator : F.Kinugawa

Memo : Heterodyne=Reverse / GTEMノ

Limit1 : FCC Part15 Subpart.B Class B (3m)



No.	Freq. [MHz]	Vector Sum [dB]	Field Strength		Limit <AV> [dBuV/m]	Margin<AV>		Comment
			(H)	(V)		(H)	(V)	
			[dBuV/m]	[dBuV/m]		[dB]	[dB]	
1	2157.500	10.3	38.3	36.1	54.0	15.7	17.9	
2	2163.500	11.0	38.9	36.9	54.0	15.1	17.1	
3	2165.000	10.8	38.7	36.8	54.0	15.3	17.2	
4	2172.500	10.7	38.6	36.8	54.0	15.4	17.2	
5	2202.000	10.9	38.6	37.5	54.0	15.4	16.5	

Radiated Emission


Date : 2022/01/19 15:23:44

Model Name : ID-5100
 Model Number : DX-3484
 Serial No. : 0000406
 Test Condition : B-Band / ALL SCAN / RX

Reference No. : -
 Power Supply : DC 13.8
 Temp/Humi : 23 / 35%
 Operator : F.Kinugawa

Memo : Heterodyne=Normal / GTEM/小

Limit1 : FCC Part15 Subpart.B Class B (3m)



No.	Freq. [MHz]	Vector Sum [dB]	Field Strength		Limit <AV> [dBuV/m]	Margin<AV>		Comment
			(H)	(V)		(H)	(V)	
			[dBuV/m]	[dBuV/m]		[dB]	[dB]	
1	2002.000	10.1	37.1	35.1	54.0	16.9	18.9	
2	2008.000	10.8	37.7	35.9	54.0	16.3	18.1	
3	2014.000	10.4	37.3	35.7	54.0	16.7	18.3	
4	3531.000	9.7	41.2	39.0	54.0	12.8	15.0	
5	3557.500	9.3	40.6	39.3	54.0	13.4	14.7	

Radiated Emission


Date : 2022/01/19 15:45:47

Model Name : ID-5100
 Model Number : DX-3484
 Serial No. : 0000406
 Test Condition : B-Band / ALL SCAN / RX

Reference No. : -
 Power Supply : DC 13.8
 Temp/Humi : 23 / 35%
 Operator : F.Kinugawa

Memo : Heterodyne=Reverse / GTEMノ

Limit1 : FCC Part15 Subpart.B Class B (3m)



No.	Freq. [MHz]	Vector Sum [dB]	Field Strength		Limit <AV> [dBuV/m]	Margin<AV>		Comment
			(H)	(V)		(H)	(V)	
			[dBuV/m]	[dBuV/m]		[dB]	[dB]	
1	2007.000	10.1	37.1	35.3	54.0	16.9	18.7	
2	2030.000	9.8	36.9	35.4	54.0	17.1	18.6	
3	2036.000	11.1	38.2	36.8	54.0	15.8	17.2	
4	2042.000	11.1	38.3	36.9	54.0	15.7	17.1	
5	2048.000	11.2	38.4	37.0	54.0	15.6	17.0	