



Icom Inc.
1-6-19, Kamiluratsukuri, Hirano-ku, Osaka Japan.
Phone : +81 6 6793 8424 Fax : +81 6 6793 3336
e-mail: world_support@icom.co.jp
URL : http://www.icom.co.jp/world

Date: March 11, 2013

To Whom It May Concern

Subject: Justification Letter

Applicant: Icom Incorporated
Product: MF/HF transceiver
Model: IC-F8101
FCC ID: AFJ350000

Dear Sir/Madam

Icom understands the following Part 90 MF/HF spectrum, and would like the FCC to certify the entire 1.6 to 29.9999MHz spectrum to include the part 90 extended frequencies. This would be done to facilitate the requirements of agencies covered under NTIA spectrum usage. Government agencies complying with the NTIA instead of the FCC must purchase their equipment from private industry manufacturers who are governed under FCC rules. The conflict in spectrum allocation detracts from the options available to the government agencies for commercial off the shelf equipment which meets their required specifications such as the Department of Interiors.

Following table is FCC part 90 frequencies for MF/HF transceiver.

1.6 – 1.8 MHz	5.06 – 5.45 MHz	13.41 – 13.57 MHz	21.85 – 21.924 MHz
1.9 – 2.0MHz	5.73 – 5.9 MHz	13.87 – 14.0 MHz	22.855 – 23.2 MHz
2.107 – 2.17 MHz	6.765 – 7.0 MHz	14.35 – 14.99 MHz	23.35 – 24.89 MHz
2.194 – 2.495 MHz	7.3 – 7.4 MHz	15.8 – 16.36 MHz	25.01 – 25.07 MHz
2.505 – 2.85 MHz	7.4 – 8.1 MHz	17.41 – 17.48 MHz	25.07 – 25.21 MHz
3.155 – 3.23 MHz	9.04 – 9.4 MHz	18.03 – 18.068 MHz	25.21 – 25.33 MHz
3.23 – 3.4 MHz	9.9 – 9.995 MHz	18.168 – 18.78 MHz	27.23 – 27.41 MHz
4.438 – 4.65 MHz	10.15 – 11.175 MHz	19.02 – 19.68 MHz	27.41 – 27.54 MHz
4.75 – 4.85 MHz	11.4 – 11.6 MHz	19.8 – 19.99MHz	29.7 – 29.8 MHz
5.005 – 5.06 MHz	12.1 – 12.23 MHz	20.01 – 21.0 MHz	

Part 90 "extended" frequencies.

1.8 – 1.9 MHz	Part97
2.0 – 2.107 MHz	Part80
2.17 – 2.1735 MHz	Part80
2.1735 – 2.1905 MHz	Part80 or 87
2.1905 – 2.194 MHz	Part80
2.495 – 2.505 MHz	Standard Frequency and Time signal
2.85 – 3.025 MHz	Part87
3.025 – 3.155 MHz	Aeronautical Mobile
4.995 – 5.005 MHz	Standard Frequency and Time signal
5.45 – 5.68 MHz	Part87
5.68 – 5.73 MHz	Aeronautical Mobile
5.9 – 6.2 MHz	Part73
6.2 – 6.525 MHz	Part80
6.525 – 6.685 MHz	Part87



6.685 – 6.765 MHz	Aeronautical Mobile
7.0 – 7.1 MHz	Part97
7.1 – 7.3 MHz	Part73 or 97
8.1 – 8.195 MHz	Part80
8.195 – 8.815 MHz	Part80 or 87
8.815 – 8.965 MHz	Part87
8.965 – 9.04 MHz	Aeronautical Mobile
9.4 – 9.9 MHz	Part73
9.995 – 10.005 MHz	Standard Frequency and Time signal
10.005 – 10.1 MHz	Part87
10.1 – 10.15 MHz	Part97
11.175 – 11.275 MHz	Aeronautical Mobile
11.275 – 11.4 MHz	Part87
11.6 – 12.1 MHz	Part73
12.23 – 13.2 MHz	Part80
13.2 – 13.26 MHz	Aeronautical Mobile
13.26 – 13.36 MHz	Part87
13.36 – 13.41 MHz	Radio Astronomy
13.57 – 13.87 MHz	Part73
14.0 – 14.35 MHz	Part97
14.99 – 15.01 MHz	Standard Frequency and Time signal
15.01 – 15.1 MHz	Aeronautical Mobile
15.1 – 15.8 MHz	Part73
16.36 – 17.41 MHz	Part80
17.48 – 17.9 MHz	Part73
17.9 – 17.97 MHz	Part87
17.97 – 18.03 MHz	Aeronautical Mobile
18.068 – 18.168 MHz	Part97
18.78 – 18.9 MHz	Part80
18.9 – 19.02 MHz	Part73
19.68 – 19.8 MHz	Part80
19.99 – 20.01 MHz	Standard Frequency and Time signal
21.0 – 21.45 MHz	Part97
21.45 – 21.85 MHz	Part73
21.924 – 22.0 MHz	Part87
22.0 – 22.855 MHz	Part80
23.2 – 23.35 MHz	Aeronautical Mobile
24.89 – 24.99 MHz	Part97
24.99 – 25.01 MHz	Standard Frequency and Time signal
25.55 – 25.67 MHz	Radio Astronomy
25.67 – 26.1 MHz	Part73 or 74
26.1 – 26.175 MHz	Part74 or 80
26.176 – 16.48 MHz	Part74
26.48 – 26.95 MHz	Fixed Mobile
26.95 – 26.96 MHz	Part18
26.96 – 27.23 MHz	Part18 or 95
27.54 – 28.0 MHz	Fixed Mobile
28.0 – 29.7 MHz	Part97

icom Inc.

1-6-19,Kamikuratsukuri,Hirano-ku,Osaka Japan.

Phone : +81 6 6793 8424 Fax : +81 6 6793 3336

e-mail: world_support@icom.co.jp

URL : <http://www.icom.co.jp/world>



29.8 – 30.0 MHz

Fixed Mobile

Icom Inc.

1-6-19, Kamikuratsukuri, Hirano-ku, Osaka Japan.

Phone : +81 6 6793 8424 Fax : +81 6 6793 3336

e-mail: world_support@icom.co.jp

URL : <http://www.icom.co.jp/world>

Sincerely,

Icom Incorporated

A handwritten signature in black ink, appearing to read 'H. Fujishima'.

Hideji Fujishima

General Manager of Quality Department