


APPENDIX 1: Photographs of test setup

Conducted Emission

Front



Side




Spurious Emission (Radiated)

Front




Rear



Worst Case Position (Horizontal: Y-axis/ Vertical:X-axis)


X-axis



Y-axis



Configuration and peripherals



*Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No.	Item	Model number	Serial number	Manufacturer	Remarks
A	PLAYSTATION®3	CECHE01	520100600 *1) 520100617 *2)	Sony Computer Entertainment Inc.	EUT
B	PLAYSTATION®3 Controller	CECHZC1E	447055101062	Sony Computer Entertainment Inc.	-
C	PLAYSTATION®3 Controller	CECHZC1U	046080300107	Sony Computer Entertainment Inc.	-
D	PLAYSTATION®3 Controller	CECHZC2J	8507114900136	Sony Computer Entertainment Inc.	-
E	PSP	PSP1000	27400000-0782619	Sony Computer Entertainment Inc.	-
F	Display	MDT201WS	5Z001932GJ	MITSUBISHI	-
G	Note PC	ThinkPad X40	KV-DNK71	IBM	-
H	AC Adaptor	02K6808	11S02K6808 Z1Z 89H52GA21	IBM	-
I	Mouse	M-UB48	LZE02601001	Logitech	-
J	Compact Flash	CFX-256M	CAMH039284QS	I/O DATA	-
K	Memory Stick	MSH-128	D920S4A	SONY	-
L	SD Card	RP-SD128B	BK6CB274150	Panasonic	-

*1) Used for Conducted emission and radiated emission tests.

*2) Used for Antenna terminal conducted tests.

List of cables used

No.	Name	Length (m)	Cable Shielding	Connector Shielding	Remark
1	LAN Cable	2.9	Unshielded	Unshielded	-
2	USB Cable	0.8	Shielded	Shielded	-
3	DC Cable	2.0	Unshielded	Unshielded	One ferrite core (standard attachment)
4	AC Cable	1.0	Unshielded	Unshielded	-
5	USB Cable	1.5	Shielded	Shielded	One ferrite core (standard attachment)
6	USB Cable	1.5	Shielded	Shielded	One ferrite core (standard attachment)
7	USB Cable	1.5	Shielded	Shielded	One ferrite core (standard attachment)
8	USB Cable	0.5	Shielded	Shielded	-
9	AC Cable	2.5	Unshielded	Unshielded	-
10	HDMI Cable	2.0	Shielded	Shielded	-
11	AV Multi Cable	2.5	Unshielded	Unshielded	One ferrite core (standard attachment)
12	AC Cable	2.0	Unshielded	Unshielded	-

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124