


APPENDIX 1: Photographs of test setup

Conducted Emission

Front



Side



Spurious Emission (Radiated)

Front



Rear



Worst Case Position (Horizontal: X-axis/ Vertical:Y-axis)


X-axis



Y-axis



Configuration and peripherals



*Cabling and setup were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No.	Item	Model number	Serial number	Manufacturer	Remarks
A	PLAYSTATION®3	CECHL01	1040134 *1) 1080015 *2) 1040135 *3)	Sony Computer Entertainment Inc.	EUT
B	PLAYSTATION®3 Controller	CECHZC2U	4248052900517	Sony Computer Entertainment Inc.	-
C	PSP	PSP-2000	03-TSP1220H-0000341	Sony Computer Entertainment Inc.	-
D	Display	VW26L HDTV20F	LFMBBAI1023148	VIZIO	-
E	Note PC	X40-2371-GDJ	KV-DNK71	IBM	-
F	AC Adaptor	02K6810	11S02K6810Z1Z3B J51B1YH	IBM	-
G	Mouse	M-UB48	LZE02601001	Logitech	-

*1) Used for Conducted emission test (Power Supply: Delta)

*2) Used for Conducted emission and Radiated spurious emission test (Power Supply: SONY)

*3) Used for Antenna terminal conducted tests

List of cables used

No.	Name	Length (m)	Cable Shielding	Connector Shielding	Remark
1	LAN Cable	1.0	Unshielded	Unshielded	-
2	USB Mouse Cable	0.7	Shielded	Shielded	-
3	DC Cable	1.8	Unshielded	Unshielded	One ferrite core (standard attachment)
4	AC Cable	1.0	Unshielded	Unshielded	-
5	USB Cable	1.5	Shielded	Shielded	One ferrite core (standard attachment)
6	USB Cable	1.0	Shielded	Shielded	-
7	AC Cable	2.5	Unshielded	Unshielded	-
8	HDMI Cable	3.0	Shielded	Shielded	-
9	AV Multi Cable	2.5	Shielded	Shielded	One ferrite core (standard attachment)
10	AC Cable	1.7	Unshielded	Unshielded	-

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124