

APPENDIX 1: Photographs of test setup

Conducted Emission



Photo 1



Photo 2

Radiated Spurious Emission



Photo 1




Photo 2

Worst Case Position (Horizontal: X-axis/ Vertical:Z-axis)

X-axis



Y-axis




Z-axis




Configuration and peripherals

< Conducted Emission >



< Other test than Conducted Emission >



* Cabling and setup(s) were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
A	Wireless Controller	CECH-ZCS1U	EZ-3 *1) EZ-5 *2)	Sony Computer Entertainment	EUT
B	Note PC	2371-A3J	KV-FCR55 04/12	IBM	-
C	AC Adapter	02K6808	11S02K6808Z1Z89H 4BJ6YB	IBM	-
D	Mouse	M056U0A	G0100D8Z	DELL	

*1) Used for Conducted Emission and Radiated Emission tests

*2) Used for Antenna Terminal Conducted test

List of cables used

No.	Name	Length (m)	Shield		Remark
			Cable	Connector	
1	USB Cable	2.4	Shielded	Shielded	-
2	DC Cable	1.8	Shielded	Shielded	-
3	AC Cable	1.5	Unshielded	Unshielded	-
4	USB Mouse Cable	1.8	Shielded	Shielded	-

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124