

APPENDIX 3: Photographs of test setup

Conducted Emission




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Radiated Spurious Emission




Photo 1




Photo 2

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Worst Case Position

Above 1 GHz (Horizontal: X-axis/ Vertical: Y-axis)

Below 1 GHz (Horizontal: X-axis/ Vertical: X-axis)

X-axis




Y-axis



Z-axis



Test Configuration and peripherals



* Cabling and setup(s) were taken into consideration and test data was taken under worse case conditions.

Description of EUT and Support equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
A	Wireless Controller	CUH-ZCT2U	1810072DVT0186 for AT* 1810072DVT0181 for other than AT*	Sony Interactive Entertainment Inc.	EUT
B	Test Jig	-	-	Sony Interactive Entertainment Inc.	-
C	IN-EAR HEAD SET	-	-	Sony Interactive Entertainment Inc.	-
D	Laptop PC	2324-A82	R9-W6R3612/12	Lenovo	-
E	AC Adapter	45N0121	11S45N0121Z1ZH XV2CB96T	Lenovo	-
F	USB Mouse	M-UB48	LZE02650788	Logitech	-
G	Bluetooth Tester	CBT	100401	Rohde & Schwarz	-

List of cables used

No.	Name	Length (m)	Shield		Remark
			Cable	Connector	
1	IN-EAR HEAD SET Cable	1.2	Shielded	Shielded	-
2	USB Cable	1.5	Shielded	Shielded	-
3	DC Cable	1.8	Shielded	Shielded	-
4	AC Cable	1.0	Unshielded	Unshielded	-
5	USB Cable	0.8	Shielded	Shielded	-
6	AC Cable	0.8	Unshielded	Unshielded	-

*AT: Antenna terminal conducted

End of Report

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124