

SONY Sony EMCS Corporation

1, Suzumegairi, Sakazaki, Kohda-cho, Nukata-gun, Aichi-ken., 444-0194 Japan

■Main Office TEL: +81-564-63-6166 FAX: +81-564-63-6179

□Shinagawa Branch TEL: +81-3-5769-5643 FAX +81-3-5769-5963

FCC Labeling Requirements and Information

Date July 20, 2002


American Telecommunications Certification Body, Inc.
6731 Whittier Avenue
Suite C110
McLean, VA 22101

RE: FCC Labeling Requirements
FCC ID: AK8DCRIP220

The following label information is required by the FCC Rules and Regulations for certified devices. Also attached, please find marketing information required by the FCC Rules and Regulations.

Thank you for your attention to these matters.


Sincerely,



Yoshikazu Arima
Senior Manager, Product Safety
DI Engineering Center
Sony EMCS Corporation

TEL:+81-564-63-6166

FAX: +81-564-63-6179



部品
台紙

スリット(台紙のみ)
納入状態

材料構成図

- ポリエステルフィルム0.025ラミネート
- 印刷面
- 合成紙(ユボ紙)
- アクリル系感圧性接着剤(モダンプラスチック社L-220相当品)
- シリコン含浸剥離紙

- 注1)品質特性:ソニー部品設計基準 機銘板の第7-1項に定める各特性を満足すること。
- 2)版下は校正,承認を要す。
- 3)SERIAL NO.は連番で印刷のこと。数字は別途指示による。
- 4)10枚貼りのシート状で納入のこと。
- 5)ラベル地:黒/文字・線:白(抜き文字)
- 6)この部品には、SS-00259-1 PART1「部品・デバイス等に含有される使用制限物質の管理基準」に指定する物質を含んだ材料は、使用してはならない。

記載文字	字高	タイプフェイス
SONY	L=9	SONY Logo Type A
DCR-IP220	1.5	SONY ID TYPE HRC
DIGITAL VIDEO CAMERA RECORDER	1.1	
3-078-377-01	1	
=7.2V	1.7	
MODEL NO.	1.2	ニパ-スライト・イクストラ・コンディショナ
SONY CORPORATION	1	SONY ID TYPE HRC
MADE IN JAPAN	1.1	ニパ-スライト・イクストラ・コンディショナ
tested to comply with FCC standards	1	
FOR HOME OR OFFICE USE		
IC:409B-DCRIP220	1	SONY ID TYPE HRC
FCC ID:AK8DCRIP220		
FC	H=2.8	清刷参照
THE SURFACE OF THE CAMERA MAY GET WARM WHEN THE POWER IS ON FOR LONG TIME. HOWEVER, THIS IS NOT A MALFUNCTION.	0.9	SONY ID TYPE HRC
THIS CLASS B DIGITAL APPARATUS COMPLIES WITH CANADIAN ICES-003.		
CET APPAREIL NUMÉRIQUE DE LA CLASSE B EST CONFORME À LA NORME NMB-003 DU CANADA.		

△x						UNIT mm	TOLERANCE STS-2	USED ON	RANK		
△x						ANGLE	± 0.1		FAMILY		
△x						SCALE	± 0.2 ± 0.3 ± 0.4 ± 0.6	ORIGINAL MODEL DCR-IP220			
△x						MATERIAL(COLOR)	PETP+合成紙+PSA (ユボ紙)	FINISH(COLOR)	凸版印刷後 PETP ラミネート処理 半光沢		
△x						DESCRIPTION (E)	機銘板(80U)				
△x						HISTORY X COUNT	SUFFIX REPL.	ECN-NO. DATE	REVISION SIGN.		
△x						DRAWN BY MNC PVC7第2巻 野吉	PLANNED BY MNC PVC7第2巻 野吉	CHECKED BY	APPROVED BY		
△x						MODEL CX2980C-U2	PART NO. 0-192-128-01	PART NO. 3-078-377-01			
△x						TENTATIVE					
△x						SHEET 1/1					

THIS DOCUMENT IS THE PROPRIETARY PROPERTY OF SONY. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION, OR FOR THE PERFORMANCE OF WORK FOR SONY. ALL QUESTIONS MUST BE REFERRED TO THE LOCAL PURCHASING DEPARTMENT OF SONY.

DRAWING
(TYPE D42)SONY STANDARD
'90.10

A


B

C

D


E

F




記載文字	字高	タイプフェイス	色
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:	0.8	SONY ID TYPE HRC	黒
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND			
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.			
3-077-444-01			

材料構成図



台紙にスリット



注1) 版下は校正、承認を要す。

2) 品質特性: 品質特性: ソニー部品設計基準 ラベル銘板の 第7-1項に定める各特性を満足すること。


△x					UNIT mm	TOLERANCE STS-2	USED ON	RANK
△x					ANGLE	±0.2		FAMILY
△x					SCALE	16 < L ≤ 63 ±0.3		
△x					2:1	63 < L ≤ 250 ±0.4		
△x						250 < L ±0.6		
△x					MATERIAL (COLOR)	上配	FINISH (COLOR)	上配
△x					DESCRIPTION	ORIGINAL MODEL DCR-IP55E		
△x					(E)			
HISTORY	SUFFIX	ECN-NO.	REVISION	SIGN.	(J) FCC ラベル			
X COUNT	REPL.	DATE			PART NO.			
DRAWN BY	PLANNED BY	CHECKED BY	APPROVED BY	MODEL	3-077-444-01			
MNC PVC7-2	MNC PVC7-2	MNC PVC7-2	MNC PVC7-2	CX2960C-U2	SHEET			
02/04/16	02/04/16	02/04/16	02/04/16	0-127-175-01	1/1			
田代	田代	黒崎	黒崎					

THIS DOCUMENT IS THE PROPRIETARY PROPERTY OF SONY. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION, OR FOR THE PERFORMANCE OF WORK FOR SONY. ALL QUESTIONS MUST BE REFERRED TO THE LOCAL PURCHASING DEPARTMENT OF SONY.

ISSUED 02.04.16

Label location

[Side, right]



[Bottom]

