



Label location

DCR-TRV950(US)



DCR-TRV950(CND)




Sub caution



メーカー 三光産業

50
SCALE FOR MICROFILM
0



現地調達
 原産国 (98.71-37.408337)
 LOCALLY PROCURED PART
 COUNTRY OF ORIGIN (TAIWAN MALAYSIA INDONESIA)

部品番号: Part NO.h=1.0(末尾迄記入)
 (Include suffix)

文字: SONY ID TYPE HRC 字高: H=1.0

材料構成図 (Component material structure)

- 印刷面 (耐薬品性を満足するインクを使用のこと)
 Print surface (ink must be resistant to chemicals.)
- ポリエステルフィルム $t=0.05$
 Polyester film must have a thickness of 0.05mm(").
- アルミ蒸着 (モダンプラスチック巻 L220相当品)
 Evaporated aluminum (L220 or equivalent)
- アクリル系感圧接着剤
 Acrylic pressure-sensitive adhesive
- シリコン含剥離層
 Silicon-impregnated removable paper

FINISH

SUFFIX	-01	-11
地 Ground	黒 Black	銀 Silver
文字 Letter	銀文字 Silver (exclude letter)	黒 Black

- 注1) 断下校正は必ず受けること。
 2) 品質特性: ソニー部品設計: ラベル銘板の第7-1項に定める各特性を満足すること。
 3) 使用注意事項: 耐薬品特性の試験は製品に貼付した状態で行って行われるので貼付条件には充分留意すること。(ソニー部品設計基準: ラベル 第7-1-4項)

- NOTE 1) The block copy must obtain proof.
 2) Quality characteristics: must satisfy all the specifications stipulated in 7-1 of Sony parts design standards: plate.
 3) Precautions for use: Sufficient care must be taken for conditions attaching the label. The label must be attached to a product when its anti-chemical characteristics are tested. (See 7-1-4 of the Sony parts design standards: label.)

DRAWING (TYPE 060)
 SONY STANDARD '87.4

12
11
10
9
8
7
6
5
4
3
2
1
AMP CHECK

△x	-	-	-	-	UNIT mm	TOLERANCE	USED ON	RANK
								SS
△x	-	-	-	-	SCALE 2/1	±0.2	ORIGINAL MODEL	FAMILY
MLA								
△x	-	-	-	-	MATERIAL(COLOR)		FINISH(COLOR)	
△x	-	-	-	-	上記 Refer to above		凸版印刷(黒) Relief printing	
△x	-	-	-	-	DESCRIPTION			
△x	-	-	-	-	(1) FCC LABEL			
△x	-	-	-	-	(2) FCCラベル			
HISTORY XCOUNT	SUFFIX REPL.	EDN-NO. DATE	REVISION	SIGN.	MODEL -般(general) PART NO. 0-522-689-上記			
DRAWN BY 内木	PLANNED BY PTC-2 沖胡	CHECKED BY	APPROVED BY PTC-2 [Signature]	TENTATIVE	PART NO. 3-383-081-上記			SHEET 1/1

ISSUED 92.5.11
 SRCB LABEL DIGITAL LABEL (FCC) 92/05/11 16:24:42

FCC Statement Label enlargement

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:

- (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND**
- (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION. 3-383-081-01**