



SONY®

MODEL DKC-C300X

Sony Corporation

DIGITAL STILL CAMERA
DC 5V \approx 1.65A(MAX)

No. XXXXXXXXXX



LISTED
I.T.E.
21NY
E250953



R 007WWCUL0276

N50




Made in China

3-876-670-01

76.3x34.8 200%

NOTE: DO NOT SCALE



FCC ID: AK0DKCC300X
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.

IC: 409B-DKCC300X
This Class B digital apparatus complies with
Canadian ICES-003.
Cet appareil numérique de la classe B est
conforme à la norme NMB-003 du Canada.

文字:ブラック
 printing color:BLACK

生地:シルバー
 base:silver



SCALE 1:1

環境負荷化学物質含有量リスト	
CAS-No. と物質名	含有量

<NOTES>

- 裏面接着剤付きとする。
- 色彩は、ベース : シルバー (材料色)
ロゴ・文字 : ブラック
- 製品納品形態は、シート状とする。
- 製品仕上がりについては、部品保証課受け入れ基準による。
- 台紙面に対してラベルが傾き無きこと。
- EU包装指令対応として以下の材料は素材作成状態から完成仕上げに至るまでの合計含有量が100ppm以下であること。
鉛・カドミウム・水銀・六価クロム
- 環境負荷化学物質名と含有量を確認調査の上連絡すること。
- この部品は「環境管理物質 管理基準MCS-YE/Q-002」を満足すること。
- 環境管理物質 管理基準MCS-YE/Q-002に基づき、採用承認を検定する為、部品の納品までに「部品表成分A/B」、「不使用証明書 (部品承認検定用)」を提出下さい。

<NOTES>

- This part must have adhesive backing.
- Refer to color spec as follow.
base : silver
printing color:BLACK
- A for final product composition is sheet.
- The finished label must be submitted to standard parts inspection.
- Label slant are not allowed for a label mount.
- In order to correspond to Eu Packaging directive
The sum total content from creation to completion of the following masterial should be 100 ppm or less.
*lead·cadmium·mercury·chromium (IV)
- Investigate and inform the name of environment load chemistry material and the containing quantity.
- The parts specification must satisfy enviromental related substances management standard MCS-YE/Q-002.
- In order to authorize adoption recognition based on an enviromental related substance management standard MCS-YE/Q-002, please submit "Parts Component Table A/B", "Certificate of non-use of the Controlled Substances. (For Approving, Inspecting and Examining All The Parts)" by the delivery of goods of parts.

材質構成図

PET FR1125-25マット (半光沢) 0.025T (PET FR1125-25 Mat 0.025T)
 JPN/HSM/SJC:PET FR1125-25 (半光沢) 0.025T

- 印刷面 (Print)
- T0.05 ポリエステルフィルム (T0.05 Polyester film)
- アルミ蒸着 (Vaper-coated with alminum)
- JPN/HSM:FNS ケシ S50
- アクリル系感圧接着剤 (PAT1) (Acrylic adhesive) (PAT1)
- シリコン含浸剥離紙 (Peel paper)

※指定糊を厳守すること。

08:03:28
APPROVED
S. SUZUKI
: :
CHECKED
*
08:03:28
CHECKED
A. ASABA
08:03:28
DESIGNED
Y. HASEGAWA
: :
DRAWN

MK	DATE	EL.NO.	REVISION	REV.BY	SEC	NOTE
*	:	:	*	*	*	*

*金型表示トプレート貼付ケニ付イテハ、資材金型表示要領ニ基ズク。

*IT IS BASED ON THE DISPLAY POINT OF MOLD BY PURCHASE SECTION ABOUT MOLD DISPLAY AND PLATE FIT BILL.

TOLERANCES	SCALE	MATERIAL (GENERAL/TYPE/MFR)	PART CODE	PAGE
* OVR ±*	2:1	REFER TO ABOVE	1.A.G.6.P.4.Si1.3.1.1.-.1.1.	1/1
* ±0.2	☉	---	PART NAME	
* UND ±*		LABEL FCC IC -SG241/WSY		
HOLES	ANGLES	UNIT	FINISH	ORIGINAL MODEL
* *	*	MM	PRINT	SG241/WSY
			DRAW. NO	*
			DRAW. ID/FILE	PLOT DATE
			U6P4S1311-- .00.E44900	08/ 4/ 3



SANYO Electric Co., Ltd.

DI Solutions Company

Location of DKC-C300X Rating Label and FCC/IC Label

