




The position of Name Plate


(Rear View)





記載文字	字高	タイプフェース	備考
SONY®	L=9.0	SONY LOGO TYPEA R7-7#	清刷参照
MODEL	H=1.2	SONY ID TYPE HRC	
DWT-P01	H=1.5		
30 30-36 38-41	H=1.4		
DIGITAL WIRELESS TRANSMITTER			
FREQUENCY RANGE	H=1.3	SONY ID TYPE HR	
NO.			
566.125-607.875MHz			
614.125-637.875MHz			
FCC ID: AK8DWT01			
IC: 409B-DWTP01			
FCC ID: AK8RM215	H=1.5	SONY ID TYPE HRC	
IC: 409B-RM215			
BUILT-IN MODULE RM-215			
Complies Canada			
ICES/NMB-003	H=1.8	SONY ID TYPE HRE	
Class B			
Sony Corporation	H=1.25		
Made in Japan	H=1.0	SONY ID TYPE HR	
4-138-255-01			
FC	H=6.05		清刷参照



材料構成図



- 注記1) この部品には、SS-00259-1に指定する物質を含んだ材料は、使用してはならない
- 2) 印刷色は、地：「黒艶消」、文字：「銀」処理のこと。ただし、※指示部は、地：「銀」、文字「黒艶消」とする。
- 3) 成形用樹脂、インキ、塗料、被覆電線はグリーンパートナー認定取引先から調達する事
- 4) 図中A部に字高2mmでシリアルNOを記載。(発注時に別途連絡)
- 5) 品質特性：SS-00077「ソニー部品設計基準-機銘板」の6項に定める各特性を満足すること。
- 6) 版下は校正、承認を要す


△x	UNIT	TOLERANCE	USED ON	RANK
△x	mm	±0.2		FAMILY
△x	ANGLE			
△x	SCALE	2:1	ORIGINAL MODEL	DWT-P01/3040(U)
△x	MATERIAL (COLOR)	PETP+AL+PSA (銀)	FINISH (COLOR)	耐薬品性を満足する インクを使用 凸版印刷(黒)
△x	TITLE/DESCRIPTION	(6) LABEL, MODEL NUMBER (3040U)		
△x	HISTORY	P/N RELEASE N.S.		
△x	SUFFIX	REVISION		
△x	ECN-NO.	SIGN.		
△x	DATE	TITLE/DESCRIPTION		
△x	REPL.	(4) 機銘板 (3040U)		
△x	PLANNED BY	PART NO.		
△x	DESIGNED BY	MODEL		
△x	CHECKED BY	MAX-767		
△x	APPROVED BY	PART NO.		
△x	DATE	0-923-981-01		
△x	REVISION	4-138-255-01		
△x	SIGN.	SHEET		
△x	DATE	1/1		

THIS DOCUMENT IS THE PROPRIETARY PROPERTY OF SONY. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION, OR FOR THE PERFORMANCE OF WORK FOR SONY. ALL QUESTIONS MUST BE REFERRED TO THE LOCAL PURCHASING DEPARTMENT OF SONY.



記載文字	字高	タイプフェース	備考
SONY®	L=9.0	SONY LOGO TYPEA R2-7#	清刷参照
MODEL	H=1.2	SONY ID TYPE HRC	
DWT-P01	H=1.5		
42 42-51	H=1.4		
DIGITAL WIRELESS TRANSMITTER			
FREQUENCY RANGE			
NO.	H=1.3	SONY ID TYPE HR	
638.125-697.875MHz			
BUILT-IN MODULE RM-215			
FCC ID: AK8DWTP01			
IC: 409B-DWTP01	H=1.5	SONY ID TYPE HRC	
FCC ID: AK8RM215			
IC: 409B-RM215			
Complies Canada			
ICES/NMB-003	H=1.8	SONY ID TYPE HRE	
Class B			
Sony Corporation	H=1.25		
Made in Japan	H=1.0	SONY ID TYPE HR	
4-138-256-01			
FC	H=6.05		清刷参照

材料構成図



- 注記1) この部品には、SS-00259-1に指定する物質を含んだ材料は、使用してはならない
 2) 印刷色は、地：「黒艶消」、文字：「銀」処理のこと。ただし、※指示部は、地：「銀」、文字「黒艶消」とする。
 3) 成形用樹脂、インキ、塗料、被覆電線はグリーンパートナー認定取引先から調達する事
 4) 図中A部に字高2mmでシリアルNoを記載。(発注時に別途連絡)
 5) 品質特性：SS-00077「ソニー部品設計基準-機銘板」の6項に定める各特性を満足すること。
 6) 版下は校正、承認を要す

△x	UNIT	TOLERANCE	USED ON	RANK
△x	mm	±0.2		
△x	ANGLE			FAMILY
△x	SCALE			ORIGINAL MODEL DWT-P01/4250(U)
△x	MATERIAL (COLOR)		FINISH (COLOR)	
△x	PETP+AL+PSA (銀)		耐薬品性を満足する インクを使用 凸版印刷(黒)	
△x	TITLE/DESCRIPTION			
△x	(6) LABEL, MODEL NUMBER (4250U)			
HISTORY		REVISION		SIGN.
DRAWN BY		PLANNED BY		CHECKED BY
APPROVED BY		MODEL		
TENTATIVE		PART NO.		
0-935-710-01		4-138-256-01		1/1

THIS DOCUMENT IS THE PROPRIETARY PROPERTY OF SONY. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION, OR FOR THE PERFORMANCE OF WORK FOR SONY. ALL QUESTIONS MUST BE REFERRED TO THE LOCAL PURCHASING DEPARTMENT OF SONY.