

RF Exposure / MPE Calculation

No. : 28DE0165-HO-01

Applicant : Sony Corporation
Type of Equipment : Bluetooth Audio System
Model No. : MEX-BT3600U
FCC ID : AK8MEXBT3600
IC Number : 409B-MEXBT3600

Sony Corporation declares that Model : MEX-BT3600U
complies with FCC radiation exposure requirement specified in the FCC Rules 2.1093(for portable)/2.1091 (for mobile).

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "MEX-BT3600U" as calculated from FCC OET Bulletin 65 Appendix A, Table (B) Limits for General Population / Uncontrolled Exposure. This calculation is based on the highest EIRP possible from the system, considering maximum power and antenna gain, and considering a 1.0mW/cm² uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4 * \pi * r^2)$$

Where

P = 1.17 mW (Maximum peak output power)
G = 1.00 Numerical Antenna gain; equal -0.01 dBi
r = 20.0 cm

For: MEX-BT3600U

$$S = 0.00023 \text{ mW/cm}^2$$

UL Japan, Inc.

Head Office EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8116

Facsimile : +81 596 24 8124