


スケール 1:2

記載文字	字高	タイフエース	備考
SONY®	1.8	SONY LOGO TYPE A I=16	
MODEL	1.8	SONY ID TYPE HR	
PCG-441L	2.0	SONY ID TYPE HR	
NOTEBOOK COMPUTER		SONY ID TYPE HRC	
DC 16V 3.75A			
The Windows logo is a registered trademark of Microsoft Corporation.			
MADE IN JAPAN	1.8	SONY ID TYPE HRC	
4-660-337-01	1.5	SONY ID TYPE HR	
Sony Corporation	1.8	SONY ID TYPE HRC	清刷参照



SONY®
NOTEBOOK COMPUTER
 The Windows logo is a registered trademark of Microsoft Corporation.

UL
 LISTED
 US 1961
 I.T.E.
 Sony Corporation

MODEL PCG-441L
DC 16V 3.75A
NOTEBOOK COMPUTER
 Tested To Comply With FCC Standards FOR HOME OR OFFICE USE
 T62M159.00
 COMPLIES WITH PART 15B, FCC RULES
 FCC REGISTRATION NUMBER: 8C7TAI-35533-M5-E
 RINGER EQUIVALENCE: 0.1B
 RINGER EQUIVALENCE: 0.2(CANADA)
 REQUIRED CONNECTOR: USOC RJ11C
 Complies Canada ICES/NMB-003



MAID IN JAPAN
 4-660-337-01

1.5 SONY ID TYPE HRC
 特定φ7

材料構成図

- ポリプロピレンフィルム = 0.02ラミネート
- 印刷面
- ポリエチレンフィルム (白) = 0.05
- アクリル系感圧性接着剤
- シリコン含浸剥離紙

- 注1) 版下校正を必ず受けること。
 2) 版下は2倍寸で作成のこと。
 3) 印刷色、地：2060V-ルシバ-
 文字：G4.2V (ターグラー-)
 4) シート状かつ、1シート5枚X2列にて納入のこと。
 5) 指定なき野線巾は0.35mmとする。
 6) UL-969承認ラベルのこと。
 7) 品質特性：SS-00077 ソニー部品設計基準-機械版
 の第6項に定める各特性を満足すること。
 8) 材料はリソテック株式会社製 PETWH50 (A) PA-T1使用のこと。
 9) 印刷はシル印刷のこと。

UNIT	TOLERANCE	USED ON	RANK
mm	±0.2		
mm	±0.3		
mm	±0.4		
mm	±0.6		

REVISION	DATE	BY	REASON
1	01.11.16	浅藤	発注
2	01.11.16	浅藤	発注

DESCRIPTION	4-660-337-01
MODEL	IRX-2060 (1)
PART NO.	0-700-911-00
SHEET	1/1