



LABEL, MODEL NUMBER (U)





| | | | |
|--|--|--------------|--------------------------|
| 記載文字 / WRITTEN LETTER | | 字高 HEIGHT | タイプライター / TYPE FACE |
| SONY | | H=2.0 | Sony Logo type A (=22.5) |
| MODEL | | H=2.5 | SONY ID TYPE HR |
| PCG-631L | | H=2.0 | SONY ID TYPE HR |
| NOTEBOOK COMPUTER DC 19.5V 4.1A | | H=1.5 | 特定マーク、清刷参照 |
| CONTAINS LITHIUM ION BATTERY. DISPOSE OF PROPERLY. | | H=1.8 | SONY ID TYPE HRC |
| The Windows logo is a registered trademark of Microsoft Corporation. | | | SONY ID TYPE HR |
| CAUTION | | | SONY ID TYPE HRC |
| To avoid electrical shock, do not open the cabinet. | | | SONY ID TYPE HRC |
| Your Notebook computer may become warm during operation. This is the result of CPU operation and does not indicate a malfunction of the computer. | | | SONY ID TYPE HR |
| PRECAUTION | | | SONY ID TYPE HRC |
| Afin d'éviter toute décharge électrique, n'ouvrez pas le boîtier. | | H=1.5 | SONY ID TYPE HRC |
| Votre ordinateur portable peut chauffer en cours d'utilisation. Cela n'indique pas un dysfonctionnement de l'ordinateur, mais le résultat du fonctionnement de l'unité centrale. | | | SONY ID TYPE HRC |
| LISTED, I3C1, I.T.E. | | | SONY ID TYPE HRC |
| Tested to Comply with FCC Standards, FOR HOME OR OFFICE USE | | | SONY ID TYPE HR |
| MADE IN USA | | H=2.0 | SONY ID TYPE HR |
| Sony Corporation | | H=2.0 | Sony Corporation 57-318E |
| 4-662-885-01 | | H=1.5 | SONY ID TYPE HRC |

| | | | |
|----------|-------|-------|-------|
| 21 規格記号等 | 規格記号等 | 規格記号等 | 規格記号等 |
| 22 表示記号等 | 表示記号等 | 表示記号等 | 表示記号等 |
| 31 印刷色 | 印刷色 | 印刷色 | 印刷色 |
| 41 印刷文字 | 印刷文字 | 印刷文字 | 印刷文字 |
| 51 印刷線幅 | 印刷線幅 | 印刷線幅 | 印刷線幅 |
| 61 印刷線間隔 | 印刷線間隔 | 印刷線間隔 | 印刷線間隔 |
| 71 印刷線色 | 印刷線色 | 印刷線色 | 印刷線色 |

| | |
|--|--|
| 1) Block copy must be corrected. | 2) Block copy has to be given twice the size of actual parts. |
| 3) Printing color. Background: GRAY. | Text: SILVER. |
| 4) This should be delivered in sheets. | 5) Unless otherwise designated, line width is 0.35mm. |
| 6) Approval label of UL-968. | 7) Quality characteristics: Each characteristics specified in item 6, SS-00077, SONY parts design standards-labels shall be satisfied. |

| | | | |
|-------|-----------|--------|---------|
| UNIT | TOLERANCE | STYS-2 | USED ON |
| ANGLE | ±0.1 | | |
| ANGLE | ±0.2 | | |
| ANGLE | ±0.3 | | |
| ANGLE | ±0.4 | | |
| ANGLE | ±0.5 | | |
| ANGLE | ±0.6 | | |
| ANGLE | ±0.8 | | |
| ANGLE | ±1.0 | | |
| ANGLE | ±1.5 | | |
| ANGLE | ±2.0 | | |
| ANGLE | ±3.0 | | |
| ANGLE | ±5.0 | | |
| ANGLE | ±10.0 | | |
| ANGLE | ±20.0 | | |
| ANGLE | ±30.0 | | |
| ANGLE | ±45.0 | | |
| ANGLE | ±60.0 | | |
| ANGLE | ±90.0 | | |
| ANGLE | ±120.0 | | |
| ANGLE | ±150.0 | | |
| ANGLE | ±180.0 | | |

| | | | | |
|----------------------------|-----|----------|-------|-------|
| DESCRIPTION | REV | DATE | BY | CHKD |
| 1 LABEL, MODEL NUMBER (UA) | 1 | 98.01.12 | Y. H. | Y. H. |

