

NAME PLATE


| | | | |
|---|----------------------------|---|----|
| SONY® | MODEL DWT-B01 | F | 14 |
| DIGITAL WIRELESS TRANSMITTER | | | |
| FREQUENCY RANGE | 14 - 25 470.125-541.875MHz | | |
| FCC ID: AK8DWTB01F IC: 409B-DWTB01F | | | |
| BUILT-IN MODULE RM-215 FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. | |  Sony Corporation Made in Japan | |

| | | | |
|---|----------------------------|---|----|
| SONY® | MODEL DWT-B01 | F | 18 |
| DIGITAL WIRELESS TRANSMITTER | | | |
| FREQUENCY RANGE | 18 - 29 494.125-565.875MHz | | |
| FCC ID: AK8DWTB01F IC: 409B-DWTB01F | | | |
| BUILT-IN MODULE RM-215 FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. | |  Sony Corporation Made in Japan | |

| | | | |
|---|----------------------------|---|----|
| SONY® | MODEL DWT-B01 | F | 26 |
| DIGITAL WIRELESS TRANSMITTER | | | |
| FREQUENCY RANGE | 26 - 36 542.125-607.875MHz | | |
| FCC ID: AK8DWTB01F IC: 409B-DWTB01F | | | |
| BUILT-IN MODULE RM-215 FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. | |  Sony Corporation Made in Japan | |

| | | | |
|---|----------------------------|---|----|
| SONY® | MODEL DWT-B01 | F | 30 |
| DIGITAL WIRELESS TRANSMITTER | | | |
| FREQUENCY RANGE | 30 - 36 566.125-607.875MHz | | |
| | 38 - 41 614.125-637.875MHz | | |
| FCC ID: AK8DWTB01F IC: 409B-DWTB01F | | | |
| BUILT-IN MODULE RM-215 FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. | |  Sony Corporation Made in Japan | |

| | | | |
|---|----------------------------|---|----|
| SONY® | MODEL DWT-B01 | F | 42 |
| DIGITAL WIRELESS TRANSMITTER | | | |
| FREQUENCY RANGE | 42 - 51 638.125-697.875MHz | | |
| FCC ID: AK8DWTB01F IC: 409B-DWTB01F | | | |
| BUILT-IN MODULE RM-215 FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. | |  Sony Corporation Made in Japan | |



NAME PLATE





| | | | |
|---|---------------|---|----|
| SONY | MODEL DWT-P01 | F | 14 |
| DIGITAL WIRELESS TRANSMITTER FREQUENCY RANGE | | | |
| 14 - 25 470.125-541.875MHz | | | |
| FCC ID: AK8DWTP01F IC: 409B-DWTP01F | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. <input type="text"/> | | | |
|  <input type="checkbox"/> | | | |
| Complies Canada ICES/NMB-003 Class B | | | |
| Sony Corporation Made in Japan | | | |

| | | | |
|--|---------------|---|----|
| SONY | MODEL DWT-P01 | F | 18 |
| DIGITAL WIRELESS TRANSMITTER FREQUENCY RANGE | | | |
| 18 - 29 494.125-565.875MHz | | | |
| FCC ID: AK8DWTP01F IC: 409B-DWTP01F | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. <input type="text"/> | | | |
|  <input type="checkbox"/> | | | |
| Complies Canada ICES/NMB-003 Class B | | | |
| Sony Corporation Made in Japan | | | |

| | | | |
|---|---------------|---|----|
| SONY | MODEL DWT-P01 | F | 26 |
| DIGITAL WIRELESS TRANSMITTER FREQUENCY RANGE | | | |
| 26 - 36 542.125-607.875MHz | | | |
| FCC ID: AK8DWTP01F IC: 409B-DWTP01F | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. <input type="text"/> | | | |
|  <input type="checkbox"/> | | | |
| Complies Canada ICES/NMB-003 Class B | | | |
| Sony Corporation Made in Japan | | | |

| | | | |
|--|---------------|---|----|
| SONY | MODEL DWT-P01 | F | 30 |
| DIGITAL WIRELESS TRANSMITTER FREQUENCY RANGE | | | |
| 30 - 36 566.125-607.875MHz 38 - 41 614.125-637.875MHz | | | |
| FCC ID: AK8DWTP01F IC: 409B-DWTP01F | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. <input type="text"/> | | | |
|  <input type="checkbox"/> | | | |
| Complies Canada ICES/NMB-003 Class B | | | |
| Sony Corporation Made in Japan | | | |

| | | | |
|--|---------------|---|----|
| SONY | MODEL DWT-P01 | F | 42 |
| DIGITAL WIRELESS TRANSMITTER FREQUENCY RANGE | | | |
| 42 - 51 638.125-697.875MHz | | | |
| FCC ID: AK8DWTP01F IC: 409B-DWTP01F | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID: AK8RM215 IC: 409B-RM215 | | | |
| No. <input type="text"/> | | | |
|  <input type="checkbox"/> | | | |
| Complies Canada ICES/NMB-003 Class B | | | |
| Sony Corporation Made in Japan | | | |



NAME PLATE

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 14 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 14 = 17 470.125-493.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 34 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 34 = 36 590.125-607.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 18 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 18 = 21 494.125-517.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 38 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 38 = 41 614.125-637.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 22 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 22 = 25 518.125-541.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 42 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 42 = 45 638.125-661.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 26 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 26 = 29 542.125-565.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 46 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 46 = 49 662.125-685.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 30 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 30 = 33 566.125-589.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |

| | | | |
|-------------------------------|----------------|-----------------------------------|----|
| SONY® | MODEL DWR-S01D | F | 50 |
| DIGITAL WIRELESS RECEIVER | | | |
| FREQUENCY RANGE | | | |
| 50 = 51 686.125-697.875MHz | | | |
| INPUT DC 7V == 500mA | | | |
| OUTPUT LEVEL -40dBu | | | |
| IC:409B-DWRS01DF | | | |
| FC | | | |
| BUILT-IN MODULE RM-215 | | | |
| FCC ID:AK8RM215 IC:409B-RM215 | | | |
| No. <input type="text"/> | | Sony Corporation Made In Japan | |