




Block Diagram



VCO Circuit Diagram





A

D

B


E

C

F


X: Refer to the attached "Difference List."

		上海仪器仪表有限公司 SHANGHAI INSTRUMENTS CO., LTD. (021) 64971111	
图号	WRT-8-2-B	日期	2008.11.11
设计	行	审核	行
校对		批准	
制图		工艺	
装配		检验	
焊接		调试	
测试		包装	
搬运		存储	
销售		售后	



* : Refer to the attached "Difference List".

(D)




Δx					UNIT (mm)	TOLERANCE	USER OR	DATE
Δx					SYMBOL			
Δx					SCALE			FAMILY
Δx							ORIGINAL MODEL	WRT-822B
Δx						MATERIAL (COLOR)		FINISH (COLOR)
Δx								
Δx								
HISTORY					REVISION			
DRAWN BY: 村上					PROJECT: APX-385			
PLANNED BY: 村上					PART NO.: C-0248-190-1			
APPROVED BY: 村上					DESCRIPTION: 送信機回路図			
DATE: 11/20					SHEET: 1/1			

THIS DOCUMENT IS THE PROPRIETARY PROPERTY OF SONY. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR SONY. ALL QUESTIONS MUST BE REFERRED TO THE LOCAL PURCHASING DEPARTMENT OF SONY.

ISSUED

BAT

E



- | | | | | | | | | | | | |
|--------------|-------|------------|------|------------------|----------------|------|-------|--------|--------|--------|-----|
| 8505 | C518 | 0509 | C404 | CARRIER_FREQ_A9J | IC406 | C410 | R412 | C411 | + C413 | - C415 | SET |
| UN28-27-110A | 0.01μ | B7C14EE-TL | 56p | CH | 3-80820ANW-EM- | 22k | 100k | 0.047μ | 0.047μ | 0.047μ | |
| | 1.6V | | 1.6V | | | 100 | 1/16W | 10V | 10V | 10V | |
| | | | CH | | | TA-B | 0.5W | | | | |

