


1 2 3 4 5 6 7

REV.	DESCRIPTION	ENG.	APPROVAL
更改	說明	修改人	審核



- H=5mm
- H=5mm
- H=5mm
- H=5mm
- H=5mm
- H=5mm
- H=5mm
- H=7mm

Left
US/Canada/EMEA/Japan

A

B

C

D

E

A

B

C

D

- Requirement of PRIMAX Green Part:
1. Comply with PRIMAX QW-5Q002 "Green Product Chemical Substances Specification".
 2. Follow customer's specification as required.
 3. Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.										
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCE: 1.0</small>		USED 用途 J56BT	APPD. 審核 Haoyu Lee									
<table border="1"> <thead> <tr> <th>DIMENSIONS</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>6.00 TO 30.00mm</td> <td>± 0.10mm</td> </tr> <tr> <td>30.01 TO 80.00mm</td> <td>± 0.13mm</td> </tr> <tr> <td>80.01 TO 150.00mm</td> <td>± 0.15mm</td> </tr> <tr> <td>150.01 ↑</td> <td>± 0.20mm</td> </tr> </tbody> </table>	DIMENSIONS	TOLERANCE	6.00 TO 30.00mm	± 0.10mm	30.01 TO 80.00mm	± 0.13mm	80.01 TO 150.00mm	± 0.15mm	150.01 ↑	± 0.20mm	FINISH 處理	CHKD. 校對 Hongmin Hu
DIMENSIONS	TOLERANCE											
6.00 TO 30.00mm	± 0.10mm											
30.01 TO 80.00mm	± 0.13mm											
80.01 TO 150.00mm	± 0.15mm											
150.01 ↑	± 0.20mm											
MATERIAL 材質 SEE NOTE 1	SCALE 比例 /	UNIT 單位 mm	DR. 製圖 Hongming Hu 2013/07/25									
		TITLE 名稱 Laser marking										
		DWG NO. 圖號 308000197000	SIZE 圖紙 A4									
		FILE NAME 檔案名稱 308000197000V0.5.PDF	SHEET 張 1/1									
		REV. 更改 0.5										

1 2 3 4 5 6 7

1 2 3 4 5 6 7

REV. 更改	DESCRIPTION 說明	ENG. 修改人	APPROVAL 審核

A
B
C
D
E

H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=7mm

Left
Brazil

Requirement of PRIMAX Green Part:

1. Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification“.
2. Follow customer's specification as required.
3. Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.										
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCE: 1.0</small>		USED 用途 J56BT	APPD. 審核 Haoyu Lee									
<table border="1"> <thead> <tr> <th>DIMENSIONS</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>6.00 TO 30.00mm</td> <td>± 0.10mm</td> </tr> <tr> <td>30.01 TO 80.00mm</td> <td>± 0.13mm</td> </tr> <tr> <td>80.01 TO 150.00mm</td> <td>± 0.15mm</td> </tr> <tr> <td>150.01 ↑</td> <td>± 0.20mm</td> </tr> </tbody> </table>	DIMENSIONS	TOLERANCE	6.00 TO 30.00mm	± 0.10mm	30.01 TO 80.00mm	± 0.13mm	80.01 TO 150.00mm	± 0.15mm	150.01 ↑	± 0.20mm	FINISH 處理	CHKD. 校對 Hongmin Hu
DIMENSIONS	TOLERANCE											
6.00 TO 30.00mm	± 0.10mm											
30.01 TO 80.00mm	± 0.13mm											
80.01 TO 150.00mm	± 0.15mm											
150.01 ↑	± 0.20mm											
MATERIAL 材質 SEE NOTE 1	SCALE 比例 /	UNIT 單位 mm	DR. 製圖 Hongming Hu 2013/07/25									
		TITLE 名稱 Laser marking										
		DWG NO. 圖號 308000197010	SIZE 圖紙 A4									
		FILE NAME 檔案名稱 308000197010v0.5.PDF	SHEET 張 1/1 REV. 更改 0.5									

1 2 3 4 5 6

1

2

3

4

5

6


7

REV. 更改	DESCRIPTION 說明	ENG. 修改人	APPROVAL 審核

A

A

 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=7mm



Model: J56BT
Made in China
Harman International Industries,
Incorporated

3mm

60.76

69.63

MSIP-CMM-HOE-J56BT
당해 무선설비는 운용중 전파혼신 가능성이 있음
제조국가: 중국

B

B

C

C

D


D

Left Korea

Requirement of PRIMAX Green Part:

1. Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification“.
2. Follow customer's specification as required.
3. Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

E

THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.		PRIMAX ® 東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCE: 1.0		USED 用途 J56BT	APPD. 審核 Haoyu Lee
DIMENSIONS 6.00 TO 30.00mm	TOLERANCE ± 0.10mm	FINISH 處理	CHKD. 校對 Hongmin Hu
30.01 TO 80.00mm	± 0.13mm	SCALE 比例 /	DR. 製圖 Hongming Hu 2013/07/25
80.01 TO 150.00mm	± 0.15mm	UNIT 單位 mm	
150.01 ↑	± 0.20mm	TITLE 名稱 Laser marking	
MATERIAL 材質 SEE NOTE 1		DWG NO. 圖號 308000197020	SIZE 圖紙 A4
		FILE NAME 檔案名稱 308000197020v0.5.PDF	SHEET 張 1/1 REV. 更改 0.5

1

2

3

4

5

6

1 2 3 4 5 6 7

REV.	DESCRIPTION	ENG.	APPROVAL
更改	說明	修改人	審核

A
B
C
D
E

H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=5mm
 H=7mm

Left
CHINA

Requirement of PRIMAX Green Part:

1. Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification”.
2. Follow customer's specification as required.
3. Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.	
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCE: 1.0</small>		USED 用途 J56BT	APPD. 審核 Haoyu Lee
DIMENSIONS 6.00 TO 30.00mm	TOLERANCE ± 0.10mm	FINISH 處理	CHKD. 校對 Hongmin Hu
30.01 TO 80.00mm	± 0.13mm	SCALE 比例 /	DR. 製圖 Hongming Hu 2013/07/25
80.01 TO 150.00mm	± 0.15mm	UNIT 單位 mm	TITLE 名稱 Laser marking
150.01 ↑	± 0.20mm	DWG NO. 圖號 308000197030	SIZE 圖紙 A4
MATERIAL 材質 SEE NOTE 1		FILE NAME 檔案名稱 308000197030V0.5.PDF	SHEET 張 1/1 REV. 更改 0.5

1 2 3 4 5 6