

# QUICK START GUIDE

SOUNDGEAR  
SENSE





# WHAT'S IN THE BOX



SCAN ME



# APP



## JBL HEADPHONES

Get even more control and personalization of your listening experience with this free app.



# HOW TO WEAR



1





2




3



# HOW TO WEAR (OPTIONAL)




# FIRST TIME USE



# POWER ON & CONNECT



## Others



## Android™ 6.0+



Fast Pair

Choose "JBL SOUNDGEAR SENSE" to connect.



## Windows 10 V1803+



Microsoft Swift Pair

# DUAL CONNECT + SYNC




**Stereo mode**




**Mono mode**


# MULTI-POINT CONNECTION




(Maximum 2 devices)



# CONTROLS




• Tap × 1  
•• Tap × 2  
••• Tap × 3  
— Hold (2s)



**L**

Volume Up (1 tap) | Volume Down (2 taps)  
Call Answer (2 taps) | Call End (Hold)  
Voice Assistant (Hold)


Bixby/Siri®/Others




**R**

Play/Pause (1 tap) | Next (2 taps) | Previous (3 taps)  
Call Answer (2 taps) | Call End (Hold)  
Voice Assistant (Hold)




Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app 



# POWER OFF




# FACTORY RESET






# DO MORE WITH THE APP



# CHARGING



Charge  →  2HR  
15MIN ⚡ = 4HR 🎵



# LED BEHAVIORS



		BT connecting
		BT connected
		BT not connected

		Low battery
		Charging
		Fully charged



# TECH SPEC



IP55

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V --- 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
Neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs

Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C



**FR****WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR (OPTIONAL)****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC****Model:**

SOUNDGEAR SENSE

**Driver size:**

16.2mm/ 0.638" Dynamic Driver

**Power supply:**

5V --- 1A

**Earbud:**

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

**Charging case:**

67 g/ 0.1477 lbs

**neckband:**

5.3 g/ 0.0117 lbs

**Earbud battery type:**

Lithium-ion battery (70 mAh/ 3.85 V)

**Charging case battery type:**

Lithium-ion battery (600 mAh/ 3.8 V)

**Charging time:**

2 hrs from empty

**Music playtime with BT on:**

Up to 6 hrs

**Talk time:**

Up to 3.5 hrs

**Frequency response :**

20 Hz – 20 kHz

**Impedance:**

32 ohm

**Sensitivity:**

112 dB SPL@1 kHz

**Maximum SPL:**

90 dB

**Microphone sensitivity:**

-38 dBV/Pa@1 kHz

**Bluetooth version:**

5.3

**Bluetooth profile version:**

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

**Bluetooth transmitter frequency**

range: 2.4 GHz - 2.4835 GHz

**Bluetooth transmitter power:**

< 10 dBm

**Bluetooth transmitter modulation:**

GFSK, π/4-DQPSK, 8DPSK

**Maximum operation temperature:**

45 °C

**DA****WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR (OPTIONAL)****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## DE

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR (OPTIONAL)

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

**EL****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC****Model:**

SOUNDGEAR SENSE

**Driver size:**

16.2mm/ 0.638" Dynamic Driver

**Power supply:**

5V --- 1A

**Earbud:**

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

**Charging case:**

67 g/ 0.1477 lbs

**neckband:**

5.3 g/ 0.0117 lbs

**Earbud battery type:**

Lithium-ion battery (70 mAh/ 3.85 V)

**Charging case battery type:**

Lithium-ion battery (600 mAh/ 3.8 V)

**Charging time:**

2 hrs from empty

**Music playtime with BT on:**

Up to 6 hrs

**Talk time:**

Up to 3.5 hrs

**Frequency response :**

20 Hz – 20 kHz

**Impedance:**

32 ohm

**Sensitivity:**

112 dB SPL@1 kHz

**Maximum SPL:**

90 dB

**Microphone sensitivity:**

-38 dBV/Pa@1 kHz

**Bluetooth version:**

5.3

**Bluetooth profile version:**

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

**Bluetooth transmitter frequency**

range: 2.4 GHz - 2.4835 GHz

**Bluetooth transmitter power:**

< 10 dBm

**Bluetooth transmitter modulation:**

GFSK, π/4-DQPSK, 8DPSK

**Maximum operation temperature:**

45 °C

**ES****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## F1

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

**HU****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC****Model:**

SOUNDGEAR SENSE

**Driver size:**

16.2mm/ 0.638" Dynamic Driver

**Power supply:**

5V --- 1A

**Earbud:**

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

**Charging case:**

67 g/ 0.1477 lbs

**neckband:**

5.3 g/ 0.0117 lbs

**Earbud battery type:**

Lithium-ion battery (70 mAh/ 3.85 V)

**Charging case battery type:**

Lithium-ion battery (600 mAh/ 3.8 V)

**Charging time:**

2 hrs from empty

**Music playtime with BT on:**

Up to 6 hrs

**Talk time:**

Up to 3.5 hrs

**Frequency response :**

20 Hz – 20 kHz

**Impedance:**

32 ohm

**Sensitivity:**

112 dB SPL@1 kHz

**Maximum SPL:**

90 dB

**Microphone sensitivity:**

-38 dBV/Pa@1 kHz

**Bluetooth version:**

5.3

**Bluetooth profile version:**

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

**Bluetooth transmitter frequency**

range: 2.4 GHz - 2.4835 GHz

**Bluetooth transmitter power:**

< 10 dBm

**Bluetooth transmitter modulation:**

GFSK, π/4-DQPSK, 8DPSK

**Maximum operation temperature:**

45 °C

**IT****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## NL

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

**NO****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC**

Model:

SOUNDGEAR SENSE

Driver size:

16.2mm/ 0.638" Dynamic Driver

Power supply:

5V --- 1A

Earbud:

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

Charging case:

67 g/ 0.1477 lbs

neckband:

5.3 g/ 0.0117 lbs

Earbud battery type:

Lithium-ion battery (70 mAh/ 3.85 V)

Charging case battery type:

Lithium-ion battery (600 mAh/ 3.8 V)

Charging time:

2 hrs from empty

Music playtime with BT on:

Up to 6 hrs

Talk time:

Up to 3.5 hrs

Frequency response :

20 Hz – 20 kHz

Impedance:

32 ohm

Sensitivity:

112 dB SPL@1 kHz

Maximum SPL:

90 dB

Microphone sensitivity:

-38 dBV/Pa@1 kHz

Bluetooth version:

5.3

Bluetooth profile version:

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

Bluetooth transmitter frequency

range: 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power:

< 10 dBm

Bluetooth transmitter modulation: GFSK, π/4-DQPSK, 8DPSK

Maximum operation temperature: 45 °C

**PL****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## PT-BR

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

**SV****WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC****Model:**

SOUNDGEAR SENSE

**Driver size:**

16.2mm/ 0.638" Dynamic Driver

**Power supply:**

5V --- 1A

**Earbud:**

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

**Charging case:**

67 g/ 0.1477 lbs

**neckband:**

5.3 g/ 0.0117 lbs

**Earbud battery type:**

Lithium-ion battery (70 mAh/ 3.85 V)

**Charging case battery type:**

Lithium-ion battery (600 mAh/ 3.8 V)

**Charging time:**

2 hrs from empty

**Music playtime with BT on:**

Up to 6 hrs

**Talk time:**

Up to 3.5 hrs

**Frequency response :**

20 Hz – 20 kHz

**Impedance:**

32 ohm

**Sensitivity:**

112 dB SPL@1 kHz

**Maximum SPL:**

90 dB

**Microphone sensitivity:**

-38 dBV/Pa@1 kHz

**Bluetooth version:**

5.3

**Bluetooth profile version:**

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

**Bluetooth transmitter frequency**

range: 2.4 GHz - 2.4835 GHz

**Bluetooth transmitter power:**

< 10 dBm

**Bluetooth transmitter modulation:**

GFSK, π/4-DQPSK, 8DPSK

**Maximum operation temperature:**

45 °C

**TR****WHAT'S IN THE BOX APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## RU

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## ZH-CN

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR FIRST TIME USE

#### POWER ON & CONNECT

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC

Stereo mode

Mono mode

#### MULTI-POINT CONNECTION


Tap

Hold

Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

### Model:

SOUNDGEAR SENSE

### Driver size:

16.2mm/ 0.638" Dynamic Driver

### Power supply:

5V --- 1A

### Earbud:

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

### Charging case:

67 g/ 0.1477 lbs

### neckband:

5.3 g/ 0.0117 lbs

### Earbud battery type:

Lithium-ion battery (70 mAh/ 3.85 V)

### Charging case battery type:

Lithium-ion battery (600 mAh/ 3.8 V)

### Charging time:

2 hrs from empty

### Music playtime with BT on:

Up to 6 hrs

### Talk time:

Up to 3.5 hrs

### Frequency response :

20 Hz – 20 kHz

### Impedance:

32 ohm

### Sensitivity:

112 dB SPL@1 kHz

### Maximum SPL:

90 dB

### Microphone sensitivity:

-38 dBV/Pa@1 kHz

### Bluetooth version:

5.3

### Bluetooth profile version:

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

### Bluetooth transmitter frequency

range: 2.4 GHz - 2.4835 GHz

### Bluetooth transmitter power:

< 10 dBm

### Bluetooth transmitter modulation:

GFSK, π/4-DQPSK, 8DPSK

### Maximum operation temperature:

45 °C

## ZH-TW

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR FIRST TIME USE

#### POWER ON & CONNECT

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC

Stereo mode

Mono mode

#### MULTI-POINT CONNECTION


Tap

Hold

Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## ID

### WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING

#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

**JP****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

**TECH SPEC****Model:**

SOUNDGEAR SENSE

**Driver size:**

16.2mm/ 0.638" Dynamic Driver

**Power supply:**

5V --- 1A

**Earbud:**

12.7g per pc (25.4 g combined)/  
0.028 lbs per pc (0.056 lbs combined)

**Charging case:**

67 g/ 0.1477 lbs

**neckband:**

5.3 g/ 0.0117 lbs

**Earbud battery type:**

Lithium-ion battery (70 mAh/ 3.85 V)

**Charging case battery type:**

Lithium-ion battery (600 mAh/ 3.8 V)

**Charging time:**

2 hrs from empty

**Music playtime with BT on:**

Up to 6 hrs

**Talk time:**

Up to 3.5 hrs

**Frequency response :**

20 Hz – 20 kHz

**Impedance:**

32 ohm

**Sensitivity:**

112 dB SPL@1 kHz

**Maximum SPL:**

90 dB

**Microphone sensitivity:**

-38 dBV/Pa@1 kHz

**Bluetooth version:**

5.3

**Bluetooth profile version:**

HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2

**Bluetooth transmitter frequency**

range: 2.4 GHz - 2.4835 GHz

**Bluetooth transmitter power:**

< 10 dBm

**Bluetooth transmitter modulation:**

GFSK, π/4-DQPSK, 8DPSK

**Maximum operation temperature:**

45 °C

**KO****WHAT'S IN THE BOX  
APP**

Get even more control and personalization of your listening experience with this free app.

**HOW TO WEAR****FIRST TIME USE****POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE" to connect.

**DUAL CONNECT + SYNC**

Stereo mode

Mono mode

**MULTI-POINT CONNECTION**


Tap

Hold

Maximum 2 devices

**CONTROLS**

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

**POWER OFF****FACTORY RESET****DO MORE WITH THE APP****CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C



## WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

### HOW TO WEAR

#### FIRST TIME USE

#### POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

#### DUAL CONNECT + SYNC


Stereo mode  
Mono mode

#### MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

#### CONTROLS

Bixby/Siri®/Others

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

#### POWER OFF

#### FACTORY RESET

#### DO MORE WITH THE APP

#### CHARGING


#### LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## TECH SPEC

Model:	SOUNDGEAR SENSE
Driver size:	16.2mm/ 0.638" Dynamic Driver
Power supply:	5V === 1A
Earbud:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Charging case:	67 g/ 0.1477 lbs
neckband:	5.3 g/ 0.0117 lbs
Earbud battery type:	Lithium-ion battery (70 mAh/ 3.85 V)
Charging case battery type:	Lithium-ion battery (600 mAh/ 3.8 V)
Charging time:	2 hrs from empty
Music playtime with BT on:	Up to 6 hrs
Talk time:	Up to 3.5 hrs
Frequency response :	20 Hz – 20 kHz
Impedance:	32 ohm
Sensitivity:	112 dB SPL@1 kHz
Maximum SPL:	90 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	<10 dBm
Bluetooth transmitter modulation:	GFSK, $\pi/4$ -DQPSK, 8DPSK
Maximum operation temperature:	45 °C

\* Enable advance controls by connecting your JBL SOUNDGEAR

SENSE to JBL Headphones app .

#### **POWER OFF**

#### **FACTORY RESET**

#### **DO MORE WITH THE APP**

#### **CHARGING**

#### **LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

#### **AR**

#### **WHAT'S IN THE BOX**

#### **APP**

Get even more control and personalization of your listening experience with this free app.

#### **HOW TO WEAR**

#### **FIRST TIME USE**

#### **POWER ON & CONNECT**

Others

Choose "JBL SOUNDGEAR SENSE"

to connect.

#### **DUAL CONNECT + SYNC**

Stereo mode

Mono mode

#### **MULTI-POINT CONNECTION**

Tap

Hold


Maximum 2 devices

#### **CONTROLS**

Bixby/Siri®/Others

<b>SOUNDGEAR SENSE</b>	
Model:	16.2mm/ 0.638" Dynamic Driver
Driver size:	5V === 1A
Power supply:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Earbud:	67 g/ 0.1477 lbs 5.3 g/ 0.0117 lbs
Charging case:	Lithium-ion battery (70 mAh/ 3.85 V)
neckband:	Lithium-ion battery (600 mAh/ 3.8 V)
Earbud battery type:	2 hrs from empty
Charging case battery type:	Up to 6 hrs
Charging time:	Up to 3.5 hrs
Music playback with BT on:	20 Hz – 20 kHz
Talk time:	32 ohm
Frequency response:	112 dB SPL@1 kHz
Impedance:	90 dB
Sensitivity:	-38 dBV/Pa@1 kHz
Maximum SPL:	5.3
Microphone sensitivity:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth version:	Bluetooth transmitter frequency range:
Bluetooth profile version:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter frequency range:	<10 dBm
Bluetooth transmitter power:	Bluetooth transmitter power:
Bluetooth transmitter modulation:	GFSK, $\pi$ /4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## TECH SPEC

\* Enable advance controls by connecting your JBL SOUNDGEAR SENSE to JBL Headphones app .

## POWER OFF

## FACTORY RESET

## DO MORE WITH THE APP

## CHARGING

## LED BEHAVIORS

BT connecting  
BT connected  
BT not connected  
Low battery  
Charging  
Fully charged

## HE

## WHAT'S IN THE BOX

## APP

Get even more control and personalization of your listening experience with this free app.

## HOW TO WEAR

## FIRST TIME USE

## POWER ON & CONNECT

Others  
Choose "JBL SOUNDGEAR SENSE" to connect.

## DUAL CONNECT + SYNC

Stereo mode  
Mono mode

## MULTI-POINT CONNECTION

Tap  
Hold  
Maximum 2 devices

## CONTROLS

Bixby/Siri®/Others

<b>SOUNDGEAR SENSE</b>	
Model:	16.2mm/ 0.638" Dynamic Driver
Driver size:	5V === 1A
Power supply:	12.7g per pc (25.4 g combined)/ 0.028 lbs per pc (0.056 lbs combined)
Earbud:	67 g/ 0.1477 lbs 5.3 g/ 0.0117 lbs
Charging case:	Lithium-ion battery (70 mAh/ 3.85 V)
neckband:	Lithium-ion battery (600 mAh/ 3.8 V)
Earbud battery type:	2 hrs from empty
Charging case battery type:	Up to 6 hrs
Charging time:	Up to 3.5 hrs
Music playback with BT on:	20 Hz – 20 kHz
Talk time:	32 ohm
Frequency response:	112 dB SPL@1 kHz
Impedance:	90 dB
Sensitivity:	-38 dBV/Pa@1 kHz
Maximum SPL:	5.3
Microphone sensitivity:	HFP 1.8, A2DP A2DP 1.4, AVRCP 1.6.2
Bluetooth version:	Bluetooth transmitter frequency range:
Bluetooth profile version:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter frequency range:	<10 dBm
Bluetooth transmitter power:	Bluetooth transmitter power:
Bluetooth transmitter modulation:	GFSK, $\pi$ /4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

## TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

neckband:

Earbud battery type:

Charging case battery type:

Charging time:

Music playback with BT on:

Talk time:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter frequency

range:

Bluetooth transmitter power:

Bluetooth transmitter modulation:

Maximum operation temperature:



**TO PROLONG BATTERY LIFESPAN, FULLY CHARGE AT LEAST ONCE EVERY 3 MONTHS. BATTERY LIFE VARIES BY USE AND SETTINGS.**

- FR POUR PROLONGER LA VIE DE LA BATTERIE, CHARGEZ-LA COMPLÈTEMENT AU MOINS UNE FOIS TOUS LES 3 MOIS. LA DURÉE DE VIE DE LA BATTERIE VARIE EN FONCTION DE L'UTILISATION ET DES RÉGLAGES.
- DA FOR AT FORLÆNGE BATTERIETS LEVETID SKAL DU OPLADE DET HELT MINDST ÉN GANG HVER 3. MÅNED. BATTERIETS LEVETID VARIERER AFHÆNGIG AF BRUG OG INDSTILLINGER.
- DE ZUM VERLÄNGERN DER AKKULEBENSDAUER MINDESTENS EINMAL ALLE 3 MONATE VOLLSTÄNDIG AUFLADEN. DIE AKKULEBENSDAUER VARIERT JE NACH ANWENDUNG UND EINSTELLUNGEN.
- EL ΓΙΑ ΝΑ ΠΑΡΑΤΕΙΝΕΤΕ ΤΗ ΔΙΑΡΚΕΙΑ ΖΩΗΣ ΤΗΣ ΜΠΑΤΑΡΙΑΣ, ΦΟΡΤΙΣΤΕ ΤΗΝ ΠΛΗΡΩΣ ΤΟΥΛΑΧΙΣΤΟΝ ΜΙΑ ΦΟΡΑ ΚΑΘΕ 3 ΜΗΝΕΣ. Η ΔΙΑΡΚΕΙΑ ΖΩΗΣ ΤΗΣ ΜΠΑΤΑΡΙΑΣ ΠΟΙΚΙΛΙΑΙ ΑΝΑΛΟΓΑ ΜΕ ΤΗ ΧΡΗΣΗ ΚΑΙ ΤΙΣ ΡΥΘΜΙΣΕΙΣ.
- ES PARA PROLONGAR LA DURACIÓN DE LA BATERÍA, CÁRGALA COMPLETAMENTE POR LO MENOS UNA VEZ CADA 3 MESES. LA DURACIÓN DE LA BATERÍA DEPENDE DEL USO Y DE LOS AJUSTES.
- FI PIDENNÄ AKUN KÄYTTÖIKÄÄ LATAAMALLA SE TÄYTEEN VÄHINTÄÄN KERRAN 3 KUUKAUDESSA. AKUN KÄYTTÖIKÄ VAIHTELEE KÄYTÖN JA ASETUSTEN MUKAISESTI.
- HU AZ AKKUMULÁTOR ÉLETTARTAMÁNAK NÖVELÉSE ÉRDEKÉBEN 3 HAVONTA LEGALÁBB EGYSZER TÖLTSE FEL. AZ AKKUMULÁTOR ÉLETTARTAMA A HASZNÁLATÓTL ÁS A BEÁLLÍTÁSOKTÓL FÜGGŐEN VÁLTOZIK.

IT PER PROLUNGARE LA VITA UTILE DELLA BATTERIA, RICARICARE COMPLETAMENTE ALMENO UNA VOLTA OGNI 3 MESI. LA VITA UTILE DELLA BATTERIA VARIA A SECONDA DELL'USO E DELLE IMPOSTAZIONI.

NL OM DE LEVENSDUUR VAN DE BATTERIJ TE OPTIMALISEREN, 1 KEER PER 3 MAANDEN VOLLEDIG OPLADEN. DE LEVENSDUUR VAN DE BATTERIJ IS AFHANKELIJK VAN GEBRUIK EN INSTELLINGEN.

NO FORLENG BATTERIETS LEVETID VED Å LADE DET HELT OPP MINST HVER 3. MÅNED. BATTERIETS LEVETID VARIERER AVHENGIG AV BRUK OG INNSTILLINGER.

PL ABY PRZEDŁUŻYĆ ŻYWOTNOŚĆ BATERII, NAŁADUJ JĄ W PEŁNI CO NAJMNIEJ RAZ CO 3 MIESIĄCE. ŻYWOTNOŚĆ BATERII JEST ZALEŻNA OD SPOSOBU UŻYTKOWANIA I USTAWIEŃ.

PT-BR PARA PROLONGAR A VIDA ÚTIL DA BATERIA, CARREGUE-A ATÉ A CARGA MÁXIMA PELO MENOS UMA VEZ A CADA TRÊS MESES. A DURABILIDADE DA BATERIA DEPENDE DE COMO E ONDE ELA É USADA.

SV LADDA BATTERIET MINST EN GÅNG VAR TREDJE MÅNAD FÖR ATT FÖRLÄNGA DESS LIVSLÄNGD. BATTERIETS LIVSLÄNGD VARIERAR BEROENDE PÅ ANVÄNDNING OCH INSTÄLLNINGAR.

TR PİL ÖMRÜNÜ UZATMAK İÇİN HER 3 AYDA EN AZ BİR DEFA TAM ŞARJ EDİNİZ. PİL ÖMRÜ, KULLANIM ŞEKLİNE VE AYARLARA GÖRE DEĞİŞKENLİK GÖSTERMEKTEDİR.

RU ЧТОБЫ ПРОДЛИТЬ СРОК ЭКСПЛУАТАЦИИ АКУМУЛЯТОРА, ВЫПОЛНИЙТЕ ПОЛНУЮ ЗАРЯДКУ ХОТЯ БЫ РАЗ В 3 МЕСЯЦА. СРОК ЭКСПЛУАТАЦИИ АКУМУЛЯТОРА ЗАВИСИТ ОТ ИСПОЛЬЗОВАНИЯ И НАСТРОЕК.

ZH-CN 要延长电池寿命，请至少每三个月完全充电一次。电池寿命因不同使用方式和设置而异。

ZH-TW 為延長電池壽命，每 3 個月至少要充滿電一次。電池壽命視使用和設定而異。

ID AGAR MASA PAKAI BATERAI LEBIH LAMA, ISI DAYA HINGGA PENUH SETIDAKNYA 3 BULAN SEKALI. MASA PAKAI BATERAI BERBEDA-BEDA TERGANTUNG PEMAKAIAN DAN PENGATURAN.

JP バッテリーをより長く使用するために、約3か月毎に満充電してください。バッテリーの寿命は使用方法および設定等により異なります。

KO 배터리 수명을 늘리려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용법 및 설정에 따라 다릅니다.

MM တတ္ထရီသက်တမ်းကို ကြာရှည်စေရန်အတွက် အနည်းဆုံး ၃ လတစ်ကြိမ် အားအပြည့်ဖြည့်ပေးပါ။ တတ္ထရီအသုံးပြုနိုင်သည့်ကာလသည် အသုံးပြုမှုနှင့် ဆက်တင်များအပေါ် မူတည်ပြီး ပြောင်းလဲနိုင်ပါသည်။

AR إطالة عمر البطارية، اشحنها بالكامل مرة واحدة على الأقل كل 3 أشهر. ويختلف عمر البطارية حسب الاستخدام والإعدادات.

HE כדי להאריך את חיי הסוללה, יש לטעון אותה במלואה מדי שלושה חודשים לכל הפחות. משך חיי הסוללה ישתנה בהתאם לשימוש ולהגדרות.



**WARNING**

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

### **IC RF Exposure Information and Statement**

The SAR limit of Canada (C) is 1.6 W/kg averaged over one gram of tissue. Device types: (6132A-JBLSGSENSE) has also been tested against this SAR limit. According to this standard, the highest SAR value reported during product certification for head use is 0.13W / kg.

The device was tested for typical bodily operations where the product was kept 0 mm from the head. To maintain compliance with IC RF exposure requirements, use accessories that maintain a separation distance of 0mm between the user's head and the back of the headset. The use of belt clips, holsters and similar accessories shall not contain metal parts in its assembly. Use of accessories that do not meet these requirements may not comply with IC RF exposure requirements and should be avoided.

### **Head operation**

The device was subjected to a typical head manipulation test. In order to comply with RF exposure requirements, a minimum separation distance of 0 cm must be maintained between the user's ear and the product (including the antenna). Head exposure that do not meet these requirements may not meet RF exposure requirements and should be avoided. Use only the supplied or approved antenna.

### **IC: 6132A-JBLSGSENSE**

#### **Informations et énoncés sur l'exposition RF de l'IC.**

La limite DAS du Canada (C) est de 1,6 W/kg, arrondie sur un gramme de tissu. Types d'appareils: (6132A-JBLSGSENSE) a également été testé en relation avec cette limite DAS selon ce standard. La valeur DAS la plus élevée mesurée pendant la certification du produit pour une utilisation au niveau de la tête est de 0.13 W / kg.

L'appareil a été testé dans des cas d'utilisation typiques en relation avec le corps, où le produit a été utilisé à 0 mm de la tête. Pour continuer à respecter les standards d'exposition RF de l'IC, utilisez des accessoires qui maintiennent une distance de séparation de 0 mm entre la tête de l'utilisateur et l'arrière du casque. L'utilisation de clips de ceinture, d'étui ou d'accessoires similaires ne doivent pas contenir de pièces métalliques. Les accessoires ne respectant pas ces exigences peuvent ne pas respecter les standards d'exposition RF de l'IC et doivent être évités.

#### **Utilisation au niveau de la tête**

L'appareil est testé dans un cas d'utilisation typique autour de la tête. Pour respecter les standards d'exposition RF, une distance de séparation minimum de 0 cm doit être maintenue entre l'oreille et le produit (antenne comprise). L'exposition de la tête ne respectant pas ces exigences peut ne pas respecter les standards d'exposition RF et doit être évité. Utilisez uniquement l'antenne incluse ou une antenne certifiée.

### **IC: 6132A-JBLSGSENSE**

FPO

해당무선설비는전파혼신가능성이있으므로인명안전과관련된서비스는할수없음.

Пользовательские наушники

Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500

Сделано в Китае

Импортер: ООО "ХАРМАН РУС СиАйЭс", Россия, 127018, г.Москва, ул. Двинцев, д.12, к. 1

Гарантийный период: 1 год

Срок службы: 2 года

Информация о сервисных центрах: [www.harman.com/ru](http://www.harman.com/ru)

Техническая поддержка: 8 (800) 700 0467

Организация, уполномоченная на принятие претензий потребителей: ООО "ХАРМАН РУС СиАйЭс"

Товар сертифицирован

Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-МУ0000000, где «М» - месяц производства (А - январь, В - февраль, С - март и т.д.) и «У» - год производства (А - 2010, В - 2011, С - 2012 и т.д.).



018-230142

FCC ID: APIJBLSGSENSE

IC: 6132A-JBLSGSENSE

IS 13252(PART 1):2010 /  
IEC 60950-1:2005



R-412/4617  
[www.bis.gov.in](http://www.bis.gov.in)



FR

Cet appareil,  
ses accessoires  
et cordons  
se recyclent

À DÉPOSER  
EN MAGASIN



OU

À DÉPOSER  
EN DÉCHÈTERIE



Points de collecte sur [www.quefairedemesdechets.fr](http://www.quefairedemesdechets.fr)



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



Este produto está homologado pela Anatel, de acordo com os procedimentos regulamentados para avaliação da conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da Anatel – [www.anatel.gov.br](http://www.anatel.gov.br)

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

**Atenção:** conforme lei brasileira nº 11.291, a exposição prolongada a ruídos superiores a 85dB pode causar danos ao sistema auditivo.





Product specifications and app screens are subject to change without notice.

HP\_JBL\_Soundgear Sense\_Global\_QSG\_PV\_V6