









Emission Bandwidth Measurement_11N20_5825_Ant1






Emission Bandwidth Measurement_11N20_5825_Ant2






















Emission Bandwidth Measurement_11N40_5590_Ant1




Emission Bandwidth Measurement_11N40_5590_Ant2










Emission Bandwidth Measurement_11N40_5670_Ant1





Emission Bandwidth Measurement_11N40_5670_Ant2





















































































Emission Bandwidth Measurement_11AC80_5290_Ant1




Emission Bandwidth Measurement_11AC80_5290_Ant2









Emission Bandwidth Measurement_11AC80_5530_Ant1



Emission Bandwidth Measurement_11AC80_5530_Ant2









2.Occupied Bandwidth Measurement

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
11A	5180	Ant1	17.370	---	PASS
11A	5180	Ant2	17.310	---	PASS
11A	5200	Ant1	17.310	---	PASS
11A	5200	Ant2	17.340	---	PASS
11A	5240	Ant1	16.680	---	PASS
11A	5240	Ant2	16.680	---	PASS
11A	5260	Ant1	16.710	---	PASS
11A	5260	Ant2	16.680	---	PASS
11A	5300	Ant1	17.340	---	PASS
11A	5300	Ant2	17.340	---	PASS
11A	5320	Ant1	17.340	---	PASS
11A	5320	Ant2	17.340	---	PASS
11A	5500	Ant1	17.370	---	PASS
11A	5500	Ant2	17.340	---	PASS
11A	5580	Ant1	16.680	---	PASS
11A	5580	Ant2	16.710	---	PASS
11A	5600	Ant1	17.370	---	PASS
11A	5600	Ant2	17.340	---	PASS
11A	5700	Ant1	17.340	---	PASS
11A	5700	Ant2	17.370	---	PASS
11A	5745	Ant1	17.820	---	PASS
11A	5745	Ant2	17.610	---	PASS
11A	5785	Ant1	17.760	---	PASS
11A	5785	Ant2	17.670	---	PASS
11A	5825	Ant1	17.700	---	PASS
11A	5825	Ant2	17.910	---	PASS
11N20	5180	Ant1	18.330	---	PASS
11N20	5180	Ant2	18.090	---	PASS
11N20	5200	Ant1	18.330	---	PASS
11N20	5200	Ant2	18.090	---	PASS
11N20	5240	Ant1	17.460	---	PASS
11N20	5240	Ant2	17.460	---	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 400 of 700

11N20	5260	Ant1	17.430	---	PASS
11N20	5260	Ant2	17.460	---	PASS
11N20	5300	Ant1	18.360	---	PASS
11N20	5300	Ant2	18.090	---	PASS
11N20	5320	Ant1	18.390	---	PASS
11N20	5320	Ant2	18.090	---	PASS
11N20	5500	Ant1	18.360	---	PASS
11N20	5500	Ant2	18.090	---	PASS
11N20	5580	Ant1	17.430	---	PASS
11N20	5580	Ant2	17.460	---	PASS
11N20	5600	Ant1	18.360	---	PASS
11N20	5600	Ant2	18.120	---	PASS
11N20	5700	Ant1	18.360	---	PASS
11N20	5700	Ant2	18.120	---	PASS
11N20	5745	Ant1	18.780	---	PASS
11N20	5745	Ant2	18.420	---	PASS
11N20	5785	Ant1	18.630	---	PASS
11N20	5785	Ant2	18.390	---	PASS
11N20	5825	Ant1	18.570	---	PASS
11N20	5825	Ant2	18.510	---	PASS
11N40	5190	Ant1	36.540	---	PASS
11N40	5190	Ant2	36.420	---	PASS
11N40	5230	Ant1	36.600	---	PASS
11N40	5230	Ant2	36.360	---	PASS
11N40	5270	Ant1	36.540	---	PASS
11N40	5270	Ant2	36.360	---	PASS
11N40	5310	Ant1	36.600	---	PASS
11N40	5310	Ant2	36.360	---	PASS
11N40	5510	Ant1	36.540	---	PASS
11N40	5510	Ant2	36.360	---	PASS
11N40	5550	Ant1	36.600	---	PASS
11N40	5550	Ant2	36.420	---	PASS
11N40	5590	Ant1	36.600	---	PASS
11N40	5590	Ant2	36.360	---	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 401 of 700

11N40	5670	Ant1	36.600	---	PASS
11N40	5670	Ant2	36.360	---	PASS
11N40	5755	Ant1	37.200	---	PASS
11N40	5755	Ant2	37.680	---	PASS
11N40	5795	Ant1	37.080	---	PASS
11N40	5795	Ant2	39.480	---	PASS
11AC20	5180	Ant1	18.330	---	PASS
11AC20	5180	Ant2	18.090	---	PASS
11AC20	5200	Ant1	18.330	---	PASS
11AC20	5200	Ant2	18.060	---	PASS
11AC20	5240	Ant1	17.460	---	PASS
11AC20	5240	Ant2	17.460	---	PASS
11AC20	5260	Ant1	17.430	---	PASS
11AC20	5260	Ant2	17.460	---	PASS
11AC20	5300	Ant1	18.330	---	PASS
11AC20	5300	Ant2	18.060	---	PASS
11AC20	5320	Ant1	18.330	---	PASS
11AC20	5320	Ant2	18.090	---	PASS
11AC20	5500	Ant1	18.360	---	PASS
11AC20	5500	Ant2	18.090	---	PASS
11AC20	5580	Ant1	17.430	---	PASS
11AC20	5580	Ant2	17.430	---	PASS
11AC20	5600	Ant1	18.360	---	PASS
11AC20	5600	Ant2	18.120	---	PASS
11AC20	5700	Ant1	18.360	---	PASS
11AC20	5700	Ant2	18.120	---	PASS
11AC20	5745	Ant1	18.720	---	PASS
11AC20	5745	Ant2	18.330	---	PASS
11AC20	5785	Ant1	18.570	---	PASS
11AC20	5785	Ant2	18.420	---	PASS
11AC20	5825	Ant1	18.570	---	PASS
11AC20	5825	Ant2	18.510	---	PASS
11AC40	5190	Ant1	36.600	---	PASS
11AC40	5190	Ant2	36.420	---	PASS





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105


Page: 402 of 700

11AC40	5230	Ant1	36.600	---	PASS
11AC40	5230	Ant2	36.420	---	PASS
11AC40	5270	Ant1	36.420	---	PASS
11AC40	5270	Ant2	36.420	---	PASS
11AC40	5310	Ant1	36.540	---	PASS
11AC40	5310	Ant2	36.360	---	PASS
11AC40	5510	Ant1	36.540	---	PASS
11AC40	5510	Ant2	36.420	---	PASS
11AC40	5550	Ant1	36.600	---	PASS
11AC40	5550	Ant2	36.360	---	PASS
11AC40	5590	Ant1	36.600	---	PASS
11AC40	5590	Ant2	36.360	---	PASS
11AC40	5670	Ant1	36.600	---	PASS
11AC40	5670	Ant2	36.420	---	PASS
11AC40	5755	Ant1	37.200	---	PASS
11AC40	5755	Ant2	37.680	---	PASS
11AC40	5795	Ant1	37.140	---	PASS
11AC40	5795	Ant2	39.600	---	PASS
11AC80	5210	Ant1	75.960	---	PASS
11AC80	5210	Ant2	75.840	---	PASS
11AC80	5290	Ant1	75.960	---	PASS
11AC80	5290	Ant2	75.720	---	PASS
11AC80	5530	Ant1	76.080	---	PASS
11AC80	5530	Ant2	76.080	---	PASS
11AC80	5610	Ant1	75.960	---	PASS
11AC80	5610	Ant2	75.840	---	PASS
11AC80	5775	Ant1	76.320	---	PASS
11AC80	5775	Ant2	76.920	---	PASS







Occupied Bandwidth Measurement_11A_5240_Ant1




Occupied Bandwidth Measurement_11A_5240_Ant2



Occupied Bandwidth Measurement_11A_5260_Ant1




Occupied Bandwidth Measurement_11A_5260_Ant2






Occupied Bandwidth Measurement_11A_5300_Ant1




Occupied Bandwidth Measurement_11A_5300_Ant2








Occupied Bandwidth Measurement_11A_5320_Ant1





Occupied Bandwidth Measurement_11A_5320_Ant2


















Occupied Bandwidth Measurement_11A_5785_Ant1





Occupied Bandwidth Measurement_11A_5785_Ant2



















1 PK

VIEW

*RBW 300 kHz

*VBW 1 MHz

SWT 20 ms

Marker 1 [T1]

-42.37 dBm

5.315000000 GHz

Ref 20 dBm

*Att 20 dB

Offset 0.9 dB

OBW 18.090000000 MHz

Temp 1 [T1 OBW]

-2.79 dBm

5.290910000 GHz

2 [T1 OBW]

-3.21 dBm

5.309000000 GHz


LVL



3DB


Center 5.3 GHz


3 MHz/


Span 30 MHz































1 PK

VIEW

*RBW 500 kHz

*VBW 2 MHz

SWT 20 ms

Marker 1 [T1]
-48.88 dBm
5.300000000 GHz

Ref 20 dBm
*Att 20 dB

20 Offset 0.9 dB





The plot shows a blue line representing the occupied bandwidth spectrum. The y-axis is labeled from -80 to 20 dBm in increments of 10. The x-axis is labeled from 5.27 GHz to 5.36 GHz. The spectrum shows a flat noise floor at approximately -49 dBm, with a sharp rise to about -10 dBm between 5.28 GHz and 5.35 GHz, and a sharp fall back to -49 dBm. A green 'A' marker is at the top right of the plot area.



OBW 36.360000000 MHz
Temp 1 [T1 OBW]
-8.60 dBm
5.251820000 GHz
Temp 2 [T1 OBW]
-8.38 dBm
5.288180000 GHz


LVL
3DB


Center 5.27 GHz 6 MHz/ Span 60 MHz


























































1 PK

VIEW

*RBW 300 kHz

*VBW 1 MHz

SWT 20 ms

Marker 1 [T1]

-12.50 dBm

5.840000000 GHz

Ref 20 dBm

*Att 20 dB

Offset 0.9 dB

OBW 18.510000000 MHz

Temp 1 [T1 OBW]

1.22 dBm

5.815670000 GHz

Temp 2 [T1 OBW]

1.38 dBm

5.834180000 GHz

20

10

0

-10

-20

-30

-40

-50

-60

-70

-80

Center 5.825 GHz


3 MHz/


Span 30 MHz


A


LVL


3DB













































3.Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11A	5180	Ant1	12.88	0.05	12.93	<23.98	PASS
11A	5180	Ant2	15.1	0.08	15.18	<23.98	PASS
11A	5200	Ant1	13.13	0.05	13.18	<23.98	PASS
11A	5200	Ant2	15.11	0.08	15.19	<23.98	PASS
11A	5240	Ant1	13.88	0.05	13.93	<23.98	PASS
11A	5240	Ant2	15.04	0.08	15.12	<23.98	PASS
11A	5260	Ant1	15.51	0.05	15.56	<23.77	PASS
11A	5260	Ant2	15.3	0.08	15.38	<23.77	PASS
11A	5300	Ant1	15.92	0.05	15.97	<23.77	PASS
11A	5300	Ant2	15.32	0.08	15.40	<23.77	PASS
11A	5320	Ant1	16.23	0.05	16.28	<23.77	PASS
11A	5320	Ant2	15.4	0.08	15.48	<23.77	PASS
11A	5500	Ant1	15.29	0.05	15.34	<23.77	PASS
11A	5500	Ant2	16.38	0.08	16.46	<23.77	PASS
11A	5580	Ant1	15.2	0.05	15.25	<23.77	PASS
11A	5580	Ant2	15.09	0.08	15.17	<23.77	PASS
11A	5600	Ant1	15.16	0.05	15.21	<23.77	PASS
11A	5600	Ant2	14.69	0.08	14.77	<23.77	PASS
11A	5700	Ant1	16.23	0.05	16.28	<23.77	PASS
11A	5700	Ant2	14.53	0.08	14.61	<23.77	PASS
11A	5745	Ant1	19.6	0.05	19.65	<30.00	PASS
11A	5745	Ant2	18.76	0.1	18.86	<30.00	PASS
11A	5785	Ant1	19.65	0.05	19.70	<30.00	PASS
11A	5785	Ant2	19.24	0.08	19.32	<30.00	PASS
11A	5825	Ant1	19.7	0.05	19.75	<30.00	PASS
11A	5825	Ant2	19.78	0.08	19.86	<30.00	PASS
11N20	5180	Ant1	12.93	0.09	13.02	<23.98	PASS
11N20	5180	Ant2	13.86	0.09	13.95	<23.98	PASS
11N20	5200	Ant1	12.91	0.09	13.00	<23.98	PASS
11N20	5200	Ant2	13.68	0.09	13.77	<23.98	PASS
11N20	5240	Ant1	13.63	0.09	13.72	<23.98	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 468 of 700

11N20	5240	Ant2	13.81	0.09	13.90	<23.98	PASS
11N20	5260	Ant1	14.29	0.09	14.38	<23.83	PASS
11N20	5260	Ant2	14.3	0.09	14.39	<23.83	PASS
11N20	5300	Ant1	14.79	0.09	14.88	<23.83	PASS
11N20	5300	Ant2	14.13	0.09	14.22	<23.83	PASS
11N20	5320	Ant1	14.96	0.09	15.05	<23.83	PASS
11N20	5320	Ant2	14.4	0.09	14.49	<23.83	PASS
11N20	5500	Ant1	14.01	0.09	14.10	<23.83	PASS
11N20	5500	Ant2	14.04	0.09	14.13	<23.83	PASS
11N20	5580	Ant1	13.88	0.09	13.97	<23.83	PASS
11N20	5580	Ant2	12.6	0.09	12.69	<23.83	PASS
11N20	5600	Ant1	13.73	0.09	13.82	<23.83	PASS
11N20	5600	Ant2	12.32	0.09	12.41	<23.83	PASS
11N20	5700	Ant1	14.76	0.09	14.85	<23.83	PASS
11N20	5700	Ant2	12.39	0.09	12.48	<23.83	PASS
11N20	5745	Ant1	19.4	0.09	19.49	<30.00	PASS
11N20	5745	Ant2	18.89	0.09	18.98	<30.00	PASS
11N20	5785	Ant1	19.37	0.09	19.46	<30.00	PASS
11N20	5785	Ant2	19.31	0.09	19.40	<30.00	PASS
11N20	5825	Ant1	19.69	0.09	19.78	<30.00	PASS
11N20	5825	Ant2	19.99	0.09	20.08	<30.00	PASS
11N20MIMO	5180	Ant1+2	-	-	16.52	<23.98	PASS
11N20MIMO	5200	Ant1+2	-	-	16.41	<23.98	PASS
11N20MIMO	5240	Ant1+2	-	-	16.82	<23.98	PASS
11N20MIMO	5260	Ant1+2	-	-	17.40	<23.83	PASS
11N20MIMO	5300	Ant1+2	-	-	17.57	<23.83	PASS
11N20MIMO	5320	Ant1+2	-	-	17.79	<23.83	PASS
11N20MIMO	5500	Ant1+2	-	-	17.13	<23.83	PASS
11N20MIMO	5580	Ant1+2	-	-	16.39	<23.83	PASS
11N20MIMO	5600	Ant1+2	-	-	16.18	<23.83	PASS
11N20MIMO	5700	Ant1+2	-	-	16.84	<23.83	PASS
11N20MIMO	5745	Ant1+2	-	-	22.25	<30.00	PASS
11N20MIMO	5785	Ant1+2	-	-	22.44	<30.00	PASS
11N20MIMO	5825	Ant1+2	-	-	22.94	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 469 of 700

11N40	5190	Ant1	6.62	0.53	7.15	<23.98	PASS
11N40	5190	Ant2	8.94	0.18	9.12	<23.98	PASS
11N40	5230	Ant1	7.02	0.53	7.55	<23.98	PASS
11N40	5230	Ant2	9.17	0.23	9.40	<23.98	PASS
11N40	5270	Ant1	8.15	0.18	8.33	<23.98	PASS
11N40	5270	Ant2	6.82	0.23	7.05	<23.98	PASS
11N40	5310	Ant1	8.76	0.18	8.94	<23.98	PASS
11N40	5310	Ant2	7.2	0.23	7.43	<23.98	PASS
11N40	5510	Ant1	9.39	0.53	9.92	<23.98	PASS
11N40	5510	Ant2	9.78	0.28	10.06	<23.98	PASS
11N40	5550	Ant1	9.07	0.57	9.64	<23.98	PASS
11N40	5550	Ant2	9.19	0.23	9.42	<23.98	PASS
11N40	5590	Ant1	9.87	0.53	10.40	<23.98	PASS
11N40	5590	Ant2	8.49	0.23	8.72	<23.98	PASS
11N40	5670	Ant1	10.07	0.18	10.25	<23.98	PASS
11N40	5670	Ant2	8.12	0.23	8.35	<23.98	PASS
11N40	5755	Ant1	19.3	0.23	19.53	<30.00	PASS
11N40	5755	Ant2	20.23	0.23	20.46	<30.00	PASS
11N40	5795	Ant1	19.39	0.23	19.62	<30.00	PASS
11N40	5795	Ant2	20.7	0.23	20.93	<30.00	PASS
11N40MIMO	5190	Ant1+2	-	-	11.26	<23.98	PASS
11N40MIMO	5230	Ant1+2	-	-	11.58	<23.98	PASS
11N40MIMO	5270	Ant1+2	-	-	10.75	<23.98	PASS
11N40MIMO	5310	Ant1+2	-	-	11.26	<23.98	PASS
11N40MIMO	5510	Ant1+2	-	-	13.00	<23.98	PASS
11N40MIMO	5550	Ant1+2	-	-	12.54	<23.98	PASS
11N40MIMO	5590	Ant1+2	-	-	12.65	<23.98	PASS
11N40MIMO	5670	Ant1+2	-	-	12.41	<23.98	PASS
11N40MIMO	5755	Ant1+2	-	-	23.03	<30.00	PASS
11N40MIMO	5795	Ant1+2	-	-	23.33	<30.00	PASS
11AC20	5180	Ant1	12.06	0.09	12.15	<23.98	PASS
11AC20	5180	Ant2	13.98	0.09	14.07	<23.98	PASS
11AC20	5200	Ant1	12.1	0.09	12.19	<23.98	PASS
11AC20	5200	Ant2	13.86	0.09	13.95	<23.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 470 of 700

11AC20	5240	Ant1	12.75	0.09	12.84	<23.98	PASS
11AC20	5240	Ant2	14.09	0.09	14.18	<23.98	PASS
11AC20	5260	Ant1	15.43	0.09	15.52	<23.85	PASS
11AC20	5260	Ant2	15.44	0.09	15.53	<23.85	PASS
11AC20	5300	Ant1	15.9	0.09	15.99	<23.85	PASS
11AC20	5300	Ant2	15.51	0.09	15.60	<23.85	PASS
11AC20	5320	Ant1	16.3	0.09	16.39	<23.85	PASS
11AC20	5320	Ant2	15.67	0.09	15.76	<23.85	PASS
11AC20	5500	Ant1	13.01	0.09	13.10	<23.82	PASS
11AC20	5500	Ant2	14.1	0.09	14.19	<23.82	PASS
11AC20	5580	Ant1	12.77	0.09	12.86	<23.82	PASS
11AC20	5580	Ant2	12.51	0.09	12.60	<23.82	PASS
11AC20	5600	Ant1	12.81	0.09	12.90	<23.82	PASS
11AC20	5600	Ant2	12.33	0.09	12.42	<23.82	PASS
11AC20	5700	Ant1	13.98	0.09	14.07	<23.82	PASS
11AC20	5700	Ant2	12.48	0.09	12.57	<23.82	PASS
11AC20	5745	Ant1	19.29	0.09	19.38	<30.00	PASS
11AC20	5745	Ant2	18.92	0.09	19.01	<30.00	PASS
11AC20	5785	Ant1	19.55	0.09	19.64	<30.00	PASS
11AC20	5785	Ant2	19.33	0.09	19.42	<30.00	PASS
11AC20	5825	Ant1	19.62	0.09	19.71	<30.00	PASS
11AC20	5825	Ant2	19.99	0.09	20.08	<30.00	PASS
11AC20MIMO	5180	Ant1+2	-	-	16.23	<23.98	PASS
11AC20MIMO	5200	Ant1+2	-	-	16.17	<23.98	PASS
11AC20MIMO	5240	Ant1+2	-	-	16.57	<23.98	PASS
11AC20MIMO	5260	Ant1+2	-	-	18.54	<23.85	PASS
11AC20MIMO	5300	Ant1+2	-	-	18.81	<23.85	PASS
11AC20MIMO	5320	Ant1+2	-	-	19.10	<23.85	PASS
11AC20MIMO	5500	Ant1+2	-	-	16.69	<23.82	PASS
11AC20MIMO	5580	Ant1+2	-	-	15.74	<23.82	PASS
11AC20MIMO	5600	Ant1+2	-	-	15.68	<23.82	PASS
11AC20MIMO	5700	Ant1+2	-	-	16.39	<23.82	PASS
11AC20MIMO	5745	Ant1+2	-	-	22.21	<30.00	PASS
11AC20MIMO	5785	Ant1+2	-	-	22.54	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 471 of 700

11AC20MIMO	5825	Ant1+2	-	-	22.91	<30.00	PASS
11AC40	5190	Ant1	5.89	0.27	6.16	<23.98	PASS
11AC40	5190	Ant2	8.98	0.23	9.21	<23.98	PASS
11AC40	5230	Ant1	8.28	0.27	8.55	<23.98	PASS
11AC40	5230	Ant2	8.9	0.23	9.13	<23.98	PASS
11AC40	5270	Ant1	8.28	0.27	6.95	<23.98	PASS
11AC40	5270	Ant2	8.9	0.23	7.13	<23.98	PASS
11AC40	5310	Ant1	8.62	0.18	8.80	<23.98	PASS
11AC40	5310	Ant2	7.22	0.27	7.49	<23.98	PASS
11AC40	5510	Ant1	9.88	0.18	10.06	<23.98	PASS
11AC40	5510	Ant2	9.78	0.27	10.05	<23.98	PASS
11AC40	5550	Ant1	9.76	0.18	9.94	<23.98	PASS
11AC40	5550	Ant2	9.26	0.23	9.49	<23.98	PASS
11AC40	5590	Ant1	9.88	0.18	10.06	<23.98	PASS
11AC40	5590	Ant2	8.56	0.23	8.79	<23.98	PASS
11AC40	5670	Ant1	10.68	0.18	10.86	<23.98	PASS
11AC40	5670	Ant2	8.08	0.23	8.31	<23.98	PASS
11AC40	5755	Ant1	19.11	0.23	19.34	<30.00	PASS
11AC40	5755	Ant2	20.19	0.23	20.42	<30.00	PASS
11AC40	5795	Ant1	19.41	0.23	19.64	<30.00	PASS
11AC40	5795	Ant2	20.71	0.18	20.89	<30.00	PASS
11AC40MIMO	5190	Ant1+2	-	-	10.96	<23.98	PASS
11AC40MIMO	5230	Ant1+2	-	-	11.86	<23.98	PASS
11AC40MIMO	5270	Ant1+2	-	-	10.05	<23.98	PASS
11AC40MIMO	5310	Ant1+2	-	-	11.20	<23.98	PASS
11AC40MIMO	5510	Ant1+2	-	-	13.07	<23.98	PASS
11AC40MIMO	5550	Ant1+2	-	-	12.73	<23.98	PASS
11AC40MIMO	5590	Ant1+2	-	-	12.48	<23.98	PASS
11AC40MIMO	5670	Ant1+2	-	-	12.78	<23.98	PASS
11AC40MIMO	5755	Ant1+2	-	-	22.92	<30.00	PASS
11AC40MIMO	5795	Ant1+2	-	-	23.32	<30.00	PASS
11AC80	5210	Ant1	5.85	0.38	6.23	<23.98	PASS
11AC80	5210	Ant2	8.67	0.48	9.15	<23.98	PASS
11AC80	5290	Ant1	7.87	0.38	8.25	<23.98	PASS




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105


Page: 472 of 700

11AC80	5290	Ant2	8.91	0.48	9.39	<23.98	PASS
11AC80	5530	Ant1	8.44	0.38	8.82	<23.98	PASS
11AC80	5530	Ant2	9.21	0.38	9.59	<23.98	PASS
11AC80	5610	Ant1	8.62	0.38	9.00	<23.98	PASS
11AC80	5610	Ant2	8.06	0.38	8.44	<23.98	PASS
11AC80	5775	Ant1	18.89	0.48	19.37	<30.00	PASS
11AC80	5775	Ant2	19.9	0.48	20.38	<30.00	PASS
11AC80MIMO	5210	Ant1+2	-	-	10.94	<23.98	PASS
11AC80MIMO	5290	Ant1+2	-	-	11.87	<23.98	PASS
11AC80MIMO	5530	Ant1+2	-	-	12.23	<23.98	PASS
11AC80MIMO	5610	Ant1+2	-	-	11.74	<23.98	PASS
11AC80MIMO	5775	Ant1+2	-	-	22.91	<30.00	PASS


Maximum Conduct Output Power_11A_5180_Ant1




Maximum Conduct Output Power_11A_5180_Ant2




Maximum Conduct Output Power_11A_5200_Ant1




Maximum Conduct Output Power_11A_5200_Ant2




Maximum Conduct Output Power_11A_5240_Ant1




Maximum Conduct Output Power_11A_5240_Ant2




Maximum Conduct Output Power_11A_5260_Ant1




Maximum Conduct Output Power_11A_5260_Ant2



Maximum Conduct Output Power_11A_5300_Ant1




Maximum Conduct Output Power_11A_5300_Ant2







Maximum Conduct Output Power_11A_5320_Ant1




Maximum Conduct Output Power_11A_5320_Ant2




Maximum Conduct Output Power_11A_5500_Ant1




Maximum Conduct Output Power_11A_5500_Ant2




Maximum Conduct Output Power_11A_5580_Ant1




Maximum Conduct Output Power_11A_5580_Ant2




Maximum Conduct Output Power_11A_5600_Ant1




Maximum Conduct Output Power_11A_5600_Ant2



Maximum Conduct Output Power_11A_5700_Ant1




Maximum Conduct Output Power_11A_5700_Ant2






Maximum Conduct Output Power_11A_5745_Ant1




Maximum Conduct Output Power_11A_5745_Ant2






Maximum Conduct Output Power_11A_5785_Ant1




Maximum Conduct Output Power_11A_5785_Ant2






Maximum Conduct Output Power_11A_5825_Ant1




Maximum Conduct Output Power_11A_5825_Ant2







Maximum Conduct Output Power_11N20_5180_Ant1




Maximum Conduct Output Power_11N20_5180_Ant2



Maximum Conduct Output Power_11N20_5200_Ant1




Maximum Conduct Output Power_11N20_5200_Ant2







Maximum Conduct Output Power_11N20_5240_Ant1




Maximum Conduct Output Power_11N20_5240_Ant2



Maximum Conduct Output Power_11N20_5260_Ant1




Maximum Conduct Output Power_11N20_5260_Ant2







Maximum Conduct Output Power_11N20_5300_Ant1




Maximum Conduct Output Power_11N20_5300_Ant2




Maximum Conduct Output Power_11N20_5320_Ant1




Maximum Conduct Output Power_11N20_5320_Ant2




Maximum Conduct Output Power_11N20_5500_Ant1




Maximum Conduct Output Power_11N20_5500_Ant2




Maximum Conduct Output Power_11N20_5580_Ant1




Maximum Conduct Output Power_11N20_5580_Ant2




Maximum Conduct Output Power_11N20_5600_Ant1




Maximum Conduct Output Power_11N20_5600_Ant2




Maximum Conduct Output Power_11N20_5700_Ant1




Maximum Conduct Output Power_11N20_5700_Ant2




Maximum Conduct Output Power_11N20_5745_Ant1




Maximum Conduct Output Power_11N20_5745_Ant2



Maximum Conduct Output Power_11N20_5785_Ant1




Maximum Conduct Output Power_11N20_5785_Ant2







Maximum Conduct Output Power_11N20_5825_Ant1




Maximum Conduct Output Power_11N20_5825_Ant2



Maximum Conduct Output Power_11N40_5190_Ant1




Maximum Conduct Output Power_11N40_5190_Ant2






Maximum Conduct Output Power_11N40_5230_Ant1




Maximum Conduct Output Power_11N40_5230_Ant2







Maximum Conduct Output Power_11N40_5270_Ant1




Maximum Conduct Output Power_11N40_5270_Ant2



Maximum Conduct Output Power_11N40_5310_Ant1




Maximum Conduct Output Power_11N40_5310_Ant2







Maximum Conduct Output Power_11N40_5510_Ant1




Maximum Conduct Output Power_11N40_5510_Ant2




Maximum Conduct Output Power_11N40_5550_Ant1




Maximum Conduct Output Power_11N40_5550_Ant2




Maximum Conduct Output Power_11N40_5590_Ant1




Maximum Conduct Output Power_11N40_5590_Ant2




Maximum Conduct Output Power_11N40_5670_Ant1




Maximum Conduct Output Power_11N40_5670_Ant2



Maximum Conduct Output Power_11N40_5755_Ant1




Maximum Conduct Output Power_11N40_5755_Ant2







Maximum Conduct Output Power_11N40_5795_Ant1




Maximum Conduct Output Power_11N40_5795_Ant2




Maximum Conduct Output Power_11AC20_5180_Ant1




Maximum Conduct Output Power_11AC20_5180_Ant2




Maximum Conduct Output Power_11AC20_5200_Ant1




Maximum Conduct Output Power_11AC20_5200_Ant2




Maximum Conduct Output Power_11AC20_5240_Ant1




Maximum Conduct Output Power_11AC20_5240_Ant2




Maximum Conduct Output Power_11AC20_5260_Ant1




Maximum Conduct Output Power_11AC20_5260_Ant2




Maximum Conduct Output Power_11AC20_5300_Ant1




Maximum Conduct Output Power_11AC20_5300_Ant2



Maximum Conduct Output Power_11AC20_5320_Ant1




Maximum Conduct Output Power_11AC20_5320_Ant2






Maximum Conduct Output Power_11AC20_5500_Ant1




Maximum Conduct Output Power_11AC20_5500_Ant2







Maximum Conduct Output Power_11AC20_5580_Ant1




Maximum Conduct Output Power_11AC20_5580_Ant2




Maximum Conduct Output Power_11AC20_5600_Ant1




Maximum Conduct Output Power_11AC20_5600_Ant2




Maximum Conduct Output Power_11AC20_5700_Ant1




Maximum Conduct Output Power_11AC20_5700_Ant2




Maximum Conduct Output Power_11AC20_5745_Ant1




Maximum Conduct Output Power_11AC20_5745_Ant2




Maximum Conduct Output Power_11AC20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant2




Maximum Conduct Output Power_11AC20_5825_Ant1




Maximum Conduct Output Power_11AC20_5825_Ant2



Maximum Conduct Output Power_11AC40_5190_Ant1




Maximum Conduct Output Power_11AC40_5190_Ant2







Maximum Conduct Output Power_11AC40_5230_Ant1




Maximum Conduct Output Power_11AC40_5230_Ant2




Maximum Conduct Output Power_11AC40_5310_Ant1




Maximum Conduct Output Power_11AC40_5310_Ant2




Maximum Conduct Output Power_11AC40_5510_Ant1




Maximum Conduct Output Power_11AC40_5510_Ant2



Maximum Conduct Output Power_11AC40_5550_Ant1




Maximum Conduct Output Power_11AC40_5550_Ant2







Maximum Conduct Output Power_11AC40_5590_Ant1




Maximum Conduct Output Power_11AC40_5590_Ant2




Maximum Conduct Output Power_11AC40_5670_Ant1




Maximum Conduct Output Power_11AC40_5670_Ant2




Maximum Conduct Output Power_11AC40_5755_Ant1




Maximum Conduct Output Power_11AC40_5755_Ant2




Maximum Conduct Output Power_11AC40_5795_Ant1




Maximum Conduct Output Power_11AC40_5795_Ant2



Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5210_Ant2







Maximum Conduct Output Power_11AC80_5290_Ant1




Maximum Conduct Output Power_11AC80_5290_Ant2



Maximum Conduct Output Power_11AC80_5530_Ant1




Maximum Conduct Output Power_11AC80_5530_Ant2







Maximum Conduct Output Power_11AC80_5610_Ant1




Maximum Conduct Output Power_11AC80_5610_Ant2



Maximum Conduct Output Power_11AC80_5775_Ant1



Maximum Conduct Output Power_11AC80_5775_Ant2





4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	$10\log(1/x)$ Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	2.27	0.05	2.32	<11.00	PASS
11A	5180	Ant2	4.53	0.08	4.61	<11.00	PASS
11A	5200	Ant1	2.41	0.05	2.46	<11.00	PASS
11A	5200	Ant2	4.4	0.08	4.48	<11.00	PASS
11A	5240	Ant1	3.14	0.05	3.19	<11.00	PASS
11A	5240	Ant2	4.37	0.08	4.45	<11.00	PASS
11A	5260	Ant1	4.79	0.05	4.84	<11.00	PASS
11A	5260	Ant2	4.77	0.08	4.85	<11.00	PASS
11A	5300	Ant1	5.27	0.05	5.32	<11.00	PASS
11A	5300	Ant2	4.85	0.08	4.93	<11.00	PASS
11A	5320	Ant1	5.59	0.05	5.64	<11.00	PASS
11A	5320	Ant2	4.71	0.08	4.79	<11.00	PASS
11A	5500	Ant1	4.66	0.05	4.71	<11.00	PASS
11A	5500	Ant2	5.68	0.08	5.76	<11.00	PASS
11A	5580	Ant1	4.54	0.05	4.59	<11.00	PASS
11A	5580	Ant2	4.36	0.08	4.44	<11.00	PASS
11A	5600	Ant1	4.65	0.05	4.7	<11.00	PASS
11A	5600	Ant2	4.1	0.08	4.18	<11.00	PASS
11A	5700	Ant1	5.52	0.05	5.57	<11.00	PASS
11A	5700	Ant2	3.85	0.08	3.93	<11.00	PASS
11N20	5180	Ant1	2.13	0.09	2.22	<11.00	PASS
11N20	5180	Ant2	3.82	0.09	3.91	<11.00	PASS
11N20	5200	Ant1	2.1	0.09	2.19	<11.00	PASS
11N20	5200	Ant2	3.8	0.09	3.89	<11.00	PASS
11N20	5240	Ant1	2.79	0.09	2.88	<11.00	PASS
11N20	5240	Ant2	3.75	0.09	3.84	<11.00	PASS
11N20	5260	Ant1	3.57	0.09	3.66	<11.00	PASS
11N20	5260	Ant2	4.55	0.09	4.64	<11.00	PASS
11N20	5300	Ant1	3.95	0.09	4.04	<11.00	PASS
11N20	5300	Ant2	3.97	0.09	4.06	<11.00	PASS
11N20	5320	Ant1	4.15	0.09	4.24	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 537 of 700

11N20	5320	Ant2	4.19	0.09	4.28	<11.00	PASS
11N20	5500	Ant1	3.13	0.09	3.22	<11.00	PASS
11N20	5500	Ant2	3.96	0.09	4.05	<11.00	PASS
11N20	5580	Ant1	3.06	0.09	3.15	<11.00	PASS
11N20	5580	Ant2	2.67	0.09	2.76	<11.00	PASS
11N20	5600	Ant1	2.94	0.09	3.03	<11.00	PASS
11N20	5600	Ant2	2.09	0.09	2.18	<11.00	PASS
11N20	5700	Ant1	4.23	0.09	4.32	<11.00	PASS
11N20	5700	Ant2	2.05	0.09	2.14	<11.00	PASS
11N20MIMO	5180	Ant1+2	-	-	6.16	<11.00	PASS
11N20MIMO	5200	Ant1+2	-	-	6.13	<11.00	PASS
11N20MIMO	5240	Ant1+2	-	-	6.40	<11.00	PASS
11N20MIMO	5260	Ant1+2	-	-	7.19	<11.00	PASS
11N20MIMO	5300	Ant1+2	-	-	7.06	<11.00	PASS
11N20MIMO	5320	Ant1+2	-	-	7.27	<11.00	PASS
11N20MIMO	5500	Ant1+2	-	-	6.67	<11.00	PASS
11N20MIMO	5580	Ant1+2	-	-	5.97	<11.00	PASS
11N20MIMO	5600	Ant1+2	-	-	5.64	<11.00	PASS
11N20MIMO	5700	Ant1+2	-	-	6.38	<11.00	PASS
11N40	5190	Ant1	-7.27	0.53	-6.74	<11.00	PASS
11N40	5190	Ant2	-4.05	0.18	-3.87	<11.00	PASS
11N40	5230	Ant1	-6.66	0.53	-6.13	<11.00	PASS
11N40	5230	Ant2	-3.9	0.23	-3.67	<11.00	PASS
11N40	5270	Ant1	-5.87	0.18	-5.69	<11.00	PASS
11N40	5270	Ant2	-6.02	0.23	-5.79	<11.00	PASS
11N40	5310	Ant1	-5.26	0.18	-5.08	<11.00	PASS
11N40	5310	Ant2	-5.71	0.23	-5.48	<11.00	PASS
11N40	5510	Ant1	-4.48	0.53	-3.95	<11.00	PASS
11N40	5510	Ant2	-3.46	0.28	-3.18	<11.00	PASS
11N40	5550	Ant1	-4.75	0.57	-4.18	<11.00	PASS
11N40	5550	Ant2	-3.54	0.23	-3.31	<11.00	PASS
11N40	5590	Ant1	-3.96	0.53	-3.43	<11.00	PASS
11N40	5590	Ant2	-4.99	0.23	-4.76	<11.00	PASS
11N40	5670	Ant1	-3.67	0.18	-3.49	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 538 of 700

11N40	5670	Ant2	-4.83	0.23	-4.6	<11.00	PASS
11N40MIMO	5190	Ant1+2	-	-	-2.06	<11.00	PASS
11N40MIMO	5230	Ant1+2	-	-	-1.72	<11.00	PASS
11N40MIMO	5270	Ant1+2	-	-	-2.73	<11.00	PASS
11N40MIMO	5310	Ant1+2	-	-	-2.27	<11.00	PASS
11N40MIMO	5510	Ant1+2	-	-	-0.54	<11.00	PASS
11N40MIMO	5550	Ant1+2	-	-	-0.71	<11.00	PASS
11N40MIMO	5590	Ant1+2	-	-	-1.03	<11.00	PASS
11N40MIMO	5670	Ant1+2	-	-	-1.00	<11.00	PASS
11AC20	5180	Ant1	1.28	0.09	1.37	<11.00	PASS
11AC20	5180	Ant2	3.53	0.09	3.62	<11.00	PASS
11AC20	5200	Ant1	1.39	0.09	1.48	<11.00	PASS
11AC20	5200	Ant2	3.48	0.09	3.57	<11.00	PASS
11AC20	5240	Ant1	2.35	0.09	2.44	<11.00	PASS
11AC20	5240	Ant2	3.66	0.09	3.75	<11.00	PASS
11AC20	5260	Ant1	4.83	0.09	4.92	<11.00	PASS
11AC20	5260	Ant2	4.99	0.09	5.08	<11.00	PASS
11AC20	5300	Ant1	5.08	0.09	5.17	<11.00	PASS
11AC20	5300	Ant2	5.28	0.09	5.37	<11.00	PASS
11AC20	5320	Ant1	5.59	0.09	5.68	<11.00	PASS
11AC20	5320	Ant2	5.09	0.09	5.18	<11.00	PASS
11AC20	5500	Ant1	2.16	0.09	2.25	<11.00	PASS
11AC20	5500	Ant2	3.8	0.09	3.89	<11.00	PASS
11AC20	5580	Ant1	2.06	0.09	2.15	<11.00	PASS
11AC20	5580	Ant2	2.44	0.09	2.53	<11.00	PASS
11AC20	5600	Ant1	2.05	0.09	2.14	<11.00	PASS
11AC20	5600	Ant2	2.35	0.09	2.44	<11.00	PASS
11AC20	5700	Ant1	3.4	0.09	3.49	<11.00	PASS
11AC20	5700	Ant2	2.48	0.09	2.57	<11.00	PASS
11AC20MIMO	5180	Ant1+2	-	-	5.65	<11.00	PASS
11AC20MIMO	5200	Ant1+2	-	-	5.66	<11.00	PASS
11AC20MIMO	5240	Ant1+2	-	-	6.15	<11.00	PASS
11AC20MIMO	5260	Ant1+2	-	-	8.01	<11.00	PASS
11AC20MIMO	5300	Ant1+2	-	-	8.28	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 539 of 700

11AC20MIMO	5320	Ant1+2	-	-	8.45	<11.00	PASS
11AC20MIMO	5500	Ant1+2	-	-	6.16	<11.00	PASS
11AC20MIMO	5580	Ant1+2	-	-	5.35	<11.00	PASS
11AC20MIMO	5600	Ant1+2	-	-	5.30	<11.00	PASS
11AC20MIMO	5700	Ant1+2	-	-	6.06	<11.00	PASS
11AC40	5190	Ant1	-7.99	0.27	-7.72	<11.00	PASS
11AC40	5190	Ant2	-4.26	0.23	-4.03	<11.00	PASS
11AC40	5230	Ant1	-5.61	0.27	-5.34	<11.00	PASS
11AC40	5230	Ant2	-4.27	0.23	-4.04	<11.00	PASS
11AC40	5270	Ant1	-5.72	0.18	-5.54	<11.00	PASS
11AC40	5270	Ant2	-6.42	0.27	-6.15	<11.00	PASS
11AC40	5310	Ant1	-5.19	0.18	-5.01	<11.00	PASS
11AC40	5310	Ant2	-6.22	0.27	-5.95	<11.00	PASS
11AC40	5510	Ant1	-3.8	0.18	-3.62	<11.00	PASS
11AC40	5510	Ant2	-3.57	0.27	-3.3	<11.00	PASS
11AC40	5550	Ant1	-4.06	0.18	-3.88	<11.00	PASS
11AC40	5550	Ant2	-4.01	0.23	-3.78	<11.00	PASS
11AC40	5590	Ant1	-3.96	0.18	-3.78	<11.00	PASS
11AC40	5590	Ant2	-4.81	0.23	-4.58	<11.00	PASS
11AC40	5670	Ant1	-3.23	0.18	-3.05	<11.00	PASS
11AC40	5670	Ant2	-4.92	0.23	-4.69	<11.00	PASS
11AC40MIMO	5190	Ant1+2	-	-	-2.48	<11.00	PASS
11AC40MIMO	5230	Ant1+2	-	-	-1.63	<11.00	PASS
11AC40MIMO	5270	Ant1+2	-	-	-2.82	<11.00	PASS
11AC40MIMO	5310	Ant1+2	-	-	-2.44	<11.00	PASS
11AC40MIMO	5510	Ant1+2	-	-	-0.45	<11.00	PASS
11AC40MIMO	5550	Ant1+2	-	-	-0.82	<11.00	PASS
11AC40MIMO	5590	Ant1+2	-	-	-1.15	<11.00	PASS
11AC40MIMO	5670	Ant1+2	-	-	-0.78	<11.00	PASS
11AC80	5210	Ant1	-10.88	0.38	-10.5	<11.00	PASS
11AC80	5210	Ant2	-7.93	0.48	-7.45	<11.00	PASS
11AC80	5290	Ant1	-8.65	0.38	-8.27	<11.00	PASS
11AC80	5290	Ant2	-7.62	0.48	-7.14	<11.00	PASS
11AC80	5530	Ant1	-8.08	0.38	-7.7	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170600589105

Page: 540 of 700

11AC80	5530	Ant2	-7.47	0.38	-7.09	<11.00	PASS
11AC80	5610	Ant1	-8.06	0.38	-7.68	<11.00	PASS
11AC80	5610	Ant2	-8.5	0.38	-8.12	<11.00	PASS
11AC80MIMO	5210	Ant1+2	-	-	-5.70	<11.00	PASS
11AC80MIMO	5290	Ant1+2	-	-	-4.66	<11.00	PASS
11AC80MIMO	5530	Ant1+2	-	-	-4.37	<11.00	PASS
11AC80MIMO	5610	Ant1+2	-	-	-4.88	<11.00	PASS

Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor [dB]	10log (500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11A	5745	Ant1	7.39	0.05	0	7.44	<30.00	PASS
11A	5745	Ant2	6.55	0.1	0	6.65	<30.00	PASS
11A	5785	Ant1	7.43	0.05	0	7.48	<30.00	PASS
11A	5785	Ant2	6.98	0.08	0	7.06	<30.00	PASS
11A	5825	Ant1	7.52	0.05	0	7.57	<30.00	PASS
11A	5825	Ant2	7.65	0.08	0	7.73	<30.00	PASS
11N20	5745	Ant1	7.25	0.09	0	7.34	<30.00	PASS
11N20	5745	Ant2	6.65	0.09	0	6.74	<30.00	PASS
11N20	5785	Ant1	7.26	0.09	0	7.35	<30.00	PASS
11N20	5785	Ant2	7	0.09	0	7.09	<30.00	PASS
11N20	5825	Ant1	7.46	0.09	0	7.55	<30.00	PASS
11N20	5825	Ant2	8.05	0.09	0	8.14	<30.00	PASS
11N20MIMO	5745	Ant1+2	-	-	-	10.06	<30.00	PASS
11N20MIMO	5785	Ant1+2	-	-	-	10.23	<30.00	PASS
11N20MIMO	5825	Ant1+2	-	-	-	10.87	<30.00	PASS
11N40	5755	Ant1	3.75	0.23	0	3.98	<30.00	PASS
11N40	5755	Ant2	5.1	0.23	0	5.33	<30.00	PASS
11N40	5795	Ant1	3.97	0.23	0	4.2	<30.00	PASS
11N40	5795	Ant2	5.34	0.23	0	5.57	<30.00	PASS
11N40MIMO	5755	Ant1+2	-	-	-	7.72	<30.00	PASS
11N40MIMO	5795	Ant1+2	-	-	-	7.95	<30.00	PASS
11AC20	5745	Ant1	7.27	0.09	0	7.36	<30.00	PASS
11AC20	5745	Ant2	7.18	0.09	0	7.27	<30.00	PASS
11AC20	5785	Ant1	7.56	0.09	0	7.65	<30.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM170600589105

Page: 541 of 700

11AC20	5785	Ant2	7.58	0.09	0	7.67	<30.00	PASS
11AC20	5825	Ant1	7.63	0.09	0	7.72	<30.00	PASS
11AC20	5825	Ant2	7.63	0.09	0	7.72	<30.00	PASS
11AC20MIMO	5745	Ant1+2	-	-	-	10.33	<30.00	PASS
11AC20MIMO	5785	Ant1+2	-	-	-	10.67	<30.00	PASS
11AC20MIMO	5825	Ant1+2	-	-	-	10.73	<30.00	PASS
11AC40	5755	Ant1	3.53	0.23	0	3.76	<30.00	PASS
11AC40	5755	Ant2	4.83	0.23	0	5.06	<30.00	PASS
11AC40	5795	Ant1	3.81	0.23	0	4.04	<30.00	PASS
11AC40	5795	Ant2	5.62	0.18	0	5.8	<30.00	PASS
11AC40MIMO	5755	Ant1+2	-	-	-	7.47	<30.00	PASS
11AC40MIMO	5795	Ant1+2	-	-	-	8.05	<30.00	PASS
11AC80	5775	Ant1	0.56	0.48	0	1.04	<30.00	PASS
11AC80	5775	Ant2	1.9	0.48	0	2.38	<30.00	PASS
11AC80MIMO	5775	Ant1+2	-	-	-	4.77	<30.00	PASS

