




1.ALL RESISITOR VALUES ARE IN OHMS.
NOTE;UNLESS OHTERWISE SPECIFIED

REV	DESCRIPTION	ECN NO.	DATE	ENGINEER	DATE: MAR/14/'05	DRAWN: Y.OBATA	CHECKED: Y.OBT	APPROVED M.SATO
			14/MAR/'05	Y.OBATA				

MINEBEA CO.,LTD. MECHATRONICS DIV.			
TITLE: SCHEMATIC DIAGRAM SNAQ-24RF-KB			
SIZE: A3	DRAWING NO: 135172L	REV: 20	
SCALE:		SHEET:1 OF 6	

6

5

4

3

2

1

D

C

B



A


D

C

B

A





6

5

4

3

2

1

D

D

C


C

B

B

A

A



6

5

4

3

2


1

D

C

B

A



D

C

B

A

1.ALL RESISITOR VALUES ARE IN OHMS.
NOTE;UNLESS OHTERWISE SPECIFIED

REV	DESCRIPTION	ECN NO.	DATE	ENGINEER	DATE: MAR/14/'05	DRAWN: Y.OBATA	CHECKED: Y.OBT	APPROVED M.SATO
			14/MAR/05	Y.OBATA				

MINEBEA CO.,LTD.
MECHATRONICS DIV.

TITLE:
**SCHMATIC DIAGRAM
SNCY-24RF-RF**

SIZE: A3	DRAWING NO: EM-K2531-RF	REV: 02
--------------------	-----------------------------------	-------------------

SCALE: SHEET:1 OF 7