



MET Laboratories, Inc. *Safety Certification - EMI - Telecom Environmental Simulation*

914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313
33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372
3162 BELICK STREET • SANTA CLARA, CALIFORNIA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372
13501 MCCALLEN PASS • AUSTIN, TX 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

June 14, 2018

Harris Corp- Communication Systems
221 Jefferson Ridge Parkway,
Lynchburg, VA 24501

Dear Thomas Camper, Jr.,

Enclosed is the EMC Wireless test report for compliance testing of the Harris Corp- Communication Systems, Harris RF-7800W Broadband Ethernet Radio as tested to the requirements of Title 47 of the CFR, Ch. 1 (10-1-06 ed.), Title 47 of the CFR, Part 15.407, Subpart E (UNII 1).

Thank you for using the services of MET Laboratories, Inc. If you have any questions regarding these results or if MET can be of further service to you, please feel free to contact me.

Sincerely yours,
MET LABORATORIES, INC.

Joel Huna
Documentation Department

Reference: (\\Harris Corp- Communication Systems\\ EMC93979-FCC407 UNII 1 Rev. 3)

Certificates and reports shall not be reproduced except in full, without the written permission of MET Laboratories, Inc. While use of the A2LA logo in this report reflects MET accreditation under these programs, the report must not be used by the client to claim product certification, approval, or endorsement by A2LA or any agency of the Federal Government. This letter of transmittal is not a part of the attached report.



The Nation's First Licensed Nationally Recognized Testing Laboratory



MET Laboratories, Inc. *Safety Certification - EMI - Telecom Environmental Simulation*

914 WEST PATAPSCO AVENUE • BALTIMORE, MARYLAND 21230-3432 • PHONE (410) 354-3300 • FAX (410) 354-3313

33439 WESTERN AVENUE • UNION CITY, CALIFORNIA 94587 • PHONE (510) 489-6300 • FAX (510) 489-6372

3162 BELICK STREET • SANTA CLARA, CALIFORNIA 95054 • PHONE (408) 748-3585 • FAX (510) 489-6372

13501 MCCALLEN PASS • AUSTIN, TX 78753 • PHONE (512) 287-2500 • FAX (512) 287-2513

Electromagnetic Compatibility Criteria Test Report

for the

**Harris Corp- Communication Systems
Model Harris RF-7800W Broadband Ethernet Radio**

Tested under
The FCC Certification Rules
contained in
Title 47 of the CFR
15.407 Subpart E

MET Report: EMC93979-FCC407 UNII 1 Rev. 3

June 14, 2018

Prepared For:

**Harris Corp- Communication Systems
221 Jefferson Ridge Parkway,
Lynchburg, VA 24501**

Prepared By:
MET Laboratories, Inc.
914 West Patapsco Avenue,
Baltimore, MD 21230



Electromagnetic Compatibility Criteria Test Report

for the

Harris Corp- Communication Systems Model Harris RF-7800W Broadband Ethernet Radio

Tested under
The FCC Certification Rules
contained in
Title 47 of the CFR
15.407 Subpart E

Bradley Jones, Project Engineer
Electromagnetic Compatibility Lab

Joel Huna
Documentation Department

Engineering Statement: The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of Parts 15B, 15.407, of the FCC Rules under normal use and maintenance.

John Mason,
Director, Electromagnetic Compatibility Lab



Report Status Sheet

Revision	Report Date	Reason for Revision
Ø	February 20, 2018	Initial Issue.
1	May 22, 2018	TCB Corrections.
2	June 7, 2018	TCB Corrections.
3	June 14, 2018	Addition of Duty Cycle Information.



Table of Contents

I.	Executive Summary	1
	A. Purpose of Test	2
	B. Executive Summary	2
II.	Equipment Configuration	3
	A. Overview.....	4
	B. References.....	5
	C. Test Site	5
	D. Measurement Uncertainty	5
	E. Description of Test Sample.....	5
	F. Equipment Configuration.....	7
	G. Support Equipment	7
	H. Ports and Cabling Information.....	8
	I. Mode of Operation.....	8
	J. Method of Monitoring EUT Operation	8
	K. Modifications.....	9
	a) Modifications to EUT	9
	b) Modifications to Test Standard	9
	L. Disposition of EUT.....	9
	M. Antenna Key	9
III.	Electromagnetic Compatibility Criteria for Intentional Radiators.....	10
	§ 15.203 Antenna Requirement	11
	§ 15.403(i) 26dB Bandwidth	12
	§15.407(a)(1) Maximum Conducted Output Power	39
	§15.407(a)(1) EIRP Above Elevation Angle.....	92
	§15.407(a)(1) Maximum Power Spectral Density	94
	§15.407(b) & (6 - 7) Undesirable Emissions.....	147
	§ 15.407(b)(6) Conducted Emissions	344
	§ 15.247(i) Maximum Permissible Exposure	355
IV.	Test Equipment	356
V.	Certification & User's Manual Information.....	358
	A. Certification Information	359
	B. Label and User's Manual Information	363



List of Tables

Table 1. Executive Summary of EMC Part 15.407 Compliance Testing	2
Table 2. EUT Summary.....	4
Table 3. References	5
Table 4. Uncertainty Calculations Summary.....	5
Table 5. Equipment Configuration	7
Table 6. Support Equipment.....	7
Table 7. Ports and Cabling Information	8
Table 8. Antenna Key.....	9
Table 9. 26 dB Occupied Bandwidth, Test Results	14
Table 10. Maximum Conducted Output Power, 5' Omni, Test Results	40
Table 11. Maximum Conducted Transmitter Power, 8 Omni, Test Results	40
Table 12. Maximum Conducted Transmitter Power, 90 Sector, Test Results	41
Table 13. Maximum Conducted Transmitter Power, 1' Panel, Test Results	41
Table 14. Maximum Conducted Transmitter Power, 2' Panel, Test Results	42
Table 15. Maximum Conducted Transmitter Power, 3' Para, Test Results	42
Table 16. EIRP Above Elevation Angle, 2' Panel, Test Results.....	93
Table 17. EIRP Above Elevation Angle, 3' Para, Test Results	93
Table 18. EIRP Above Elevation Angle, 8 Omni, Test Results	93
Table 19. EIRP Above Elevation Angle, 5 Omni, Test Results	93
Table 20. EIRP Elevation Angle, 90 Sector, Test Results.....	93
Table 21. EIRP Elevation Angle, 1' Panel, Test Results	93
Table 22. Power Spectral Density, 5 Omni, Test Results.....	95
Table 23. Power Spectral Density, 8 Omni, Test Results.....	95
Table 24. Power Spectral Density, 90 Sector, Test Results.....	96
Table 25. Power Spectral Density, 1' Panel, Test Results.....	96
Table 26. Power Spectral Density, 2' Panel, Test Results.....	97
Table 27. Power Spectral Density, 3' Para, Test Results	97
Table 28. Conducted Limits for Intentional Radiators from FCC Part 15 § 15.207(a)	344
Table 29. Conducted Emissions, Phase Line, Test Results	345
Table 30. Conducted Emissions, Neutral Line, Test Results.....	345
Table 31. Test Equipment List	357

List of Figures

Figure 1. Block Diagram of Test Configuration, Emissions	6
Figure 2. Block Diagram of Test Configuration, DFS	6

List of Photographs

Photograph 1. Undesirable Emissions, 1' Panel below 1 GHz, Test Setup	338
Photograph 2. Undesirable Emissions, 1' Panel above 1 GHz, Test Setup	338
Photograph 3. Undesirable Emissions, 2' Panel below 1 GHz, Test Setup	339
Photograph 4. Undesirable Emissions, 2' Panel above 1 GHz, Test Setup	339
Photograph 5. Undesirable Emissions, Para below 1 GHz, Test Setup	340
Photograph 6. Undesirable Emissions, Para above 1 GHz, Test Setup	340
Photograph 7. Undesirable Emissions, 5 Omni below 1 GHz, Test Setup	341
Photograph 8. Undesirable Emissions, 5 Omni above 1 GHz, Test Setup	341
Photograph 9. Undesirable Emissions, 8 Omni below 1 GHz, Test Setup	342
Photograph 10. Undesirable Emissions, 8 Omni above 1 GHz, Test Setup	342
Photograph 11. Undesirable Emissions, 90 Sector below 1 GHz, Test Setup	343
Photograph 12. Undesirable Emissions, 90 Sector above 1 GHz, Test Setup	343
Photograph 13. Conducted Emissions, 1' Panel, Test Setup	352



Photograph 14. Conducted Emissions, 2' Panel, Test Setup	352
Photograph 15. Conducted Emissions, 3' Para, Test Setup	353
Photograph 16. Conducted Emissions, 5 Omni, Test Setup	353
Photograph 17. Conducted Emissions, Omni 8, Test Setup	354
Photograph 18. Conducted Emissions, 90 Sector, Test Setup	354

List of Plots

Plot 1. 26 dB Occupied Bandwidth, 5M, 5170, 1'Panel, rf2.....	15
Plot 2. 26 dB Occupied Bandwidth, 5M, 5210, 1'Panel, rf2.....	15
Plot 3. 26 dB Occupied Bandwidth, 5M, 5242.5, 1'Panel, rf2.....	15
Plot 4. 26 dB Occupied Bandwidth, 10M, 5170, 1'Panel, rf2.....	16
Plot 5. 26 dB Occupied Bandwidth, 10M, 5210, 1'Panel, rf2.....	16
Plot 6. 26 dB Occupied Bandwidth, 10M, 5240.5, 1'Panel, rf2.....	16
Plot 7. 26 dB Occupied Bandwidth, 20M, 5170, 1'Panel, rf2.....	17
Plot 8. 26 dB Occupied Bandwidth, 20M, 5210, 1'Panel, rf2.....	17
Plot 9. 26 dB Occupied Bandwidth, 20M, 5235.5, 1'Panel, rf2.....	17
Plot 10. 26 dB Occupied Bandwidth, 40M, 5171, 1'Panel, rf2.....	18
Plot 11. 26 dB Occupied Bandwidth, 40M, 5210, 1'Panel, rf2.....	18
Plot 12. 26 dB Occupied Bandwidth, 40M, 5230, 1'Panel, rf2.....	18
Plot 13. 26 dB Occupied Bandwidth, 5M, 5170, 2'Panel, rf2.....	19
Plot 14. 26 dB Occupied Bandwidth, 5M, 5210, 2'Panel, rf2.....	19
Plot 15. 26 dB Occupied Bandwidth, 5M, 5242.5, 2'Panel, rf2.....	19
Plot 16. 26 dB Occupied Bandwidth, 10M, 5170, 2'Panel, rf2.....	20
Plot 17. 26 dB Occupied Bandwidth, 10M, 5210, 2'Panel, rf2.....	20
Plot 18. 26 dB Occupied Bandwidth, 10M, 5240.5, 2'Panel, rf2.....	20
Plot 19. 26 dB Occupied Bandwidth, 20M, 5170, 2'Panel, rf2.....	21
Plot 20. 26 dB Occupied Bandwidth, 20M, 5210, 2'Panel, rf2.....	21
Plot 21. 26 dB Occupied Bandwidth, 20M, 5235.5, 2'Panel, rf2.....	21
Plot 22. 26 dB Occupied Bandwidth, 40M, 5171, 2'Panel, rf2.....	22
Plot 23. 26 dB Occupied Bandwidth, 40M, 5210, 2'Panel, rf2.....	22
Plot 24. 26 dB Occupied Bandwidth, 40M, 5230, 2'Panel, rf2.....	22
Plot 25. 26 dB Occupied Bandwidth, 5M, 5170, 3'Para, rf2	23
Plot 26. 26 dB Occupied Bandwidth, 5M, 5210, 3'Para, rf2	23
Plot 27. 26 dB Occupied Bandwidth, 5M, 5242.5, 3'Para, rf2	23
Plot 28. 26 dB Occupied Bandwidth, 10M, 5170, 3'Para, rf2	24
Plot 29. 26 dB Occupied Bandwidth, 10M, 5210, 3'Para, rf2	24
Plot 30. 26 dB Occupied Bandwidth, 10M, 5240.5, 3'Para, rf2	24
Plot 31. 26 dB Occupied Bandwidth, 20M, 5170, 3'Para, rf2	25
Plot 32. 26 dB Occupied Bandwidth, 20M, 5210, 3'Para, rf2	25
Plot 33. 26 dB Occupied Bandwidth, 20M, 5235.5, 3'Para, rf2	25
Plot 34. 26 dB Occupied Bandwidth, 40M, 5170, 3'Para, rf2	26
Plot 35. 26 dB Occupied Bandwidth, 40M, 5210, 3'Para, rf2	26
Plot 36. 26 dB Occupied Bandwidth, 40M, 5230, 3'Para, rf2	26
Plot 37. 26 dB Occupied Bandwidth, 5M, 5170, 90Sector, rf2	27
Plot 38. 26 dB Occupied Bandwidth, 5M, 5210, 90Sector, rf2	27
Plot 39. 26 dB Occupied Bandwidth, 5M, 5247.5, 90Sector, rf2	27
Plot 40. 26 dB Occupied Bandwidth, 10M, 5170, 90Sector, rf2	28
Plot 41. 26 dB Occupied Bandwidth, 10M, 5210, 90Sector, rf2	28
Plot 42. 26 dB Occupied Bandwidth, 10M, 5245, 90Sector, rf2	28
Plot 43. 26 dB Occupied Bandwidth, 20M, 5170, 90Sector, rf2	29
Plot 44. 26 dB Occupied Bandwidth, 20M, 5210, 90Sector, rf2	29
Plot 45. 26 dB Occupied Bandwidth, 20M, 5240, 90Sector, rf2	29
Plot 46. 26 dB Occupied Bandwidth, 40M, 5170, 90Sector, rf2	30
Plot 47. 26 dB Occupied Bandwidth, 40M, 5210, 90Sector, rf2	30
Plot 48. 26 dB Occupied Bandwidth, 40M, 5230, 90Sector, rf2	30



Plot 49. 26 dB Occupied Bandwidth, 5M, 5170, Omni8, rf2	31
Plot 50. 26 dB Occupied Bandwidth, 5M, 5210, Omni8, rf2	31
Plot 51. 26 dB Occupied Bandwidth, 5M, 5247.5, Omni8, rf2	31
Plot 52. 26 dB Occupied Bandwidth, 10M, 5170, Omni8, rf2	32
Plot 53. 26 dB Occupied Bandwidth, 10M, 5210, Omni8, rf2	32
Plot 54. 26 dB Occupied Bandwidth, 10M, 5245, Omni8, rf2	32
Plot 55. 26 dB Occupied Bandwidth, 20M, 5170, Omni8, rf2	33
Plot 56. 26 dB Occupied Bandwidth, 20M, 5210, Omni8, rf2	33
Plot 57. 26 dB Occupied Bandwidth, 20M, 5240, Omni8, rf2	33
Plot 58. 26 dB Occupied Bandwidth, 40M, 5170, Omni8, rf2	34
Plot 59. 26 dB Occupied Bandwidth, 40M, 5210, Omni8, rf2	34
Plot 60. 26 dB Occupied Bandwidth, 40M, 5230, Omni8, rf2	34
Plot 61. 26 dB Occupied Bandwidth, 5M, 5170, 5Omni, rf2	35
Plot 62. 26 dB Occupied Bandwidth, 5M, 5210, 5Omni, rf2	35
Plot 63. 26 dB Occupied Bandwidth, 5M, 5247.5, 5Omni, rf2	35
Plot 64. 26 dB Occupied Bandwidth, 10M, 5170, 5Omni, rf2	36
Plot 65. 26 dB Occupied Bandwidth, 10M, 5210, 5Omni, rf2	36
Plot 66. 26 dB Occupied Bandwidth, 10M, 5245, 5Omni, rf2	36
Plot 67. 26 dB Occupied Bandwidth, 20M, 5170, 5Omni, rf2	37
Plot 68. 26 dB Occupied Bandwidth, 20M, 5210, 5Omni, rf2	37
Plot 69. 26 dB Occupied Bandwidth, 20M, 5240, 5Omni, rf2	37
Plot 70. 26 dB Occupied Bandwidth, 40M, 5170, 5Omni, rf2	38
Plot 71. 26 dB Occupied Bandwidth, 40M, 5210, 5Omni, rf2	38
Plot 72. 26 dB Occupied Bandwidth, 40M, 5230, 5Omni, rf2	38
Plot 73. Duty Cycle	43
Plot 74. Maximum Conducted Output Power, 5M, 5170, 1Panel, rf1	43
Plot 75. Maximum Conducted Output Power, 5M, 5170, 1Panel, rf2	43
Plot 76. Maximum Conducted Output Power, 5M, 5210, 1Panel, rf1	44
Plot 77. Maximum Conducted Output Power, 5M, 5210, 1Panel, rf2	44
Plot 78. Maximum Conducted Output Power, 5M, 5242.5, 1Panel, rf1	44
Plot 79. Maximum Conducted Output Power, 5M, 5242.5, 1Panel, rf2	45
Plot 80. Maximum Conducted Output Power, 10M, 5170, 1Panel, rf1	45
Plot 81. Maximum Conducted Output Power, 10M, 5170, 1Panel, rf2	45
Plot 82. Maximum Conducted Output Power, 10M, 5210, 1Panel, rf1	46
Plot 83. Maximum Conducted Output Power, 10M, 5210, 1Panel, rf2	46
Plot 84. Maximum Conducted Output Power, 10M, 5240.5, 1Panel, rf1	46
Plot 85. Maximum Conducted Output Power, 10M, 5240.5, 1Panel, rf2	47
Plot 86. Maximum Conducted Output Power, 20M, 5170, 1Panel, rf1	47
Plot 87. Maximum Conducted Output Power, 20M, 5170, 1Panel, rf2	47
Plot 88. Maximum Conducted Output Power, 20M, 5210, 1Panel, rf1	48
Plot 89. Maximum Conducted Output Power, 20M, 5210, 1Panel, rf2	48
Plot 90. Maximum Conducted Output Power, 20M, 5235.5, 1Panel, rf1	48
Plot 91. Maximum Conducted Output Power, 20M, 5235.5, 1Panel, rf2	49
Plot 92. Maximum Conducted Output Power, 40M, 5171, 1Panel, rf1	49
Plot 93. Maximum Conducted Output Power, 40M, 5171, 1Panel, rf2	49
Plot 94. Maximum Conducted Output Power, 40M, 5210, 1Panel, rf1	50
Plot 95. Maximum Conducted Output Power, 40M, 5210, 1Panel, rf2	50
Plot 96. Maximum Conducted Output Power, 40M, 5230, 1Panel, rf1	50
Plot 97. Maximum Conducted Output Power, 40M, 5230, 1Panel, rf2	51
Plot 98. Maximum Conducted Output Power, 5M, 5170, 2Panel, rf1	51
Plot 99. Maximum Conducted Output Power, 5M, 5170, 2Panel, rf2	51
Plot 100. Maximum Conducted Output Power, 5M, 5210, 2Panel, rf1	52
Plot 101. Maximum Conducted Output Power, 5M, 5210, 2Panel, rf2	52
Plot 102. Maximum Conducted Output Power, 5M, 5242.5, 2Panel, rf1	52
Plot 103. Maximum Conducted Output Power, 5M, 5242.5, 2Panel, rf2	53
Plot 104. Maximum Conducted Output Power, 10M, 5170, 2Panel, rf1	53
Plot 105. Maximum Conducted Output Power, 10M, 5170, 2Panel, rf2	53



Plot 106. Maximum Conducted Output Power, 10M, 5210, 2Panel, rf1.....	54
Plot 107. Maximum Conducted Output Power, 10M, 5210, 2Panel, rf2.....	54
Plot 108. Maximum Conducted Output Power, 10M, 5240.5, 2Panel, rf1.....	54
Plot 109. Maximum Conducted Output Power, 10M, 5240.5, 2Panel, rf2.....	55
Plot 110. Maximum Conducted Output Power, 20M, 5170, 2Panel, rf1.....	55
Plot 111. Maximum Conducted Output Power, 20M, 5170, 2Panel, rf2.....	55
Plot 112. Maximum Conducted Output Power, 20M, 5210, 2Panel, rf1.....	56
Plot 113. Maximum Conducted Output Power, 20M, 5210, 2Panel, rf2.....	56
Plot 114. Maximum Conducted Output Power, 20M, 5235.5, 2Panel, rf1.....	56
Plot 115. Maximum Conducted Output Power, 20M, 5235.5, 2Panel, rf2.....	57
Plot 116. Maximum Conducted Output Power, 40M, 5171, 2Panel, rf1.....	57
Plot 117. Maximum Conducted Output Power, 40M, 5171, 2Panel, rf2.....	57
Plot 118. Maximum Conducted Output Power, 40M, 5210, 2Panel, rf1.....	58
Plot 119. Maximum Conducted Output Power, 40M, 5210, 2Panel, rf2.....	58
Plot 120. Maximum Conducted Output Power, 40M, 5230, 2Panel, rf1.....	58
Plot 121. Maximum Conducted Output Power, 40M, 5230, 2Panel, rf2.....	59
Plot 122. Maximum Conducted Output Power, 5M, 5170, 3Para, rf1	59
Plot 123. Maximum Conducted Output Power, 5M, 5170, 3Para, rf2	59
Plot 124. Maximum Conducted Output Power, 5M, 5210, 3Para, rf1	60
Plot 125. Maximum Conducted Output Power, 5M, 5210, 3Para, rf2	60
Plot 126. Maximum Conducted Output Power, 5M, 5242.5, 3Para, rf1	60
Plot 127. Maximum Conducted Output Power, 5M, 5242.5, 3Para, rf2	61
Plot 128. Maximum Conducted Output Power, 10M, 5170, 3Para, rf1	61
Plot 129. Maximum Conducted Output Power, 10M, 5170, 3Para, rf2	61
Plot 130. Maximum Conducted Output Power, 10M, 5210, 3Para, rf1	62
Plot 131. Maximum Conducted Output Power, 10M, 5210, 3Para, rf2	62
Plot 132. Maximum Conducted Output Power, 10M, 5240.5, 3Para, rf1	62
Plot 133. Maximum Conducted Output Power, 10M, 5240.5, 3Para, rf2	63
Plot 134. Maximum Conducted Output Power, 20M, 5170, 3Para, rf1	63
Plot 135. Maximum Conducted Output Power, 20M, 5170, 3Para, rf2	63
Plot 136. Maximum Conducted Output Power, 20M, 5210, 3Para, rf1	64
Plot 137. Maximum Conducted Output Power, 20M, 5210, 3Para, rf2	64
Plot 138. Maximum Conducted Output Power, 20M, 5235.5, 3Para, rf1	64
Plot 139. Maximum Conducted Output Power, 20M, 5235.5, 3Para, rf2	65
Plot 140. Maximum Conducted Output Power, 40M, 5171, 3Para, rf1	65
Plot 141. Maximum Conducted Output Power, 40M, 5171, 3Para, rf2	65
Plot 142. Maximum Conducted Output Power, 40M, 5210, 3Para, rf1	66
Plot 143. Maximum Conducted Output Power, 40M, 5210, 3Para, rf2	66
Plot 144. Maximum Conducted Output Power, 40M, 5230, 3Para, rf1	66
Plot 145. Maximum Conducted Output Power, 40M, 5230, 3Para, rf2	67
Plot 146. Maximum Conducted Output Power, 5M, 5170, 5Omni, rf1	67
Plot 147. Maximum Conducted Output Power, 5M, 5170, 5Omni, rf2	67
Plot 148. Maximum Conducted Output Power, 5M, 5210, 5Omni, rf1	68
Plot 149. Maximum Conducted Output Power, 5M, 5210, 5Omni, rf2	68
Plot 150. Maximum Conducted Output Power, 5M, 5247.5, 5Omni, rf1	68
Plot 151. Maximum Conducted Output Power, 5M, 5247.5, 5Omni, rf2	69
Plot 152. Maximum Conducted Output Power, 10M, 5170, 5Omni, rf1	69
Plot 153. Maximum Conducted Output Power, 10M, 5170, 5Omni, rf2	69
Plot 154. Maximum Conducted Output Power, 10M, 5210, 5Omni, rf1	70
Plot 155. Maximum Conducted Output Power, 10M, 5210, 5Omni, rf2	70
Plot 156. Maximum Conducted Output Power, 10M, 5245, 5Omni, rf1	70
Plot 157. Maximum Conducted Output Power, 10M, 5245, 5Omni, rf2	71
Plot 158. Maximum Conducted Output Power, 20M, 5170, 5Omni, rf1	71
Plot 159. Maximum Conducted Output Power, 20M, 5170, 5Omni, rf2	71
Plot 160. Maximum Conducted Output Power, 20M, 5210, 5Omni, rf1	72
Plot 161. Maximum Conducted Output Power, 20M, 5210, 5Omni, rf2	72
Plot 162. Maximum Conducted Output Power, 20M, 5240, 5Omni, rf1	72



Plot 163. Maximum Conducted Output Power, 20M, 5240, 5Omni, rf2	73
Plot 164. Maximum Conducted Output Power, 40M, 5170, 5Omni, rf1	73
Plot 165. Maximum Conducted Output Power, 40M, 5170, 5Omni, rf2	73
Plot 166. Maximum Conducted Output Power, 40M, 5210, 5Omni, rf1	74
Plot 167. Maximum Conducted Output Power, 40M, 5210, 5Omni, rf2	74
Plot 168. Maximum Conducted Output Power, 40M, 5230, 5Omni, rf1	74
Plot 169. Maximum Conducted Output Power, 40M, 5230, 5Omni, rf2	75
Plot 170. Maximum Conducted Output Power, 5M, 5170, Omni8, rf1	75
Plot 171. Maximum Conducted Output Power, 5M, 5170, Omni8, rf2	75
Plot 172. Maximum Conducted Output Power, 5M, 5210, Omni8, rf1	76
Plot 173. Maximum Conducted Output Power, 5M, 5210, Omni8, rf2	76
Plot 174. Maximum Conducted Output Power, 5M, 5247.5, Omni8, rf1	76
Plot 175. Maximum Conducted Output Power, 5M, 5247.5, Omni8, rf2	77
Plot 176. Maximum Conducted Output Power, 10M, 5170, Omni8, rf1	77
Plot 177. Maximum Conducted Output Power, 10M, 5170, Omni8, rf2	77
Plot 178. Maximum Conducted Output Power, 10M, 5210, Omni8, rf1	78
Plot 179. Maximum Conducted Output Power, 10M, 5210, Omni8, rf2, 15.....	78
Plot 180. Maximum Conducted Output Power, 10M, 5245, Omni8, rf1	78
Plot 181. Maximum Conducted Output Power, 10M, 5245, Omni8, rf2	79
Plot 182. Maximum Conducted Output Power, 20M, 5170, Omni8, rf1	79
Plot 183. Maximum Conducted Output Power, 20M, 5170, Omni8, rf2	79
Plot 184. Maximum Conducted Output Power, 20M, 5210, Omni8, rf1	80
Plot 185. Maximum Conducted Output Power, 20M, 5210, Omni8, rf2	80
Plot 186. Maximum Conducted Output Power, 20M, 5240, Omni8, rf1	80
Plot 187. Maximum Conducted Output Power, 20M, 5240, Omni8, rf2	81
Plot 188. Maximum Conducted Output Power, 40M, 5170, Omni8, rf1	81
Plot 189. Maximum Conducted Output Power, 40M, 5170, Omni8, rf2	81
Plot 190. Maximum Conducted Output Power, 40M, 5210, Omni8, rf1	82
Plot 191. Maximum Conducted Output Power, 40M, 5210, Omni8, rf2	82
Plot 192. Maximum Conducted Output Power, 40M, 5230, Omni8, rf1	82
Plot 193. Maximum Conducted Output Power, 40M, 5230, Omni8, rf2	83
Plot 194. Maximum Conducted Output Power, 5M, 5170, 90Sector, rf1	83
Plot 195. Maximum Conducted Output Power, 5M, 5170, 90Sector, rf2	83
Plot 196. Maximum Conducted Output Power, 5M, 5210, 90Sector, rf1	84
Plot 197. Maximum Conducted Output Power, 5M, 5210, 90Sector, rf2	84
Plot 198. Maximum Conducted Output Power, 5M, 5247.5, 90Sector, rf1	84
Plot 199. Maximum Conducted Output Power, 5M, 5247.5, 90Sector, rf2	85
Plot 200. Maximum Conducted Output Power, 10M, 5170, 90Sector, rf1	85
Plot 201. Maximum Conducted Output Power, 10M, 5170, 90Sector, rf2	85
Plot 202. Maximum Conducted Output Power, 10M, 5210, 90Sector, rf1	86
Plot 203. Maximum Conducted Output Power, 10M, 5210, 90Sector, rf2	86
Plot 204. Maximum Conducted Output Power, 10M, 5245, 90Sector, rf1	86
Plot 205. Maximum Conducted Output Power, 10M, 5245, 90Sector, rf2	87
Plot 206. Maximum Conducted Output Power, 20M, 5170, 90Sector, rf1	87
Plot 207. Maximum Conducted Output Power, 20M, 5170, 90Sector, rf2	87
Plot 208. Maximum Conducted Output Power, 20M, 5210, 90Sector, rf1	88
Plot 209. Maximum Conducted Output Power, 20M, 5210, 90Sector, rf2	88
Plot 210. Maximum Conducted Output Power, 20M, 5240, 90Sector, rf1	88
Plot 211. Maximum Conducted Output Power, 20M, 5240, 90Sector, rf2	89
Plot 212. Maximum Conducted Output Power, 40M, 5170, 90Sector, rf1	89
Plot 213. Maximum Conducted Output Power, 40M, 5170, 90Sector, rf2	89
Plot 214. Maximum Conducted Output Power, 40M, 5210, 90Sector, rf1	90
Plot 215. Maximum Conducted Output Power, 40M, 5210, 90Sector, rf2	90
Plot 216. Maximum Conducted Output Power, 40M, 5230, 90Sector, rf1	90
Plot 217. Maximum Conducted Output Power, 40M, 5230, 90Sector, rf2	91
Plot 218. Duty Cycle	98
Plot 219. Maximum Power Spectral Density, 5M, 5170, 1Panel, rf1.....	98



Plot 220. Maximum Power Spectral Density, 5M, 5170, 1Panel, rf2.....	98
Plot 221. Maximum Power Spectral Density, 5M, 5210, 1Panel, rf1.....	99
Plot 222. Maximum Power Spectral Density, 5M, 5210, 1Panel, rf2.....	99
Plot 223. Maximum Power Spectral Density, 5M, 5242.5, 1Panel, rf1.....	99
Plot 224. Maximum Power Spectral Density, 5M, 5242.5, 1Panel, rf2.....	100
Plot 225. Maximum Power Spectral Density, 10M, 5170, 1Panel, rf1.....	100
Plot 226. Maximum Power Spectral Density, 10M, 5170, 1Panel, rf2.....	100
Plot 227. Maximum Power Spectral Density, 10M, 5210, 1Panel, rf1.....	101
Plot 228. Maximum Power Spectral Density, 10M, 5210, 1Panel, rf2.....	101
Plot 229. Maximum Power Spectral Density, 10M, 5240.5, 1Panel, rf1.....	101
Plot 230. Maximum Power Spectral Density, 10M, 5240.5, 1Panel, rf2.....	102
Plot 231. Maximum Power Spectral Density, 20M, 5170, 1Panel, rf1.....	102
Plot 232. Maximum Power Spectral Density, 20M, 5170, 1Panel, rf2.....	102
Plot 233. Maximum Power Spectral Density, 20M, 5210, 1Panel, rf1.....	103
Plot 234. Maximum Power Spectral Density, 20M, 5210, 1Panel, rf2.....	103
Plot 235. Maximum Power Spectral Density, 20M, 5235.5, 1Panel, rf1.....	103
Plot 236. Maximum Power Spectral Density, 20M, 5235.5, 1Panel, rf2.....	104
Plot 237. Maximum Power Spectral Density, 40M, 5171, 1Panel, rf1.....	104
Plot 238. Maximum Power Spectral Density, 40M, 5171, 1Panel, rf2.....	104
Plot 239. Maximum Power Spectral Density, 40M, 5210, 1Panel, rf1.....	105
Plot 240. Maximum Power Spectral Density, 40M, 5210, 1Panel, rf2.....	105
Plot 241. Maximum Power Spectral Density, 40M, 5230, 1Panel, rf1.....	105
Plot 242. Maximum Power Spectral Density, 40M, 5230, 1Panel, rf2.....	106
Plot 243. Maximum Power Spectral Density, 5M, 5170, 2Panel, rf1.....	106
Plot 244. Maximum Power Spectral Density, 5M, 5170, 2Panel, rf2.....	106
Plot 245. Maximum Power Spectral Density, 5M, 5210, 2Panel, rf1.....	107
Plot 246. Maximum Power Spectral Density, 5M, 5210, 2Panel, rf2.....	107
Plot 247. Maximum Power Spectral Density, 5M, 5242.5, 2Panel, rf1.....	107
Plot 248. Maximum Power Spectral Density, 5M, 5242.5, 2Panel, rf2.....	108
Plot 249. Maximum Power Spectral Density, 10M, 5170, 2Panel, rf1.....	108
Plot 250. Maximum Power Spectral Density, 10M, 5170, 2Panel, rf2.....	108
Plot 251. Maximum Power Spectral Density, 10M, 5210, 2Panel, rf1.....	109
Plot 252. Maximum Power Spectral Density, 10M, 5210, 2Panel, rf2.....	109
Plot 253. Maximum Power Spectral Density, 10M, 5240.5, 2Panel, rf1.....	109
Plot 254. Maximum Power Spectral Density, 10M, 5240.5, 2Panel, rf2.....	110
Plot 255. Maximum Power Spectral Density, 20M, 5170, 2Panel, rf1.....	110
Plot 256. Maximum Power Spectral Density, 20M, 5170, 2Panel, rf2.....	110
Plot 257. Maximum Power Spectral Density, 20M, 5210, 2Panel, rf1.....	111
Plot 258. Maximum Power Spectral Density, 20M, 5210, 2Panel, rf2.....	111
Plot 259. Maximum Power Spectral Density, 20M, 5235.5, 2Panel, rf1.....	111
Plot 260. Maximum Power Spectral Density, 20M, 5235.5, 2Panel, rf2.....	112
Plot 261. Maximum Power Spectral Density, 40M, 5171, 2Panel, rf1.....	112
Plot 262. Maximum Power Spectral Density, 40M, 5171, 2Panel, rf2.....	112
Plot 263. Maximum Power Spectral Density, 40M, 5210, 2Panel, rf1.....	113
Plot 264. Maximum Power Spectral Density, 40M, 5210, 2Panel, rf2.....	113
Plot 265. Maximum Power Spectral Density, 40M, 5230, 2Panel, rf1.....	113
Plot 266. Maximum Power Spectral Density, 40M, 5230, 2Panel, rf2.....	114
Plot 267. Maximum Power Spectral Density, 5M, 5170, 3Para, rf1	114
Plot 268. Maximum Power Spectral Density, 5M, 5170, 3Para, rf2	114
Plot 269. Maximum Power Spectral Density, 5M, 5210, 3Para, rf1	115
Plot 270. Maximum Power Spectral Density, 5M, 5210, 3Para, rf2	115
Plot 271. Maximum Power Spectral Density, 5M, 5242.5, 3Para, rf1	115
Plot 272. Maximum Power Spectral Density, 5M, 5242.5, 3Para, rf2	116
Plot 273. Maximum Power Spectral Density, 10M, 5170, 3Para, rf1	116
Plot 274. Maximum Power Spectral Density, 10M, 5170, 3Para, rf2	116
Plot 275. Maximum Power Spectral Density, 10M, 5210, 3Para, rf1	117
Plot 276. Maximum Power Spectral Density, 10M, 5210, 3Para, rf2	117



Plot 277. Maximum Power Spectral Density, 10M, 5240.5, 3Para, rf1	117
Plot 278. Maximum Power Spectral Density, 10M, 5240.5, 3Para, rf2	118
Plot 279. Maximum Power Spectral Density, 20M, 5170, 3Para, rf1	118
Plot 280. Maximum Power Spectral Density, 20M, 5170, 3Para, rf2	118
Plot 281. Maximum Power Spectral Density, 20M, 5210, 3Para, rf1	119
Plot 282. Maximum Power Spectral Density, 20M, 5210, 3Para, rf2	119
Plot 283. Maximum Power Spectral Density, 20M, 5235.5, 3Para, rf1	119
Plot 284. Maximum Power Spectral Density, 20M, 5235.5, 3Para, rf2	120
Plot 285. Maximum Power Spectral Density, 40M, 5171, 3Para, rf1	120
Plot 286. Maximum Power Spectral Density, 40M, 5171, 3Para, rf2	120
Plot 287. Maximum Power Spectral Density, 40M, 5210, 3Para, rf1	121
Plot 288. Maximum Power Spectral Density, 40M, 5210, 3Para, rf2	121
Plot 289. Maximum Power Spectral Density, 40M, 5230, 3Para, rf1	121
Plot 290. Maximum Power Spectral Density, 40M, 5230, 3Para, rf2	122
Plot 291. Maximum Power Spectral Density, 5M, 5170, 5Omni, rf1	122
Plot 292. Maximum Power Spectral Density, 5M, 5170, 5Omni, rf2	122
Plot 293. Maximum Power Spectral Density, 5M, 5210, 5Omni, rf1	123
Plot 294. Maximum Power Spectral Density, 5M, 5210, 5Omni, rf2	123
Plot 295. Maximum Power Spectral Density, 5M, 5247.5, 5Omni, rf1	123
Plot 296. Maximum Power Spectral Density, 5M, 5247.5, 5Omni, rf2	124
Plot 297. Maximum Power Spectral Density, 10M, 5170, 5Omni, rf1	124
Plot 298. Maximum Power Spectral Density, 10M, 5170, 5Omni, rf2	124
Plot 299. Maximum Power Spectral Density, 10M, 5210, 5Omni, rf1	125
Plot 300. Maximum Power Spectral Density, 10M, 5210, 5Omni, rf2	125
Plot 301. Maximum Power Spectral Density, 10M, 5245, 5Omni, rf1	125
Plot 302. Maximum Power Spectral Density, 10M, 5245, 5Omni, rf2	126
Plot 303. Maximum Power Spectral Density, 20M, 5170, 5Omni, rf1	126
Plot 304. Maximum Power Spectral Density, 20M, 5170, 5Omni, rf2	126
Plot 305. Maximum Power Spectral Density, 20M, 5210, 5Omni, rf1	127
Plot 306. Maximum Power Spectral Density, 20M, 5210, 5Omni, rf2	127
Plot 307. Maximum Power Spectral Density, 20M, 5240, 5Omni, rf1	127
Plot 308. Maximum Power Spectral Density, 20M, 5240, 5Omni, rf2	128
Plot 309. Maximum Power Spectral Density, 40M, 5170, 5Omni, rf1	128
Plot 310. Maximum Power Spectral Density, 40M, 5170, 5Omni, rf2	128
Plot 311. Maximum Power Spectral Density, 40M, 5210, 5Omni, rf1	129
Plot 312. Maximum Power Spectral Density, 40M, 5210, 5Omni, rf2	129
Plot 313. Maximum Power Spectral Density, 40M, 5230, 5Omni, rf1	129
Plot 314. Maximum Power Spectral Density, 40M, 5230, 5Omni, rf2	130
Plot 315. Maximum Power Spectral Density, 5M, 5170, Omni8, rf1	130
Plot 316. Maximum Power Spectral Density, 5M, 5170, Omni8, rf2	130
Plot 317. Maximum Power Spectral Density, 5M, 5210, Omni8, rf1	131
Plot 318. Maximum Power Spectral Density, 5M, 5210, Omni8, rf2, 11	131
Plot 319. Maximum Power Spectral Density, 5M, 5247.5, Omni8, rf1	131
Plot 320. Maximum Power Spectral Density, 5M, 5247.5, Omni8, rf2	132
Plot 321. Maximum Power Spectral Density, 10M, 5170, Omni8, rf1	132
Plot 322. Maximum Power Spectral Density, 10M, 5170, Omni8, rf2	132
Plot 323. Maximum Power Spectral Density, 10M, 5210, Omni8, rf1	133
Plot 324. Maximum Power Spectral Density, 10M, 5210, Omni8, rf2	133
Plot 325. Maximum Power Spectral Density, 10M, 5245, Omni8, rf1	133
Plot 326. Maximum Power Spectral Density, 10M, 5245, Omni8, rf2	134
Plot 327. Maximum Power Spectral Density, 20M, 5170, Omni8, rf1	134
Plot 328. Maximum Power Spectral Density, 20M, 5170, Omni8, rf2	134
Plot 329. Maximum Power Spectral Density, 20M, 5210, Omni8, rf1	135
Plot 330. Maximum Power Spectral Density, 20M, 5210, Omni8, rf2	135
Plot 331. Maximum Power Spectral Density, 20M, 5240, Omni8, rf1	135
Plot 332. Maximum Power Spectral Density, 20M, 5240, Omni8, rf2	136
Plot 333. Maximum Power Spectral Density, 40M, 5170, Omni8, rf1	136



Plot 334. Maximum Power Spectral Density, 40M, 5170, Omni8, rf2	136
Plot 335. Maximum Power Spectral Density, 40M, 5210, Omni8, rf1	137
Plot 336. Maximum Power Spectral Density, 40M, 5210, Omni8, rf2	137
Plot 337. Maximum Power Spectral Density, 40M, 5230, Omni8, rf1	137
Plot 338. Maximum Power Spectral Density, 40M, 5230, Omni8, rf2	138
Plot 339. Maximum Power Spectral Density, 20M, 5170, 90Sector, rf1	138
Plot 340. Maximum Power Spectral Density, 20M, 5170, 90Sector, rf2	138
Plot 341. Maximum Power Spectral Density, 20M, 5210, 90Sector, rf1	139
Plot 342. Maximum Power Spectral Density, 20M, 5210, 90Sector, rf2	139
Plot 343. Maximum Power Spectral Density, 20M, 5240, 90Sector, rf1	139
Plot 344. Maximum Power Spectral Density, 20M, 5240, 90Sector, rf2	140
Plot 345. Maximum Power Spectral Density, 40M, 5170, 90Sector, rf1	140
Plot 346. Maximum Power Spectral Density, 40M, 5170, 90Sector, rf2	140
Plot 347. Maximum Power Spectral Density, 5M, 5170, 90Sector, rf1	141
Plot 348. Maximum Power Spectral Density, 5M, 5170, 90Sector, rf2	141
Plot 349. Maximum Power Spectral Density, 5M, 5210, 90Sector, rf1	141
Plot 350. Maximum Power Spectral Density, 5M, 5210, 90Sector, rf2	142
Plot 351. Maximum Power Spectral Density, 5M, 5247.5, 90Sector, rf1	142
Plot 352. Maximum Power Spectral Density, 5M, 5247.5, 90Sector, rf2	142
Plot 353. Maximum Power Spectral Density, 10M, 5170, 90Sector, rf1	143
Plot 354. Maximum Power Spectral Density, 10M, 5170, 90Sector, rf2	143
Plot 355. Maximum Power Spectral Density, 10M, 5210, 90Sector, rf1	143
Plot 356. Maximum Power Spectral Density, 10M, 5210, 90Sector, rf2	144
Plot 357. Maximum Power Spectral Density, 10M, 5245, 90Sector, rf1	144
Plot 358. Maximum Power Spectral Density, 10M, 5245, 90Sector, rf2	144
Plot 359. Maximum Power Spectral Density, 40M, 5210, 90Sector, rf1	145
Plot 360. Maximum Power Spectral Density, 40M, 5210, 90Sector, rf2	145
Plot 361. Maximum Power Spectral Density, 40M, 5230, 90Sector, rf1	145
Plot 362. Maximum Power Spectral Density, 40M, 5230, 90Sector, rf2	146
Plot 363. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5170 pow7	148
Plot 364. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5170 pow7 zoom left of fundamental	148
Plot 365. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5210 pow11	149
Plot 366. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5210 pow11 zoom left of fundamental	149
Plot 367. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14	150
Plot 368. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14 zoom left of fundamental	150
Plot 369. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14 zoom right of fundamental	151
Plot 370. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5170 pow6	151
Plot 371. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5210 pow17	152
Plot 372. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5240.5 pow17	152
Plot 373. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5170 pow-2	153
Plot 374. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5210 pow15	153
Plot 375. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5235.5 pow20	154
Plot 376. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5171 pow-10	154
Plot 377. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5210 pow10	155
Plot 378. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5230 pow14	155
Plot 379. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5170 pow7	156
Plot 380. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5210 pow11	156
Plot 381. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5242.5 pow14	157
Plot 382. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5170 pow6	157
Plot 383. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5210 pow17	158
Plot 384. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5240.5 pow17	158
Plot 385. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5170 pow-2	159
Plot 386. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5210 pow15	159
Plot 387. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5235.5 pow20	160
Plot 388. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5170 pow-10	160
Plot 389. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5210 pow10	161
Plot 390. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5230 pow14	161



Plot 391. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5170 pow7	162
Plot 392. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5210 pow11	162
Plot 393. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5242.5 pow14	163
Plot 394. Undesirable Emissions, 1Panel Peak 7-18GHz 10M 5170 pow6	163
Plot 395. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5170 pow-2	164
Plot 396. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5170 pow-2 zoom left of fundamental	164
Plot 397. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1	165
Plot 398. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1 left of fundamental	165
Plot 399. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1 right of fundamental	166
Plot 400. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5242.5 pow1	166
Plot 401. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5242.5 pow1 zoom left of fundamental	167
Plot 402. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5170 pow0	167
Plot 403. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5170 pow0 zoom left of fundamental	168
Plot 404. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5210 pow5	168
Plot 405. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5210 pow5 zoom left of fundamental	169
Plot 406. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4	169
Plot 407. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4 zoom left of fundamental	170
Plot 408. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4 zoom near left of fundamental	170
Plot 409. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5170 pow-1	171
Plot 410. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5210 pow6	171
Plot 411. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5210 pow6 zoom left of center	172
Plot 412. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5235.5 pow7	172
Plot 413. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5235.5 pow7 zoom left of center	173
Plot 414. Undesirable Emissions, 2Panel Avg 1-7GHz 40M 5171 pow-10	173
Plot 415. Undesirable Emissions, 2Panel Avg 1-7GHz 40M 5210 pow7	174
Plot 416. Undesirable Emissions, 2Panel Avg 1-7GHz 40M 5230 pow10	174
Plot 417. Undesirable Emissions, 2Panel Avg 7-18GHz 5M 5170 pow-2	175
Plot 418. Undesirable Emissions, 2Panel Avg 7-18GHz 5M 5210 pow1	175
Plot 419. Undesirable Emissions, 2Panel Avg 7-18GHz 5M 5242.5 pow1	176
Plot 420. Undesirable Emissions, 2Panel Avg 7-18GHz 10M 5170 pow0	176
Plot 421. Undesirable Emissions, 2Panel Avg 7-18GHz 10M 5210 pow5	177
Plot 422. Undesirable Emissions, 2Panel Avg 7-18GHz 10M 5240.5 pow4	177
Plot 423. Undesirable Emissions, 2Panel Avg 7-18GHz 20M 5170 pow-1	178
Plot 424. Undesirable Emissions, 2Panel Avg 7-18GHz 20M 5210 pow6	178
Plot 425. Undesirable Emissions, 2Panel Avg 7-18GHz 20M 5235.5 pow7	179
Plot 426. Undesirable Emissions, 2Panel Avg 7-18GHz 40M 5171 pow-10	179
Plot 427. Undesirable Emissions, 2Panel Avg 7-18GHz 40M 5210 pow7	180
Plot 428. Undesirable Emissions, 2Panel Avg 7-18GHz 40M 5230 pow10	180
Plot 429. Undesirable Emissions, 2Panel Peak 1-7GHz 5M 5170 pow-2	181
Plot 430. Undesirable Emissions, 2Panel Peak 1-7GHz 5M 5210 pow1	181
Plot 431. Undesirable Emissions, 2Panel Peak 1-7GHz 5M 5242.5 pow1	182
Plot 432. Undesirable Emissions, 2Panel Peak 1-7GHz 10M 5170 pow0	182
Plot 433. Undesirable Emissions, 2Panel Peak 1-7GHz 10M 5210 pow5	183
Plot 434. Undesirable Emissions, 2Panel Peak 1-7GHz 10M 5240.5 pow4	183
Plot 435. Undesirable Emissions, 2Panel Peak 1-7GHz 20M 5170 pow-1	184
Plot 436. Undesirable Emissions, 2Panel Peak 1-7GHz 20M 5210 pow6	184
Plot 437. Undesirable Emissions, 2Panel Peak 1-7GHz 20M 5235.5 pow7	185
Plot 438. Undesirable Emissions, 2Panel Peak 1-7GHz 40M 5171 pow-10	185
Plot 439. Undesirable Emissions, 2Panel Peak 1-7GHz 40M 5210 pow7	186
Plot 440. Undesirable Emissions, 2Panel Peak 1-7GHz 40M 5230 pow10	186
Plot 441. Undesirable Emissions, 2Panel Peak 7-18GHz 5M 5170 pow-2	187
Plot 442. Undesirable Emissions, 2Panel Peak 7-18GHz 5M 5210 pow1	187
Plot 443. Undesirable Emissions, 2Panel Peak 7-18GHz 5M 5242.5 pow1	188
Plot 444. Undesirable Emissions, 2Panel Peak 7-18GHz 10M 5170 pow0	188
Plot 445. Undesirable Emissions, 2Panel Peak 7-18GHz 10M 5210 pow5	189
Plot 446. Undesirable Emissions, 2Panel Peak 7-18GHz 10M 5240.5 pow4	189
Plot 447. Undesirable Emissions, 2Panel Peak 7-18GHz 20M 5170 pow-1	190



Plot 448. Undesirable Emissions, 2Panel Peak 7-18GHz 20M 5210 pow6	190
Plot 449. Undesirable Emissions, 2Panel Peak 7-18GHz 20M 5235.5 pow7	191
Plot 450. Undesirable Emissions, 2Panel Peak 7-18GHz 40M 5171 pow-10	191
Plot 451. Undesirable Emissions, 2Panel Peak 7-18GHz 40M 5210 pow7	192
Plot 452. Undesirable Emissions, 2Panel Peak 7-18GHz 40M 5230 pow10	192
Plot 453. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5170 pow-4.....	193
Plot 454. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5170 pow-4 left of fundamental	193
Plot 455. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5210 pow0	194
Plot 456. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5210 pow0 left of fundamental.....	194
Plot 457. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5242.5 pow0	195
Plot 458. Undesirable Emissions, 3Para Avg 1-7GHz 5M 5242.5 pow0 left of fundamental.....	195
Plot 459. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5170 pow-1.....	196
Plot 460. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5170 pow-1 left of fundamental	196
Plot 461. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5210 pow3.....	197
Plot 462. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5210 pow3 left of fundamental.....	197
Plot 463. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5240.5 pow3	198
Plot 464. Undesirable Emissions, 3Para Avg 1-7GHz 10M 5240.5 pow3 left of fundamental.....	198
Plot 465. Undesirable Emissions, 3Para Avg 1-7GHz 20M 5170 pow-1.....	199
Plot 466. Undesirable Emissions, 3Para Avg 1-7GHz 20M 5210 pow5.....	199
Plot 467. Undesirable Emissions, 3Para Avg 1-7GHz 20M 5210 pow5 zoom left of fundamental.....	200
Plot 468. Undesirable Emissions, 3Para Avg 1-7GHz 20M 5235.5 pow5	200
Plot 469. Undesirable Emissions, 3Para Avg 1-7GHz 20M 5235.5 pow5 zoom left of fundamental.....	201
Plot 470. Undesirable Emissions, 3Para Avg 1-7GHz 40M 5170 pow-10.....	201
Plot 471. Undesirable Emissions, 3Para Avg 1-7GHz 40M 5210 pow5.....	202
Plot 472. Undesirable Emissions, 3Para Avg 1-7GHz 40M 5230 pow8.....	202
Plot 473. Undesirable Emissions, 3Para Avg 7-18GHz 5M 5170 pow-4.....	203
Plot 474. Undesirable Emissions, 3Para Avg 7-18GHz 5M 5210 pow0.....	203
Plot 475. Undesirable Emissions, 3Para Avg 7-18GHz 5M 5242.5 pow0	204
Plot 476. Undesirable Emissions, 3Para Avg 7-18GHz 10M 5170 pow-1.....	204
Plot 477. Undesirable Emissions, 3Para Avg 7-18GHz 10M 5210 pow3.....	205
Plot 478. Undesirable Emissions, 3Para Avg 7-18GHz 10M 5240.5 pow3	205
Plot 479. Undesirable Emissions, 3Para Avg 7-18GHz 20M 5170 pow-1.....	206
Plot 480. Undesirable Emissions, 3Para Avg 7-18GHz 20M 5210 pow5.....	206
Plot 481. Undesirable Emissions, 3Para Avg 7-18GHz 20M 5235.5 pow5	207
Plot 482. Undesirable Emissions, 3Para Avg 7-18GHz 40M 5171 pow-10.....	207
Plot 483. Undesirable Emissions, 3Para Avg 7-18GHz 40M 5210 pow5.....	208
Plot 484. Undesirable Emissions, 3Para Avg 7-18GHz 40M 5230 pow5.....	208
Plot 485. Undesirable Emissions, 3Para Peak 1-7GHz 5M 5170 pow-4.....	209
Plot 486. Undesirable Emissions, 3Para Peak 1-7GHz 5M 5210 pow0	209
Plot 487. Undesirable Emissions, 3Para Peak 1-7GHz 5M 5242.5 pow0	210
Plot 488. Undesirable Emissions, 3Para Peak 1-7GHz 10M 5170 pow-1.....	210
Plot 489. Undesirable Emissions, 3Para Peak 1-7GHz 10M 5210 pow3	211
Plot 490. Undesirable Emissions, 3Para Peak 1-7GHz 10M 5240.5 pow3	211
Plot 491. Undesirable Emissions, 3Para Peak 1-7GHz 20M 5170 pow-1.....	212
Plot 492. Undesirable Emissions, 3Para Peak 1-7GHz 20M 5210 pow5	212
Plot 493. Undesirable Emissions, 3Para Peak 1-7GHz 20M 5235.5 pow5	213
Plot 494. Undesirable Emissions, 3Para Peak 1-7GHz 40M 5171 pow-10.....	213
Plot 495. Undesirable Emissions, 3Para Peak 1-7GHz 40M 5210 pow5	214
Plot 496. Undesirable Emissions, 3Para Peak 1-7GHz 40M 5230 pow8.....	214
Plot 497. Undesirable Emissions, 3Para Peak 7-18GHz 5M 5170 pow-4.....	215
Plot 498. Undesirable Emissions, 3Para Peak 7-18GHz 5M 5210 pow0	215
Plot 499. Undesirable Emissions, 3Para Peak 7-18GHz 5M 5242.5 pow0	216
Plot 500. Undesirable Emissions, 3Para Peak 7-18GHz 10M 5170 pow-1	216
Plot 501. Undesirable Emissions, 3Para Peak 7-18GHz 10M 5210 pow3	217
Plot 502. Undesirable Emissions, 3Para Peak 7-18GHz 10M 5240.5 pow3	217
Plot 503. Undesirable Emissions, 3Para Peak 7-18GHz 20M 5170 pow-1.....	218
Plot 504. Undesirable Emissions, 3Para Peak 7-18GHz 20M 5210 pow5	218



Plot 505. Undesirable Emissions, 3Para Peak 7-18GHz 20M 5235.5 pow5	219
Plot 506. Undesirable Emissions, 3Para Peak 7-18GHz 40M 5171 pow-10	219
Plot 507. Undesirable Emissions, 3Para Peak 7-18GHz 40M 5210 pow5	220
Plot 508. Undesirable Emissions, 3Para Peak 7-18GHz 40M 5230 pow8	220
Plot 509. Undesirable Emissions, 5Omni Avg 1-7GHz 5M 5170 pow14	221
Plot 510. Undesirable Emissions, 5Omni Avg 1-7GHz 5M 5210 pow14	221
Plot 511. Undesirable Emissions, 5Omni Avg 1-7GHz 5M 5247.5 pow14	222
Plot 512. Undesirable Emissions, 5Omni Avg 1-7GHz 10M 5170 pow17	222
Plot 513. Undesirable Emissions, 5Omni Avg 1-7GHz 10M 5210 pow17	223
Plot 514. Undesirable Emissions, 5Omni Avg 1-7GHz 10M 5245 pow17	223
Plot 515. Undesirable Emissions, 5Omni Avg 1-7GHz 20M 5170 pow10	224
Plot 516. Undesirable Emissions, 5Omni Avg 1-7GHz 20M 5210 pow19	224
Plot 517. Undesirable Emissions, 5Omni Avg 1-7GHz 20M 5240 pow20	225
Plot 518. Undesirable Emissions, 5Omni Avg 1-7GHz 40M 5170 pow3	225
Plot 519. Undesirable Emissions, 5Omni Avg 1-7GHz 40M 5210 pow21	226
Plot 520. Undesirable Emissions, 5Omni Avg 1-7GHz 40M 5210 pow21 zoom	226
Plot 521. Undesirable Emissions, 5Omni Avg 1-7GHz 40M 5230 pow22	227
Plot 522. Undesirable Emissions, 5Omni Avg 1-7GHz 40M 5230 pow22 zoom	227
Plot 523. Undesirable Emissions, 5Omni Avg 7-18GHz 5M 5170 pow14	228
Plot 524. Undesirable Emissions, 5Omni Avg 7-18GHz 5M 5210 pow14	228
Plot 525. Undesirable Emissions, 5Omni Avg 7-18GHz 5M 5247.5 pow14	229
Plot 526. Undesirable Emissions, 5Omni Avg 7-18GHz 10M 5170 pow17	229
Plot 527. Undesirable Emissions, 5Omni Avg 7-18GHz 10M 5210 pow17	230
Plot 528. Undesirable Emissions, 5Omni Avg 7-18GHz 10M 5245 pow17	230
Plot 529. Undesirable Emissions, 5Omni Avg 7-18GHz 20M 5170 pow10	231
Plot 530. Undesirable Emissions, 5Omni Avg 7-18GHz 20M 5210 pow19	231
Plot 531. Undesirable Emissions, 5Omni Avg 7-18GHz 20M 5240 pow20	232
Plot 532. Undesirable Emissions, 5Omni Avg 7-18GHz 40M 5170 pow3	232
Plot 533. Undesirable Emissions, 5Omni Avg 7-18GHz 40M 5210 pow21	233
Plot 534. Undesirable Emissions, 5Omni Avg 7-18GHz 40M 5230 pow22	233
Plot 535. Undesirable Emissions, 5Omni Peak 1-7GHz 5M 5170 pow14	234
Plot 536. Undesirable Emissions, 5Omni Peak 1-7GHz 5M 5210 pow14	234
Plot 537. Undesirable Emissions, 5Omni Peak 1-7GHz 5M 5247.5 pow14	235
Plot 538. Undesirable Emissions, 5Omni Peak 1-7GHz 10M 5170 pow17	235
Plot 539. Undesirable Emissions, 5Omni Peak 1-7GHz 10M 5210 pow17	236
Plot 540. Undesirable Emissions, 5Omni Peak 1-7GHz 10M 5245 pow17	236
Plot 541. Undesirable Emissions, 5Omni Peak 1-7GHz 20M 5170 pow10	237
Plot 542. Undesirable Emissions, 5Omni Peak 1-7GHz 20M 5210 pow19	237
Plot 543. Undesirable Emissions, 5Omni Peak 1-7GHz 20M 5230 pow20	238
Plot 544. Undesirable Emissions, 5Omni Peak 1-7GHz 40M 5170 pow3	238
Plot 545. Undesirable Emissions, 5Omni Peak 1-7GHz 40M 5210 pow21	239
Plot 546. Undesirable Emissions, 5Omni Peak 1-7GHz 40M 5230 pow22	239
Plot 547. Undesirable Emissions, 5Omni Peak 7-18GHz 5M 5170 pow14	240
Plot 548. Undesirable Emissions, 5Omni Peak 7-18GHz 5M 5210 pow14	240
Plot 549. Undesirable Emissions, 5Omni Peak 7-18GHz 5M 5247.5 pow14	241
Plot 550. Undesirable Emissions, 5Omni Peak 7-18GHz 10M 5170 pow17	241
Plot 551. Undesirable Emissions, 5Omni Peak 7-18GHz 10M 5210 pow17	242
Plot 552. Undesirable Emissions, 5Omni Peak 7-18GHz 10M 5245 pow17	242
Plot 553. Undesirable Emissions, 5Omni Peak 7-18GHz 20M 5170 pow10	243
Plot 554. Undesirable Emissions, 5Omni Peak 7-18GHz 20M 5210 pow19	243
Plot 555. Undesirable Emissions, 5Omni Peak 7-18GHz 20M 5230 pow20	244
Plot 556. Undesirable Emissions, 5Omni Peak 7-18GHz 40M 5170 pow3	244
Plot 557. Undesirable Emissions, 5Omni Peak 7-18GHz 40M 5210 pow21	245
Plot 558. Undesirable Emissions, 5Omni Peak 7-18GHz 40M 5230 pow22	245
Plot 559. Undesirable Emissions, 8Omni Avg 1-7GHz 5M 5170 pow12	246
Plot 560. Undesirable Emissions, 8Omni Avg 1-7GHz 5M 5210 pow11	246
Plot 561. Undesirable Emissions, 8Omni Avg 1-7GHz 5M 5247.5 pow11	247



Plot 562. Undesirable Emissions, 8Omni Avg 1-7GHz 10M 5170 pow15	247
Plot 563. Undesirable Emissions, 8Omni Avg 1-7GHz 10M 5210 pow15	248
Plot 564. Undesirable Emissions, 8Omni Avg 1-7GHz 10M 5245 pow15	248
Plot 565. Undesirable Emissions, 8Omni Avg 1-7GHz 20M 5170 pow9	249
Plot 566. Undesirable Emissions, 8Omni Avg 1-7GHz 20M 5210 pow18	249
Plot 567. Undesirable Emissions, 8Omni Avg 1-7GHz 20M 5240 pow18	250
Plot 568. Undesirable Emissions, 8Omni Avg 1-7GHz 40M 5170 pow4	250
Plot 569. Undesirable Emissions, 8Omni Avg 1-7GHz 40M 5210 pow22	251
Plot 570. Undesirable Emissions, 8Omni Avg 1-7GHz 40M 5210 pow22 zoom	251
Plot 571. Undesirable Emissions, 8Omni Avg 1-7GHz 40M 5230 pow22	252
Plot 572. Undesirable Emissions, 8Omni Avg 7-18GHz 5M 5170 pow12	252
Plot 573. Undesirable Emissions, 8Omni Avg 7-18GHz 5M 5210 pow11	253
Plot 574. Undesirable Emissions, 8Omni Avg 7-18GHz 5M 5247.5 pow11	253
Plot 575. Undesirable Emissions, 8Omni Avg 7-18GHz 10M 5170 pow15	254
Plot 576. Undesirable Emissions, 8Omni Avg 7-18GHz 10M 5210 pow15	254
Plot 577. Undesirable Emissions, 8Omni Avg 7-18GHz 10M 5245 pow15	255
Plot 578. Undesirable Emissions, 8Omni Avg 7-18GHz 20M 5170 pow9	255
Plot 579. Undesirable Emissions, 8Omni Avg 7-18GHz 20M 5210 pow18	256
Plot 580. Undesirable Emissions, 8Omni Avg 7-18GHz 20M 5240 pow18	256
Plot 581. Undesirable Emissions, 8Omni Avg 7-18GHz 40M 5170 pow4	257
Plot 582. Undesirable Emissions, 8Omni Avg 7-18GHz 40M 5210 pow22	257
Plot 583. Undesirable Emissions, 8Omni Avg 7-18GHz 40M 5230 pow22	258
Plot 584. Undesirable Emissions, 8Omni Peak 1-7GHz 5M 5170 pow12	258
Plot 585. Undesirable Emissions, 8Omni Peak 1-7GHz 5M 5210 pow11	259
Plot 586. Undesirable Emissions, 8Omni Peak 1-7GHz 5M 5247.5 pow11	259
Plot 587. Undesirable Emissions, 8Omni Peak 1-7GHz 10M 5170 pow15	260
Plot 588. Undesirable Emissions, 8Omni Peak 1-7GHz 10M 5210 pow15	260
Plot 589. Undesirable Emissions, 8Omni Peak 1-7GHz 10M 5245 pow15	261
Plot 590. Undesirable Emissions, 8Omni Peak 1-7GHz 20M 5170 pow9	261
Plot 591. Undesirable Emissions, 8Omni Peak 1-7GHz 20M 5210 pow18	262
Plot 592. Undesirable Emissions, 8Omni Peak 1-7GHz 20M 5240 pow18	262
Plot 593. Undesirable Emissions, 8Omni Peak 1-7GHz 40M 5170 pow4	263
Plot 594. Undesirable Emissions, 8Omni Peak 1-7GHz 40M 5210 pow22	263
Plot 595. Undesirable Emissions, 8Omni Peak 1-7GHz 40M 5210 pow22 zoom	264
Plot 596. Undesirable Emissions, 8Omni Peak 1-7GHz 40M 5230 pow22	264
Plot 597. Undesirable Emissions, 8Omni Peak 7-18GHz 5M 5170 pow12	265
Plot 598. Undesirable Emissions, 8Omni Peak 7-18GHz 5M 5210 pow11	265
Plot 599. Undesirable Emissions, 8Omni Peak 7-18GHz 5M 5247.5 pow11	266
Plot 600. Undesirable Emissions, 8Omni Peak 7-18GHz 10M 5170 pow15	266
Plot 601. Undesirable Emissions, 8Omni Peak 7-18GHz 10M 5210 pow15	267
Plot 602. Undesirable Emissions, 8Omni Peak 7-18GHz 10M 5245 pow15	267
Plot 603. Undesirable Emissions, 8Omni Peak 7-18GHz 20M 5170 pow9	268
Plot 604. Undesirable Emissions, 8Omni Peak 7-18GHz 20M 5210 pow18	268
Plot 605. Undesirable Emissions, 8Omni Peak 7-18GHz 20M 5240 pow18	269
Plot 606. Undesirable Emissions, 8Omni Peak 7-18GHz 40M 5170 pow4	269
Plot 607. Undesirable Emissions, 8Omni Peak 7-18GHz 40M 5210 pow22	270
Plot 608. Undesirable Emissions, 8Omni Peak 7-18GHz 40M 5230 pow22	270
Plot 609. Undesirable Emissions, 90Sector Avg 1-7GHz 5M 5170 pow7	271
Plot 610. Undesirable Emissions, 90Sector Avg 1-7GHz 5M 5210 pow6	271
Plot 611. Undesirable Emissions, 90Sector Avg 1-7GHz 5M 5247.5 pow7	272
Plot 612. Undesirable Emissions, 90Sector Avg 1-7GHz 10M 5170 pow10	272
Plot 613. Undesirable Emissions, 90Sector Avg 1-7GHz 10M 5210 pow9	273
Plot 614. Undesirable Emissions, 90Sector Avg 1-7GHz 10M 5245 pow9	273
Plot 615. Undesirable Emissions, 90Sector Avg 1-7GHz 20M 5170 pow6	274
Plot 616. Undesirable Emissions, 90Sector Avg 1-7GHz 20M 5210 pow12	274
Plot 617. Undesirable Emissions, 90Sector Avg 1-7GHz 20M 5240 pow12	275
Plot 618. Undesirable Emissions, 90Sector Avg 1-7GHz 40M 5170 pow0	275



Plot 619. Undesirable Emissions, 90Sector Avg 1-7GHz 40M 5210 pow16.....	276
Plot 620. Undesirable Emissions, 90Sector Avg 1-7GHz 40M 5210 pow16 zoom.....	276
Plot 621. Undesirable Emissions, 90Sector Avg 1-7GHz 40M 5230 pow16.....	277
Plot 622. Undesirable Emissions, 90Sector Avg 7-18GHz 5M 5170 pow7.....	277
Plot 623. Undesirable Emissions, 90Sector Avg 7-18GHz 5M 5210 pow6.....	278
Plot 624. Undesirable Emissions, 90Sector Avg 7-18GHz 5M 5247.5 pow7.....	278
Plot 625. Undesirable Emissions, 90Sector Avg 7-18GHz 10M 5170 pow10.....	279
Plot 626. Undesirable Emissions, 90Sector Avg 7-18GHz 10M 5210 pow9.....	279
Plot 627. Undesirable Emissions, 90Sector Avg 7-18GHz 10M 5245 pow9.....	280
Plot 628. Undesirable Emissions, 90Sector Avg 7-18GHz 20M 5170 pow6.....	280
Plot 629. Undesirable Emissions, 90Sector Avg 7-18GHz 20M 5210 pow12.....	281
Plot 630. Undesirable Emissions, 90Sector Avg 7-18GHz 20M 5240 pow12.....	281
Plot 631. Undesirable Emissions, 90Sector Avg 7-18GHz 40M 5170 pow0.....	282
Plot 632. Undesirable Emissions, 90Sector Avg 7-18GHz 40M 5210 pow16.....	282
Plot 633. Undesirable Emissions, 90Sector Avg 7-18GHz 40M 5230 pow16.....	283
Plot 634. Undesirable Emissions, 90Sector Peak 1-7GHz 5M 5170 pow7.....	283
Plot 635. Undesirable Emissions, 90Sector Peak 1-7GHz 5M 5210 pow6.....	284
Plot 636. Undesirable Emissions, 90Sector Peak 1-7GHz 5M 5247.5 pow7.....	284
Plot 637. Undesirable Emissions, 90Sector Peak 1-7GHz 10M 5170 pow10.....	285
Plot 638. Undesirable Emissions, 90Sector Peak 1-7GHz 10M 5210 pow9.....	285
Plot 639. Undesirable Emissions, 90Sector Peak 1-7GHz 10M 5245 pow9.....	286
Plot 640. Undesirable Emissions, 90Sector Peak 1-7GHz 20M 5170 pow6.....	286
Plot 641. Undesirable Emissions, 90Sector Peak 1-7GHz 20M 5210 pow12.....	287
Plot 642. Undesirable Emissions, 90Sector Peak 1-7GHz 20M 5230 pow12.....	287
Plot 643. Undesirable Emissions, 90Sector Peak 1-7GHz 40M 5170 pow0.....	288
Plot 644. Undesirable Emissions, 90Sector Peak 1-7GHz 40M 5210 pow16.....	288
Plot 645. Undesirable Emissions, 90Sector Peak 1-7GHz 40M 5230 pow16.....	289
Plot 646. Undesirable Emissions, 90Sector Peak 7-18GHz 5M 5170 pow7.....	289
Plot 647. Undesirable Emissions, 90Sector Peak 7-18GHz 5M 5210 pow6.....	290
Plot 648. Undesirable Emissions, 90Sector Peak 7-18GHz 5M 5247.5 pow7.....	290
Plot 649. Undesirable Emissions, 90Sector Peak 7-18GHz 10M 5170 pow10.....	291
Plot 650. Undesirable Emissions, 90Sector Peak 7-18GHz 10M 5210 pow9.....	291
Plot 651. Undesirable Emissions, 90Sector Peak 7-18GHz 10M 5245 pow9.....	292
Plot 652. Undesirable Emissions, 90Sector Peak 7-18GHz 20M 5170 pow6.....	292
Plot 653. Undesirable Emissions, 90Sector Peak 7-18GHz 20M 5210 pow12.....	293
Plot 654. Undesirable Emissions, 90Sector Peak 7-18GHz 20M 5240 pow12.....	293
Plot 655. Undesirable Emissions, 90Sector Peak 7-18GHz 40M 5170 pow0.....	294
Plot 656. Undesirable Emissions, 90Sector Peak 7-18GHz 40M 5210 pow16.....	294
Plot 657. Undesirable Emissions, 90Sector Peak 7-18GHz 40M 5230 pow16.....	295
Plot 658. Undesirable Emissions, 1 panel.....	295
Plot 659. Undesirable Emissions, 2 panel.....	296
Plot 660. Undesirable Emissions, 3 para.....	296
Plot 661. Undesirable Emissions, 90 Sector.....	297
Plot 662. Undesirable Emissions, Omni 5.....	297
Plot 663. Undesirable Emissions, Omni 8.....	298
Plot 664. Radiated Band Edge, 1Panel, Average, 5M, 5170, pow15.....	299
Plot 665. Radiated Band Edge, 1Panel, Average, 5M, 5247.5, pow22.....	299
Plot 666. Radiated Band Edge, 1Panel, Average, 10M, 5170, pow6.....	299
Plot 667. Radiated Band Edge, 1Panel, Average, 10M, 5245, pow22.....	300
Plot 668. Radiated Band Edge, 1Panel, Average, 20M, 5170, pow-1.....	300
Plot 669. Radiated Band Edge, 1Panel, Average, 20M, 5240, pow22.....	300
Plot 670. Radiated Band Edge, 1Panel, Average, 40M, 5170, pow-10.....	301
Plot 671. Radiated Band Edge, 1Panel, Average, 40M, 5230, pow15.....	301
Plot 672. Radiated Band Edge, 1Panel, Peak, 5M, 5170, pow15.....	301
Plot 673. Radiated Band Edge, 1Panel, Peak, 5M, 5247.5, pow22.....	302
Plot 674. Radiated Band Edge, 1Panel, Peak, 10M, 5170, pow6.....	302
Plot 675. Radiated Band Edge, 1Panel, Peak, 10M, 5245, pow22.....	302



Plot 676. Radiated Band Edge, 1Panel, Peak, 20M, 5170, pow-1.....	303
Plot 677. Radiated Band Edge, 1Panel, Peak, 20M, 5240, pow22	303
Plot 678. Radiated Band Edge, 1Panel, Peak, 40M, 5170, pow-10.....	303
Plot 679. Radiated Band Edge, 1Panel, Peak, 40M, 5230, pow15	304
Plot 680. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5210 pow15 bandedge zoom	304
Plot 681. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5210 pow10 bandedge zoom	305
Plot 682. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5230 pow14 bandedge zoom	305
Plot 683. Radiated Band Edge, 2Panel, 2.5M, Average, 5M, 5170, pow9.....	306
Plot 684. Radiated Band Edge, 2Panel, 2.5M, Average, 5M, 5245.5, pow22	306
Plot 685. Radiated Band Edge, 2Panel, 2.5M, Average, 10M, 5170, pow4.....	306
Plot 686. Radiated Band Edge, 2Panel, 2.5M, Average, 10M, 5240.5, pow22	307
Plot 687. Radiated Band Edge, 2Panel, 2.5M, Average, 20M, 5170, pow-2	307
Plot 688. Radiated Band Edge, 2Panel, 2.5M, Average, 20M, 5235.5, pow20	307
Plot 689. Radiated Band Edge, 2Panel, 2.5M, Average, 40M, 5170.5, pow-10.....	308
Plot 690. Radiated Band Edge, 2Panel, 2.5M, Average, 40M, 5230, pow15.....	308
Plot 691. Radiated Band Edge, 2Panel, 2.5M, Peak, 5M, 5170, pow9.....	308
Plot 692. Radiated Band Edge, 2Panel, 2.5M, Peak, 5M, 5245.5, pow22.....	309
Plot 693. Radiated Band Edge, 2Panel, 2.5M, Peak, 10M, 5170, pow4.....	309
Plot 694. Radiated Band Edge, 2Panel, 2.5M, Peak, 10M, 5240.5, pow22.....	309
Plot 695. Radiated Band Edge, 2Panel, 2.5M, Peak, 20M, 5170, pow-1	310
Plot 696. Radiated Band Edge, 2Panel, 2.5M, Peak, 20M, 5170, pow-2	310
Plot 697. Radiated Band Edge, 2Panel, 2.5M, Peak, 20M, 5235.5, pow20.....	310
Plot 698. Radiated Band Edge, 2Panel, 2.5M, Peak, 40M, 5171, pow-10	311
Plot 699. Radiated Band Edge, 2Panel, 2.5M, Peak, 40M, 5230, pow15.....	311
Plot 700. Undesirable Emissions, 2Panel Avg 1-7GHz 40M 5210 pow7 zoom on bandedge	312
Plot 701. Undesirable Emissions, 2Panel Avg 1-7GHz 40M 5230 pow10 zoom on bandedge	312
Plot 702. Radiated Band 3Para, 2.5M, Average, 5M, 5170, pow15.....	313
Plot 703. Radiated Band 3Para, 2.5M, Average, 5M, 5242.5, pow22	313
Plot 704. Radiated Band 3Para, 2.5M, Average, 10M, 5170, pow12.....	313
Plot 705. Radiated Band 3Para, 2.5M, Average, 10M, 5240.5, pow22.....	314
Plot 706. Radiated Band 3Para, 2.5M, Average, 10M, 5350 – 5460, pow16.....	314
Plot 707. Radiated Band 3Para, 2.5M, Average, 20M, 5170, pow6.....	314
Plot 708. Radiated Band 3Para, 2.5M, Average, 20M, 5237, pow22.....	315
Plot 709. Radiated Band 3Para, 2.5M, Average, 40M, 5170, pow-10	315
Plot 710. Radiated Band 3Para, 2.5M, Average, 40M, 5230, pow22.....	315
Plot 711. Radiated Band 3Para, 2.5M, Peak, 5M, 5170, pow15	316
Plot 712. Radiated Band 3Para, 2.5M, Peak, 5M, 5242.5, pow22.....	316
Plot 713. Radiated Band 3Para, 2.5M, Peak, 10M, 5170, pow12.....	316
Plot 714. Radiated Band 3Para, 2.5M, Peak, 10M, 5240.5, pow22.....	317
Plot 715. Radiated Band 3Para, 2.5M, Peak, 20M, 5170, pow6	317
Plot 716. Radiated Band 3Para, 2.5M, Peak, 20M, 5237, pow22.....	317
Plot 717. Radiated Band 3Para, 2.5M, Peak, 40M, 5171, pow-10	318
Plot 718. Radiated Band 3Para, 2.5M, Peak, 40M, 5230, pow21.....	318
Plot 719. Undesirable Emissions, 3Para Avg 1-7GHz 40M 5210 pow5 bandedge zoom	319
Plot 720. Undesirable Emissions, 3Para Avg 1-7GHz 40M 5230 pow8 bandedge zoom	319
Plot 721. Radiated Band Edge, 90 Sector, Average, 5M, 5170, pow21	320
Plot 722. Radiated Band Edge, 90 Sector, Average, 5M, 5247.5, pow22	320
Plot 723. Radiated Band Edge, 90 Sector, Average, 10M, 5170, pow13	320
Plot 724. Radiated Band Edge, 90 Sector, Average, 10M, 5245, pow22	321
Plot 725. Radiated Band Edge, 90 Sector, Average, 20M, 5170, pow6	321
Plot 726. Radiated Band Edge, 90 Sector, Average, 20M, 5240, pow22	321
Plot 727. Radiated Band Edge, 90 Sector, Average, 40M, 5170, pow0	322
Plot 728. Radiated Band Edge, 90 Sector, Average, 40M, 5230, pow22	322
Plot 729. Radiated Band Edge, 90 Sector, Peak, 5M, 5170, pow21.....	322
Plot 730. Radiated Band Edge, 90 Sector, Peak, 5M, 5247.5, pow22.....	323
Plot 731. Radiated Band Edge, 90 Sector, Peak, 10M, 5170, pow13.....	323
Plot 732. Radiated Band Edge, 90 Sector, Peak, 10M, 5245, pow22.....	323



Plot 733. Radiated Band Edge, 90 Sector, Peak, 20M, 5170, pow6.....	324
Plot 734. Radiated Band Edge, 90 Sector, Peak, 20M, 5240, pow22.....	324
Plot 735. Radiated Band Edge, 90 Sector, Peak, 40M, 5170, pow0.....	324
Plot 736. Radiated Band Edge, 90 Sector, Peak, 40M, 5230, pow22.....	325
Plot 737. Radiated Band Edge, 5 Omni, Average, 5M, 5170, pow22.....	326
Plot 738. Radiated Band Edge, 5 Omni, Average, 5M, 5247.5, pow22.....	326
Plot 739. Radiated Band Edge, 5 Omni, Average, 10M, 5170, pow19.....	326
Plot 740. Radiated Band Edge, 5 Omni, Average, 10M, 5245, pow22.....	327
Plot 741. Radiated Band Edge, 5 Omni, Average, 20M, 5170, pow10.....	327
Plot 742. Radiated Band Edge, 5 Omni, Average, 20M, 5240, pow22.....	327
Plot 743. Radiated Band Edge, 5 Omni, Average, 40M, 5170, pow3.....	328
Plot 744. Radiated Band Edge, 5 Omni, Average, 40M, 5230, pow22.....	328
Plot 745. Radiated Band Edge, 5 Omni, Peak, 5M, 5170, pow22.....	328
Plot 746. Radiated Band Edge, 5 Omni, Peak, 5M, 5247.5, pow22.....	329
Plot 747. Radiated Band Edge, 5 Omni, Peak, 10M, 5170, pow19.....	329
Plot 748. Radiated Band Edge, 5 Omni, Peak, 10M, 5245, pow22.....	329
Plot 749. Radiated Band Edge, 5 Omni, Peak, 20M, 5170, pow10.....	330
Plot 750. Radiated Band Edge, 5 Omni, Peak, 20M, 5240, pow22.....	330
Plot 751. Radiated Band Edge, 5 Omni, Peak, 40M, 5171, pow3.....	330
Plot 752. Radiated Band Edge, 5 Omni, Peak, 40M, 5230, pow22.....	331
Plot 753. Radiated Band Edge, Average, 8 Omni, 5M, 5170, pow22.....	332
Plot 754. Radiated Band Edge, 8 Omni, Average, 5M, 5247.5, pow22.....	332
Plot 755. Radiated Band Edge, 8 Omni, Average, 10M, 5170, pow18.....	332
Plot 756. Radiated Band Edge, 8 Omni, Average, 10M, 5245, pow22.....	333
Plot 757. Radiated Band Edge, 8 Omni, Average, 20M, 5170, pow9.....	333
Plot 758. Radiated Band Edge, 8 Omni, Average, 20M, 5240, pow22.....	333
Plot 759. Radiated Band Edge, 8 Omni, Average, 40M, 5171, pow4.....	334
Plot 760. Radiated Band Edge, 8 Omni, Average, 40M, 5230, pow22.....	334
Plot 761. Radiated Band Edge, 8 Omni, Peak, 5M, 5170, pow22.....	334
Plot 762. Radiated Band Edge, 8 Omni, Peak, 5M, 5247.5, pow22.....	335
Plot 763. Radiated Band Edge, 8 Omni, Peak, 10M, 5170, pow18.....	335
Plot 764. Radiated Band Edge, 8 Omni, Peak, 10M, 5245, pow22.....	335
Plot 765. Radiated Band Edge, 8 Omni, Peak, 20M, 5170, pow9.....	336
Plot 766. Radiated Band Edge, 8 Omni, Peak, 20M, 5240, pow22.....	336
Plot 767. Radiated Band Edge, 8 Omni, Peak, 40M, 5171, pow4.....	336
Plot 768. Radiated Band Edge, 8 Omni, Peak, 40M, 5230, pow22.....	337
Plot 769. Conducted Emissions, 1' Panel Neutral.....	346
Plot 770. Conducted Emissions, 1' Panel Phase.....	346
Plot 771. Conducted Emissions, 2' Panel Neutral.....	347
Plot 772. Conducted Emissions, 2' Panel.....	347
Plot 773. Conducted Emissions, 3' Panel Neutral.....	348
Plot 774. Conducted Emissions, 3' Panel Phase.....	348
Plot 775. Conducted Emissions, 5 Omni Neutral.....	349
Plot 776. Conducted Emissions, 5 Omni Phase.....	349
Plot 777. Conducted Emissions, 8 Omni Neutral.....	350
Plot 778. Conducted Emissions, 8 Omni Phase.....	350
Plot 779. Conducted Emissions, 90 Sector Neutral.....	351
Plot 780. Conducted Emissions, 90 Sector Phase.....	351



List of Terms and Abbreviations

AC	Alternating Current
ACF	Antenna Correction Factor
Cal	Calibration
<i>d</i>	Measurement Distance
dB	Decibels
dB μ A	Decibels above one microamp
dB μ V	Decibels above one microvolt
dB μ A/m	Decibels above one microamp per meter
dB μ V/m	Decibels above one microvolt per meter
DC	Direct Current
E	Electric Field
DSL	Digital Subscriber Line
ESD	Electrostatic Discharge
EUT	Equipment Under Test
<i>f</i>	Frequency
FCC	Federal Communications Commission
GRP	Ground Reference Plane
H	Magnetic Field
HCP	Horizontal Coupling Plane
Hz	Hertz
IEC	International Electrotechnical Commission
kHz	Kilohertz
kPa	Kilopascal
kV	Kilovolt
LISN	Line Impedance Stabilization Network
MHz	Megahertz
μ H	Microhenry
μ	Microfarad
μ s	Microseconds
PRF	Pulse Repetition Frequency
RF	Radio Frequency
RMS	Root-Mean-Square
TWT	Traveling Wave Tube
V/m	Volts per meter
VCP	Vertical Coupling Plane



I. Executive Summary



A. Purpose of Test

An EMC evaluation was performed to determine compliance of the Harris Corp- Communication Systems Harris RF-7800W Broadband Ethernet Radio, with the requirements of Part 15, §15.407. All references are to the most current version of Title 47 of the Code of Federal Regulations in effect. In accordance with §2.1033, the following data is presented in support of the Certification of the Harris RF-7800W Broadband Ethernet Radio. Harris Corp- Communication Systems should retain a copy of this document which should be kept on file for at least two years after the manufacturing of the Harris RF-7800W Broadband Ethernet Radio, has been **permanently** discontinued.

B. Executive Summary

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with Part 15, §15.407, in accordance with Harris Corp- Communication Systems, purchase order number 57121. All tests were conducted using measurement procedure ANSI C63.4-2014.

FCC Reference	Description	Results
§15.203	Antenna Requirement	Compliant
§15.403(i)	26dB Occupied Bandwidth	Compliant
§15.407 (a)(1)	Maximum Conducted Output Power	Compliant
§15.407 (a)(1)	EIRP Above Elevation Angle	Compliant
§15.407 (a)(1)	Maximum Power Spectral Density	Compliant
§15.407 (b)(1)& (6 - 7)	Undesirable Emissions	Compliant
§15.407(b)(6)	Conducted Emission Limits	Compliant
§15.407(f)	RF Exposure	Compliant

Table 1. Executive Summary of EMC Part 15.407 Compliance Testing



II. Equipment Configuration



A. Overview

MET Laboratories, Inc. was contracted by Harris Corp- Communication Systems to perform testing on the Harris RF-7800W Broadband Ethernet Radio, under Harris Corp- Communication Systems' purchase order number 57121.

This document describes the test setups, test methods, required test equipment, and the test limit criteria used to perform compliance testing of the Harris Corp- Communication Systems Harris RF-7800W Broadband Ethernet Radio.

The results obtained relate only to the item(s) tested.

Model(s) Tested:	Harris RF-7800W Broadband Ethernet Radio		
Model(s) Covered:	Harris RF-7800W Broadband Ethernet Radio		
EUT Specifications:	Primary Power: 52 VDC		
	FCC ID: AQZ-RF-7800W-G2		
	Type of Modulations:	QPSK, 16-QAM, 64-QAM, 256-QAM	
	Equipment Code:	NII	
	Max. RF Output Power:	27.17 dBm	
	EUT Frequency Ranges:	5150-5250 MHz	
Analysis:	The results obtained relate only to the item(s) tested.		
Environmental Test Conditions:	Temperature: 15-35° C		
	Relative Humidity: 30-60%		
	Barometric Pressure: 860-1060 mbar		
Type of Filing:	CIIPC		
Evaluated by:	Bradley Jones		
Report Date(s):	June 14, 2018		

Table 2. EUT Summary



B. References

CFR 47, Part 15, Subpart E	Unlicensed National Information Infrastructure Devices (UNII)
ANSI C63.4:2014	Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical And Electronic Equipment in the Range of 9 kHz to 40 GHz
ISO/IEC 17025:2005	General Requirements for the Competence of Testing and Calibration Laboratories
ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices
789033 D02 General UNII Test Procedures New Rules v01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E

Table 3. References

C. Test Site

All testing was performed at MET Laboratories, Inc., 914 West Patapsco Avenue, Baltimore, MD 21230. All equipment used in making physical determinations is accurate and bears recent traceability to the National Institute of Standards and Technology.

Radiated Emissions measurements were performed in a 3 semi-anechoic chamber (equivalent to an Open Area Test Site). In accordance with §2.948(a)(3), a complete site description is contained at MET Laboratories.

D. Measurement Uncertainty

Test Method	Typical Expanded Uncertainty	K	Confidence Level
RF Frequencies	±4.52 Hz	2	95%
RF Power Conducted Emissions	±2.32 dB	2	95%
RF Power Conducted Spurious Emissions	±2.25 dB	2	95%
RF Power Radiated Emissions	±3.01 dB	2	95%

Table 4. Uncertainty Calculations Summary

E. Description of Test Sample

The Harris Corp- Communication Systems Harris RF-7800W Broadband Ethernet Radio, Equipment Under Test (EUT), is used to provide long-range, high-throughput Ethernet network backhaul in outdoor point-to-point and point-to-multipoint scenarios.




Figure 1. Block Diagram of Test Configuration, Emissions




Figure 2. Block Diagram of Test Configuration, DFS



F. Equipment Configuration

The EUT was set up as outlined in Figure 1 and 2. All cards, racks, etc., incorporated as part of the EUT is included in the following list.

Ref. ID	Slot #	Name / Description	Model Number	Part Number	Serial Number	Rev. #
A		Broadband Ethernet Radio	RF-7800W-OU501	12069-3010-02	A03392 or A03393	T502C

Table 5. Equipment Configuration

G. Support Equipment

Support equipment necessary for the operation and testing of the EUT is included in the following list.

Ref. ID	Name / Description	Manufacturer	Model Number	*Customer Supplied Calibration Data
B	PoE Injector	Black Box	LPJ001-T	Not Applicable
C	Laptop	Panasonic	CF-29/CF-31	Not Applicable
D	GPS Antenna	Harris	12069-3160-01	Not Applicable
E	Lab Test Equipment (Spectrum Analyzer)			
F	Lab Test Equipment (Signal Generator)			
G	2-way Splitter	Narda	4314B-2	Not Available
H	30 dB Attenuator	Narda	Micro-Pad 4779-30	Not Available
K	N-to-SMA Adaptor			Not Available
The 'Customer Supplied Calibration Data' column will be marked as either not applicable, not available, or will contain the calibration date supplied by the customer.				

Table 6. Support Equipment



H. Ports and Cabling Information

Ref. ID	Port name on EUT	Cable Description or reason for no cable	Qty	Length as tested (m)	Max Length (m)	Shielded? (Y/N)	Termination Box ID & Port Name
1	J1 PoE	Power over Ethernet (Cat6)	1	~30	90	Yes	B.Out
2	J2 RF-2	Coaxial RF (N-to-SMA)	1	12	0.5	Yes	E.RF Input
3	J3 RF-1	Coaxial RF (N-to-SMA)	1	12	0.5	Yes	E.RF Input
4	J4 GPS	Direct connection to GPS Antenna (refer to Ref ID D)	1	N/A	N/A	N/A	D
5	J5 SYNC	Unused, future use	-	N/A	N/A	N/A	N/A
6	J6 ACC	Configuration/Monitoring (Serial Communications)	1	15	90	Yes	C.USB Or C.DB-9
7		Ground Strap	1	0.5	0.5	N/A	Ground
8	In	Ethernet (Cat6)	1	3	100 minus length of Ref ID 1	Yes	C.Ethernet
9	N/A	AC Input	1	1.8	2	No	100-240 V/50-60 Hz
10	N/A	Coaxial RF (SMA-to-SMA)	3	1	N/A	Yes	N/A

Table 7. Ports and Cabling Information

I. Mode of Operation

Emissions:

The RF-7800W Broadband Ethernet Radio will be put into constant transmit mode and its RF transmissions will be measured on the lab test equipment (Spectrum Analyzer, Power Meter, etc.).

DFS:

One RF-7800W Broadband Ethernet Radio will be put into Master mode (SPTP SC) and the other will be put into Client mode (SPTP SS).

J. Method of Monitoring EUT Operation

Consistent with the Mode of Operation section above, there needs to be a means of continuously monitoring the operation of the EUT.

Emissions:

1. RF transmissions will be present on the lab test equipment (Spectrum Analyzer, Power Meter, etc.).
2. RF transmissions will not be present on the lab test equipment (Spectrum Analyzer, Power Meter, etc.).

DFS:

1. RF transmissions will not be present on the lab test equipment (Spectrum Analyzer) for the prescribed Non-Occupancy Period, etc., or change to a new operating RF frequency, depending on the configured DFS Action.
2. RF transmissions continue to be present on the lab test equipment (Spectrum Analyzer) during the prescribed Non-Occupancy Period, etc., or do not change to a new operating RF frequency, depending on the configured DFS Action.



K. Modifications

a) Modifications to EUT

No modifications were made to the EUT.

b) Modifications to Test Standard

No modifications were made to the test standard.

L. Disposition of EUT

The test sample including all support equipment submitted to the Electro-Magnetic Compatibility Lab for testing was returned to Harris Corp- Communication Systems upon completion of testing.

M. Antenna Key

The plots in this report reference the antennas' physical description. This table has been added in order to reference the antennas' model numbers.

Physical Description	Antenna	Type	Mode of Operation
1' Panel	RF-7800W-AT201	Panel	Point-to-Point (only)
2' Panel	RF-7800W-AT202	Panel	Point-to-Point (only)
3' Parabolic	RF-7800W-AT203	Dish	Point-to-Point (only)
8 Omni	RF-7800W-AT206	Omni	Point-to-Multipoint (only)
5 Omni	RF-7800W-AT246	Omni	Point-to-Multipoint (only)
90 degree sector	RF-7800W-AT207	Sector	Point-to-Multipoint (only)

Table 8. Antenna Key



III. Electromagnetic Compatibility Criteria for Intentional Radiators



Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.203 Antenna Requirement

Test Requirement: **§ 15.203:** An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The structure and application of the EUT were analyzed to determine compliance with Section 15.203 of the Rules. Section 15.203 states that the subject device must meet at least one of the following criteria:

- a.) Antenna must be permanently attached to the unit.
- b.) Antenna must use a unique type of connector to attach to the EUT.
- c.) Unit must be professionally installed. Installer shall be responsible for verifying that the correct antenna is employed with the unit.

Results: The EUT as tested is compliant the criteria of §15.203.

Antenna Requirement is met because the device and its antennas are going to be professionally installed

Test Engineer(s): Bradley Jones

Test Date(s): November 21, 2017



Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15. 403(i) 26dB Bandwidth

Test Requirements: § 15.403(i): For purposes of this subpart the emission bandwidth shall be determined by measuring the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, that are 26 dB down relative to the maximum level of the modulated carrier. Determination of the emissions bandwidth is based on the use of measurement instrumentation employing a peak detector function with an instrument resolution bandwidth approximately equal to 1.0 percent of the emission bandwidth of the device under measurement.

Test Procedure: The transmitter was set to low, mid, and high operating frequencies at the highest output power and connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured with the spectrum analyzer using a RBW approximately equal to 1% of the total emission bandwidth, VBW > RBW. The 26 dB Bandwidth was measured and recorded.

Test Results The 26 dB Bandwidth was compliant with the requirements of this section.

No anomalies detected.

Test Engineer(s): Bradley Jones

Test Date(s): November 21, 2017






Occupied Bandwidth					
5 Omni			1' Panel		
Bandwidth	Frequency	Occupied bandwidth	Bandwidth	Frequency	Occupied bandwidth
5	5170	5.165	5	5170	5.215
	5210	5.181		5210	5.071
	5247.5	5.139		5242.5	5.129
10	5170	9.927	10	5170	10.248
	5210	10.141		5210	10.073
	5245	10.163		5240.5	10.039
20	5170	20.271	20	5170	20.874
	5210	20.464		5210	20.754
	5240	20.401		5235.5	20.787
40	5170	41.415	40	5170	42.598
	5210	53.166		5210	55.287
	5230	56.546		5230	56.945
8 Omni			2' Panel		
Bandwidth	Frequency	Occupied bandwidth	Bandwidth	Frequency	Occupied bandwidth
5	5170	5.084	5	5170	5.16
	5210	5.143		5210	5.16
	5247.5	5.209		5242.5	5.171
10	5170	10.041	10	5170	9.983
	5210	10.072		5210	10.014
	5245	9.984		5240.5	10.081
20	5170	20.445	20	5170	30
	5210	20.687		5210	20.491
	5240	20.425		5235.5	20.264
40	5170	41.649	40	5170	42.245
	5210	57.801		5210	49.733
	5230	58.214		5230	41.875




90 Sector			3' Para		
Bandwidth	Frequency	Occupied bandwidth	Bandwidth	Frequency	Occupied bandwidth
5	5170	5.23	5	5170	5.149
	5210	5.233		5210	5.133
	5247.5	5.183		5242.5	5.178
10	5170	10.132	10	5170	9.923
	5210	9.964		5210	10.037
	5245	10.103		5240.5	10.127
20	5170	20.373	20	5170	20.38
	5210	20.346		5210	20.384
	5240	20.592		5235.5	20.578
40	5170	41.595	40	5170	60
	5210	41.786		5210	41.976
	5230	41.845		5230	41.541


Table 9. 26 dB Occupied Bandwidth, Test Results




Plot 1. 26 dB Occupied Bandwidth, 5M, 5170, 1'Panel, rf2




Plot 2. 26 dB Occupied Bandwidth, 5M, 5210, 1'Panel, rf2




Plot 3. 26 dB Occupied Bandwidth, 5M, 5242.5, 1'Panel, rf2




Plot 4. 26 dB Occupied Bandwidth, 10M, 5170, 1'Panel, rf2




Plot 5. 26 dB Occupied Bandwidth, 10M, 5210, 1'Panel, rf2




Plot 6. 26 dB Occupied Bandwidth, 10M, 5240.5, 1'Panel, rf2




Plot 7. 26 dB Occupied Bandwidth, 20M, 5170, 1'Panel, rf2




Plot 8. 26 dB Occupied Bandwidth, 20M, 5210, 1'Panel, rf2




Plot 9. 26 dB Occupied Bandwidth, 20M, 5235.5, 1'Panel, rf2




Plot 10. 26 dB Occupied Bandwidth, 40M, 5171, 1'Panel, rf2




Plot 11. 26 dB Occupied Bandwidth, 40M, 5210, 1'Panel, rf2




Plot 12. 26 dB Occupied Bandwidth, 40M, 5230, 1'Panel, rf2




Plot 13. 26 dB Occupied Bandwidth, 5M, 5170, 2'Panel, rf2




Plot 14. 26 dB Occupied Bandwidth, 5M, 5210, 2'Panel, rf2




Plot 15. 26 dB Occupied Bandwidth, 5M, 5242.5, 2'Panel, rf2




Plot 16. 26 dB Occupied Bandwidth, 10M, 5170, 2'Panel, rf2




Plot 17. 26 dB Occupied Bandwidth, 10M, 5210, 2'Panel, rf2




Plot 18. 26 dB Occupied Bandwidth, 10M, 5240.5, 2'Panel, rf2




Plot 19. 26 dB Occupied Bandwidth, 20M, 5170, 2'Panel, rf2




Plot 20. 26 dB Occupied Bandwidth, 20M, 5210, 2'Panel, rf2




Plot 21. 26 dB Occupied Bandwidth, 20M, 5235.5, 2'Panel, rf2




Plot 22. 26 dB Occupied Bandwidth, 40M, 5171, 2'Panel, rf2




Plot 23. 26 dB Occupied Bandwidth, 40M, 5210, 2'Panel, rf2




Plot 24. 26 dB Occupied Bandwidth, 40M, 5230, 2'Panel, rf2




Plot 25. 26 dB Occupied Bandwidth, 5M, 5170, 3'Para, rf2




Plot 26. 26 dB Occupied Bandwidth, 5M, 5210, 3'Para, rf2




Plot 27. 26 dB Occupied Bandwidth, 5M, 5242.5, 3'Para, rf2




Plot 28. 26 dB Occupied Bandwidth, 10M, 5170, 3'Para, rf2




Plot 29. 26 dB Occupied Bandwidth, 10M, 5210, 3'Para, rf2




Plot 30. 26 dB Occupied Bandwidth, 10M, 5240.5, 3'Para, rf2




Plot 31. 26 dB Occupied Bandwidth, 20M, 5170, 3'Para, rf2




Plot 32. 26 dB Occupied Bandwidth, 20M, 5210, 3'Para, rf2




Plot 33. 26 dB Occupied Bandwidth, 20M, 5235.5, 3'Para, rf2




Plot 34. 26 dB Occupied Bandwidth, 40M, 5170, 3'Para, rf2




Plot 35. 26 dB Occupied Bandwidth, 40M, 5210, 3'Para, rf2




Plot 36. 26 dB Occupied Bandwidth, 40M, 5230, 3'Para, rf2




Plot 37. 26 dB Occupied Bandwidth, 5M, 5170, 90Sector, rf2




Plot 38. 26 dB Occupied Bandwidth, 5M, 5210, 90Sector, rf2




Plot 39. 26 dB Occupied Bandwidth, 5M, 5247.5, 90Sector, rf2




Plot 40. 26 dB Occupied Bandwidth, 10M, 5170, 90Sector, rf2




Plot 41. 26 dB Occupied Bandwidth, 10M, 5210, 90Sector, rf2




Plot 42. 26 dB Occupied Bandwidth, 10M, 5245, 90Sector, rf2




Plot 43. 26 dB Occupied Bandwidth, 20M, 5170, 90Sector, rf2




Plot 44. 26 dB Occupied Bandwidth, 20M, 5210, 90Sector, rf2




Plot 45. 26 dB Occupied Bandwidth, 20M, 5240, 90Sector, rf2




Plot 46. 26 dB Occupied Bandwidth, 40M, 5170, 90Sector, rf2




Plot 47. 26 dB Occupied Bandwidth, 40M, 5210, 90Sector, rf2




Plot 48. 26 dB Occupied Bandwidth, 40M, 5230, 90Sector, rf2




Plot 49. 26 dB Occupied Bandwidth, 5M, 5170, Omni8, rf2




Plot 50. 26 dB Occupied Bandwidth, 5M, 5210, Omni8, rf2




Plot 51. 26 dB Occupied Bandwidth, 5M, 5247.5, Omni8, rf2




Plot 52. 26 dB Occupied Bandwidth, 10M, 5170, Omni8, rf2




Plot 53. 26 dB Occupied Bandwidth, 10M, 5210, Omni8, rf2




Plot 54. 26 dB Occupied Bandwidth, 10M, 5245, Omni8, rf2




Plot 55. 26 dB Occupied Bandwidth, 20M, 5170, Omni8, rf2




Plot 56. 26 dB Occupied Bandwidth, 20M, 5210, Omni8, rf2




Plot 57. 26 dB Occupied Bandwidth, 20M, 5240, Omni8, rf2




Plot 58. 26 dB Occupied Bandwidth, 40M, 5170, Omni8, rf2




Plot 59. 26 dB Occupied Bandwidth, 40M, 5210, Omni8, rf2




Plot 60. 26 dB Occupied Bandwidth, 40M, 5230, Omni8, rf2




Plot 61. 26 dB Occupied Bandwidth, 5M, 5170, 50mni, rf2




Plot 62. 26 dB Occupied Bandwidth, 5M, 5210, 50mni, rf2




Plot 63. 26 dB Occupied Bandwidth, 5M, 5247.5, 50mni, rf2




Plot 64. 26 dB Occupied Bandwidth, 10M, 5170, 50Omni, rf2




Plot 65. 26 dB Occupied Bandwidth, 10M, 5210, 50Omni, rf2




Plot 66. 26 dB Occupied Bandwidth, 10M, 5245, 50Omni, rf2




Plot 67. 26 dB Occupied Bandwidth, 20M, 5170, 50Omni, rf2




Plot 68. 26 dB Occupied Bandwidth, 20M, 5210, 50Omni, rf2




Plot 69. 26 dB Occupied Bandwidth, 20M, 5240, 50Omni, rf2



Plot 70. 26 dB Occupied Bandwidth, 40M, 5170, 50Omni, rf2



Plot 71. 26 dB Occupied Bandwidth, 40M, 5210, 50Omni, rf2



Plot 72. 26 dB Occupied Bandwidth, 40M, 5230, 50Omni, rf2



Electromagnetic Compatibility Criteria for Intentional Radiators

§15.407(a)(1) Maximum Conducted Output Power

Test Requirements:

§15.407(a)(1)(i): For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi.

If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

§15.407(a)(1)(ii): For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi.

If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

§15.407(a)(1)(iii): For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi.

§15.407(a)(1)(iv): For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi.

If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Test Procedure:

The EUT was connected to a spectrum analyzer through a cable and attenuator. Measurements were taken with the EUT set to transmit continuously on its low, mid, and high channels. Its power was measured according to measurement method SA-1, as described in 789033 D02 General UNII Test Procedures v01.

Test Results:

The EUT as tested is compliant with the requirements of this section.


No anomalies detected.

Test Engineer(s):

Bradley Jones

Test Date(s):

November 21, 2017





Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	15.55	15.52	21.91774754	5	30	-8.082252456
5210	16.05	15.74	22.28048703	5	30	-7.719512967
5247.5	15.85	15.59	22.10466703	5	30	-7.895332966
10 MHz						
5170	18.7	18.58	25.02313609	5	30	-4.976863908
5210	19.25	18.83	25.42779686	5	30	-4.572203137
5245	18.98	18.68	25.21531153	5	30	-4.784688467
20 MHz						
5170	11.89	11.87	18.26273315	5	30	-11.73726685
5210	19.46	19.44	25.83273315	5	30	-4.167266847
5240	19.09	18.35	25.11846381	5	30	-4.881536195
40MHz						
5170	2.99	2.21	9.000209314	5	30	-20.99979069
5210	19.29	18.3	25.20587032	5	30	-4.794129682
5230	19.36	19.07	25.60014178	5	30	-4.399858217

Table 10. Maximum Conducted Output Power, 5' Omni, Test Results

Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	13.6	13.68	20.02290584	8	28	-7.977094156
5210	13.2	12.52	19.25601701	8	28	-8.743982991
5247.5	13.91	13.3	19.99842275	8	28	-8.001577253
10 MHz						
5170	16.62	16.61	22.99772452	8	28	-5.002275482
5210	16.98	16.79	23.2687606	8	28	-4.731239402
5245	16.96	16.6	23.16645076	8	28	-4.83354924
20 MHz						
5170	10.76	10.89	17.20820804	8	28	-10.79179196
5210	19.98	19.83	26.28836921	8	28	-1.71163079
5240	20	19.88	26.32313609	8	28	-1.676863908
40MHz						
5170	3	2.93	9.347862672	8	28	-18.65213733
5210	20.76	20.77	27.14772452	8	28	-0.852275482
5230	20.87	20.71	27.17345843	8	28	-0.826541575

Table 11. Maximum Conducted Transmitter Power, 8 Omni, Test Results



Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	7.62	7.1	13.75049973	14	22	-8.249500267
5210	8.19	7.87	14.41566828	14	22	-7.584331718
5247.5	7.14	7.04	13.47300946	14	22	-8.526990543
10 MHz						
5170	9.5	9.34	15.80345843	14	22	-6.196541575
5210	11.22	10.94	17.46497778	14	22	-4.535022217
5245	11.18	10.85	17.40085528	14	22	-4.59914472
20 MHz						
5170	7.96	7.64	14.18566828	14	22	-7.814331718
5210	14.16	13.75	20.34255815	14	22	-1.657441849
5240	14.17	13.7	20.32407655	14	22	-1.675923447
40MHz						
5170	-0.98	-1.24	5.274667034	14	22	-16.72533297
5210	14.44	14.59	20.89836921	14	22	-1.10163079
5230	15.36	15.08	21.60497778	14	22	-0.395022217

Table 12. Maximum Conducted Transmitter Power, 90 Sector, Test Results

Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	7.23	7.63	11.14978698	21	30	-18.85021302
5210	9.58	9.54	15.94276769	21	30	-14.05723231
5242.5	9.57	9.46	15.8980699	21	30	-14.1019301
10 MHz						
5170	7.16	6.87	13.40014178	21	30	-16.59985822
5210	9.68	9.37	15.91048703	21	30	-14.08951297
5240.5	9.74	8.77	15.66474682	21	30	-14.33525318
20 MHz						
5170	-0.83	-1.18	5.38124652	21	30	-24.61875348
5210	9.5	8.91	15.59773307	21	30	-14.40226693
5235.5	9.64	9.02	15.72377618	21	30	-14.27622382
40MHz						
5171	-11.7	-11.3	-5.13354924	21	30	-35.13354924
5210	8.88	8.62	15.13466703	21	30	-14.86533297
5230	9.86	8.55	15.63692884	21	30	-14.36307116

Table 13. Maximum Conducted Transmitter Power, 1' Panel, Test Results




Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	-0.77	-1.43	5.295247169	26	27	-21.70475283
5210	2.44	2.5	8.852825255	26	27	-18.14717474
5247.5	2.74	2.14	8.833075043	26	27	-18.16692496
10 MHz						
5170	1.46	0.92	7.581109161	26	27	-19.41889084
5210	6.98	6.55	13.15304132	26	27	-13.84695868
5240.5	5.9	4.8	11.76745554	26	27	-15.23254446
20 MHz						
5170	0.32	-0.88	6.144036992	26	27	-20.85596301
5210	7.77	7.39	13.96687648	26	27	-13.03312352
5235.5	8.76	8.22	14.88110916	26	27	-12.11889084
40MHz						
5171	-11.6	-12.1	-5.46293369	26	27	-32.46293369
5210	5.94	5.29	12.00987083	26	27	-14.99012917
5230	9.03	8.17	15.00397435	26	27	-11.99602565

Table 14. Maximum Conducted Transmitter Power, 2' Panel, Test Results


Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	OP Margin
5 MHz						
5170	-3.03	-3.63	3.063075043	30	23	-19.93692496
5210	1.48	-0.89	6.837421927	30	23	-16.16257807
5242.5	1.28	0.94	7.496048026	30	23	-15.50395197
10 MHz						
5170	0.54	-0.47	6.44701655	30	23	-16.55298345
5210	5.18	4.3	11.14497264	30	23	-11.85502736
5240.5	4.73	3.91	10.72204619	30	23	-12.27795381
20 MHz						
5170	0.68	-0.44	6.538726565	30	23	-16.46127343
5210	6.73	6.17	12.84174153	30	23	-10.15825847
5235.5	6.98	6.07	12.9315128	30	23	-10.0684872
40MHz						
5170	-11.7	-11.7	-5.33227548	30	23	-28.33227548
5210	3.77	3.46	10.00048703	30	23	-12.99951297
5230	6.64	6.28	12.84645076	30	23	-10.15354924

Table 15. Maximum Conducted Transmitter Power, 3' Para, Test Results




Plot 73. Duty Cycle


Note: Device is not capable of continuous transmission. The duty cycle was measured, and a correction factor was applied. The correction factor was calculated as $10\log(1/230/500))=3.372$ dB.




Plot 74. Maximum Conducted Output Power, 5M, 5170, 1Panel, rf1




Plot 75. Maximum Conducted Output Power, 5M, 5170, 1Panel, rf2




Plot 76. Maximum Conducted Output Power, 5M, 5210, 1Panel, rf1




Plot 77. Maximum Conducted Output Power, 5M, 5210, 1Panel, rf2




Plot 78. Maximum Conducted Output Power, 5M, 5242.5, 1Panel, rf1




Plot 79. Maximum Conducted Output Power, 5M, 5242.5, 1Panel, rf2




Plot 80. Maximum Conducted Output Power, 10M, 5170, 1Panel, rf1




Plot 81. Maximum Conducted Output Power, 10M, 5170, 1Panel, rf2




Plot 82. Maximum Conducted Output Power, 10M, 5210, 1Panel, rf1




Plot 83. Maximum Conducted Output Power, 10M, 5210, 1Panel, rf1




Plot 84. Maximum Conducted Output Power, 10M, 5240.5, 1Panel, rf1




Plot 85. Maximum Conducted Output Power, 10M, 5240.5, 1Panel, rf2




Plot 86. Maximum Conducted Output Power, 20M, 5170, 1Panel, rf1




Plot 87. Maximum Conducted Output Power, 20M, 5170, 1Panel, rf2




Plot 88. Maximum Conducted Output Power, 20M, 5210, 1Panel, rf1




Plot 89. Maximum Conducted Output Power, 20M, 5210, 1Panel, rf1




Plot 90. Maximum Conducted Output Power, 20M, 5235.5, 1Panel, rf1




Plot 91. Maximum Conducted Output Power, 20M, 5235.5, 1Panel, rf2




Plot 92. Maximum Conducted Output Power, 40M, 5171, 1Panel, rf1




Plot 93. Maximum Conducted Output Power, 40M, 5171, 1Panel, rf2,




Plot 94. Maximum Conducted Output Power, 40M, 5210, 1Panel, rf1




Plot 95. Maximum Conducted Output Power, 40M, 5210, 1Panel, rf2




Plot 96. Maximum Conducted Output Power, 40M, 5230, 1Panel, rf1




Plot 97. Maximum Conducted Output Power, 40M, 5230, 1Panel, rf2




Plot 98. Maximum Conducted Output Power, 5M, 5170, 2Panel, rf1




Plot 99. Maximum Conducted Output Power, 5M, 5170, 2Panel, rf2




Plot 100. Maximum Conducted Output Power, 5M, 5210, 2Panel, rf1




Plot 101. Maximum Conducted Output Power, 5M, 5210, 2Panel, rf1




Plot 102. Maximum Conducted Output Power, 5M, 5242.5, 2Panel, rf1




Plot 103. Maximum Conducted Output Power, 5M, 5242.5, 2Panel, rf2




Plot 104. Maximum Conducted Output Power, 10M, 5170, 2Panel, rf1




Plot 105. Maximum Conducted Output Power, 10M, 5170, 2Panel, rf2




Plot 106. Maximum Conducted Output Power, 10M, 5210, 2Panel, rf1




Plot 107. Maximum Conducted Output Power, 10M, 5210, 2Panel, rf2




Plot 108. Maximum Conducted Output Power, 10M, 5240.5, 2Panel, rf1




Plot 109. Maximum Conducted Output Power, 10M, 5240.5, 2Panel, rf2




Plot 110. Maximum Conducted Output Power, 20M, 5170, 2Panel, rf1




Plot 111. Maximum Conducted Output Power, 20M, 5170, 2Panel, rf2




Plot 112. Maximum Conducted Output Power, 20M, 5210, 2Panel, rf1




Plot 113. Maximum Conducted Output Power, 20M, 5210, 2Panel, rf2




Plot 114. Maximum Conducted Output Power, 20M, 5235.5, 2Panel, rf1




Plot 115. Maximum Conducted Output Power, 20M, 5235.5, 2Panel, rf2




Plot 116. Maximum Conducted Output Power, 40M, 5171, 2Panel, rf1




Plot 117. Maximum Conducted Output Power, 40M, 5171, 2Panel, rf2




Plot 118. Maximum Conducted Output Power, 40M, 5210, 2Panel, rf1




Plot 119. Maximum Conducted Output Power, 40M, 5210, 2Panel, rf2




Plot 120. Maximum Conducted Output Power, 40M, 5230, 2Panel, rf1




Plot 121. Maximum Conducted Output Power, 40M, 5230, 2Panel, rf2




Plot 122. Maximum Conducted Output Power, 5M, 5170, 3Para, rf1




Plot 123. Maximum Conducted Output Power, 5M, 5170, 3Para, rf2




Plot 124. Maximum Conducted Output Power, 5M, 5210, 3Para, rf1




Plot 125. Maximum Conducted Output Power, 5M, 5210, 3Para, rf2




Plot 126. Maximum Conducted Output Power, 5M, 5242.5, 3Para, rf1




Plot 127. Maximum Conducted Output Power, 5M, 5242.5, 3Para, rf2




Plot 128. Maximum Conducted Output Power, 10M, 5170, 3Para, rf1




Plot 129. Maximum Conducted Output Power, 10M, 5170, 3Para, rf2




Plot 130. Maximum Conducted Output Power, 10M, 5210, 3Para, rf1




Plot 131. Maximum Conducted Output Power, 10M, 5210, 3Para, rf2




Plot 132. Maximum Conducted Output Power, 10M, 5240.5, 3Para, rf1




Plot 133. Maximum Conducted Output Power, 10M, 5240.5, 3Para, rf2




Plot 134. Maximum Conducted Output Power, 20M, 5170, 3Para, rf1




Plot 135. Maximum Conducted Output Power, 20M, 5170, 3Para, rf2




Plot 136. Maximum Conducted Output Power, 20M, 5210, 3Para, rf1




Plot 137. Maximum Conducted Output Power, 20M, 5210, 3Para, rf2




Plot 138. Maximum Conducted Output Power, 20M, 5235.5, 3Para, rf1




Plot 139. Maximum Conducted Output Power, 20M, 5235.5, 3Para, rf2




Plot 140. Maximum Conducted Output Power, 40M, 5171, 3Para, rf1




Plot 141. Maximum Conducted Output Power, 40M, 5171, 3Para, rf2




Plot 142. Maximum Conducted Output Power, 40M, 5210, 3Para, rf1




Plot 143. Maximum Conducted Output Power, 40M, 5210, 3Para, rf2




Plot 144. Maximum Conducted Output Power, 40M, 5230, 3Para, rf1




Plot 145. Maximum Conducted Output Power, 40M, 5230, 3Para, rf2




Plot 146. Maximum Conducted Output Power, 5M, 5170, 50mni, rf1




Plot 147. Maximum Conducted Output Power, 5M, 5170, 50mni, rf2




Plot 148. Maximum Conducted Output Power, 5M, 5210, 50Omni, rf1




Plot 149. Maximum Conducted Output Power, 5M, 5210, 50Omni, rf1




Plot 150. Maximum Conducted Output Power, 5M, 5247.5, 50Omni, rf1




Plot 151. Maximum Conducted Output Power, 5M, 5247.5, 50mni, rf2




Plot 152. Maximum Conducted Output Power, 10M, 5170, 50mni, rf1




Plot 153. Maximum Conducted Output Power, 10M, 5170, 50mni, rf2




Plot 154. Maximum Conducted Output Power, 10M, 5210, 50mni, rf1




Plot 155. Maximum Conducted Output Power, 10M, 5210, 50mni, rf2




Plot 156. Maximum Conducted Output Power, 10M, 5245, 50mni, rf1




Plot 157. Maximum Conducted Output Power, 10M, 5245, 50mni, rf2




Plot 158. Maximum Conducted Output Power, 20M, 5170, 50mni, rf1




Plot 159. Maximum Conducted Output Power, 20M, 5170, 50mni, rf2




Plot 160. Maximum Conducted Output Power, 20M, 5210, 50mni, rf1




Plot 161. Maximum Conducted Output Power, 20M, 5210, 50mni, rf2




Plot 162. Maximum Conducted Output Power, 20M, 5240, 50mni, rf1




Plot 163. Maximum Conducted Output Power, 20M, 5240, 50mni, rf2




Plot 164. Maximum Conducted Output Power, 40M, 5170, 50mni, rf1




Plot 165. Maximum Conducted Output Power, 40M, 5170, 50mni, rf2




Plot 166. Maximum Conducted Output Power, 40M, 5210, 50mni, rf1




Plot 167. Maximum Conducted Output Power, 40M, 5210, 50mni, rf2




Plot 168. Maximum Conducted Output Power, 40M, 5230, 50mni, rf1




Plot 169. Maximum Conducted Output Power, 40M, 5230, 50mni, rf2




Plot 170. Maximum Conducted Output Power, 5M, 5170, Omni8, rf1




Plot 171. Maximum Conducted Output Power, 5M, 5170, Omni8, rf2




Plot 172. Maximum Conducted Output Power, 5M, 5210, Omni8, rf1




Plot 173. Maximum Conducted Output Power, 5M, 5210, Omni8, rf2




Plot 174. Maximum Conducted Output Power, 5M, 5247.5, Omni8, rf1




Plot 175. Maximum Conducted Output Power, 5M, 5247.5, Omni8, rf2




Plot 176. Maximum Conducted Output Power, 10M, 5170, Omni8, rf1




Plot 177. Maximum Conducted Output Power, 10M, 5170, Omni8, rf2




Plot 178. Maximum Conducted Output Power, 10M, 5210, Omni8, rf1




Plot 179. Maximum Conducted Output Power, 10M, 5210, Omni8, rf2, 15




Plot 180. Maximum Conducted Output Power, 10M, 5245, Omni8, rf1




Plot 181. Maximum Conducted Output Power, 10M, 5245, Omni8, rf2




Plot 182. Maximum Conducted Output Power, 20M, 5170, Omni8, rf1




Plot 183. Maximum Conducted Output Power, 20M, 5170, Omni8, rf2




Plot 184. Maximum Conducted Output Power, 20M, 5210, Omni8, rf1




Plot 185. Maximum Conducted Output Power, 20M, 5210, Omni8, rf2




Plot 186. Maximum Conducted Output Power, 20M, 5240, Omni8, rf1




Plot 187. Maximum Conducted Output Power, 20M, 5240, Omni8, rf2




Plot 188. Maximum Conducted Output Power, 40M, 5170, Omni8, rf1




Plot 189. Maximum Conducted Output Power, 40M, 5170, Omni8, rf2




Plot 190. Maximum Conducted Output Power, 40M, 5210, Omni8, rf1




Plot 191. Maximum Conducted Output Power, 40M, 5210, Omni8, rf2




Plot 192. Maximum Conducted Output Power, 40M, 5230, Omni8, rf1




Plot 193. Maximum Conducted Output Power, 40M, 5230, Omni8, rf2




Plot 194. Maximum Conducted Output Power, 5M, 5170, 90Sector, rf1




Plot 195. Maximum Conducted Output Power, 5M, 5170, 90Sector, rf2




Plot 196. Maximum Conducted Output Power, 5M, 5210, 90Sector, rf1




Plot 197. Maximum Conducted Output Power, 5M, 5210, 90Sector, rf2




Plot 198. Maximum Conducted Output Power, 5M, 5247.5, 90Sector, rf1




Plot 199. Maximum Conducted Output Power, 5M, 5247.5, 90Sector, rf2




Plot 200. Maximum Conducted Output Power, 10M, 5170, 90Sector, rf1




Plot 201. Maximum Conducted Output Power, 10M, 5170, 90Sector, rf2




Plot 202. Maximum Conducted Output Power, 10M, 5210, 90Sector, rf1




Plot 203. Maximum Conducted Output Power, 10M, 5210, 90Sector, rf2




Plot 204. Maximum Conducted Output Power, 10M, 5245, 90Sector, rf1




Plot 205. Maximum Conducted Output Power, 10M, 5245, 90Sector, rf2




Plot 206. Maximum Conducted Output Power, 20M, 5170, 90Sector, rf1




Plot 207. Maximum Conducted Output Power, 20M, 5170, 90Sector, rf2




Plot 208. Maximum Conducted Output Power, 20M, 5210, 90Sector, rf1




Plot 209. Maximum Conducted Output Power, 20M, 5210, 90Sector, rf2




Plot 210. Maximum Conducted Output Power, 20M, 5240, 90Sector, rf1




Plot 211. Maximum Conducted Output Power, 20M, 5240, 90Sector, rf2




Plot 212. Maximum Conducted Output Power, 40M, 5170, 90Sector, rf1




Plot 213. Maximum Conducted Output Power, 40M, 5170, 90Sector, rf2




Plot 214. Maximum Conducted Output Power, 40M, 5210, 90Sector, rf1



Plot 215. Maximum Conducted Output Power, 40M, 5210, 90Sector, rf2



Plot 216. Maximum Conducted Output Power, 40M, 5230, 90Sector, rf1



Plot 217. Maximum Conducted Output Power, 40M, 5230, 90Sector, rf2



Electromagnetic Compatibility Criteria for Intentional Radiators

§15.407(a)(1) EIRP Above Elevation Angle

Test Requirements: §15.407(a)(1): (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

Test Procedure:

1. For fixed infrastructure, not electrically or mechanically steerable beam antenna
 - a) If elevation plane radiation pattern is available:
 - i) Determine the device intended mounting elevation angle and define 0° reference angle on the elevation plane radiation pattern.
 - ii) Indicate any radiation pattern between 30° and 90° which has highest gain.
 - iii) Calculate the EIRP based on this highest gain and conducted output power.
 - iv) Compare to the limit of 125 mW to find compliance.
 - v) Include the elevation pattern data in the application filing with the test report to show how the calculations are made.

Test Results: The EUT as tested is compliant with the requirements of this section.

Test Engineer(s): Bradley Jones

Test Date(s): November 28, 2017





202	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
2' Panel	15.004	5230	40	4.91	216	19.914	98.03925	125	-26.9607
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 16. EIRP Above Elevation Angle, 2' Panel, Test Results

203	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
3' Para	12.93	5235.5	20	5.08	216	18.01	63.24119	125	-61.7588
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 17. EIRP Above Elevation Angle, 3' Para, Test Results

206	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
8 Omni	27.17	5230	40	-8.39	221	18.78	75.50922	125	-49.4908
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 18. EIRP Above Elevation Angle, 8 Omni, Test Results

246	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
5 Omni	21.605	5210	20	-5.03	31.79	16.575	45.44645	125	-79.5535
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 19. EIRP Above Elevation Angle, 5 Omni, Test Results

207	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
90 Sector	21.06	5230	40	-2.28	31.79	18.78	75.50922	125	-49.4908
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 20. EIRP Elevation Angle, 90 Sector, Test Results

201	Max OP	Frequency	Bandwidth	Highest Gain	Angle	EIRP	mW	limit	margin
1' Panel	15.91	5210	10	4.44	31.79	20.35	108.3927	125	-16.6073
	dBm	MHz		dB	degrees				
Reference angle in radiation pattern is 180°. Search is conducted from 210-270°.									

Table 21. EIRP Elevation Angle, 1' Panel, Test Results



Electromagnetic Compatibility Criteria for Intentional Radiators

§15.407(a)(1) Maximum Power Spectral Density

Test Requirements:

§15.407(a)(1)(i): In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

§15.407(a)(1)(ii): In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi..

§15.407(a)(1)(iii): In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi.

§15.407(a)(1)(iv): In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Test Procedure:

The EUT was connected to a spectrum analyzer through a cable and attenuator. Measurements were taken with the EUT set to transmit continuously on its low, mid, and high channels. Its power was measured according KDB 789033 D02 General UNII Test Procedures v01.

Test Results:

The EUT as tested is compliant with the requirements of this section.

No anomalies detected.

Test Engineer(s):

Bradley Jones

Test Date(s):

November 21, 2017





Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	10.37	10.55	16.84365412	5	17	-0.15634588
5210	10.71	10.67	17.07276769	5	17	0.072767691
5247.5	10.61	10.52	16.94795477	5	17	-0.052045228
10 MHz						
5170	10.28	10.45	16.7485534	5	17	-0.251446604
5210	10.51	10.54	16.90774754	5	17	-0.092252456
5245	10.56	10.48	16.90290584	5	17	-0.097094156
20 MHz						
5170	0.43	0.784	6.993327526	5	17	-10.00667247
5210	8.247	7.397	14.22548375	5	17	-2.774516245
5240	7.688	6.676	13.59413242	5	17	-3.405867577
40MHz						
5170	-12.1	-11.7	-5.50395197	5	17	-22.50395197
5210	4.732	4.59	11.04430198	5	17	-5.955698019
5230	6.017	5.296	12.05416672	5	17	-4.945833284

Table 22. Power Spectral Density, 5 Omni, Test Results

Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	8.179	8.301	14.62315002	8	15	-0.376849978
5210	8.088	7.551	14.21051628	8	15	-0.789483715
5247.5	8.791	8.363	14.96499197	8	15	-0.035008033
10 MHz						
5170	8.365	8.207	14.66944012	8	15	-0.330559878
5210	8.737	8.431	14.96941614	8	15	-0.030583857
5245	8.547	8.443	14.87803294	8	15	-0.121967058
20 MHz						
5170	-0.49	-0.65	5.812440122	8	15	-9.187559878
5210	8.674	8.441	14.94178402	8	15	-0.058215985
5240	8.504	8.517	14.8932265	8	15	-0.106773496
40MHz						
5170	-11.2	-11.3	-4.87179196	8	15	-19.87179196
5210	7.257	6.82	13.42671585	8	15	-1.573284148
5230	7.617	6.966	13.68640821	8	15	-1.31359179

Table 23. Power Spectral Density, 8 Omni, Test Results



Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	2.254	2.593	8.809528493	14	9	-0.190471507
5210	2.453	1.79	8.516861186	14	9	-0.483138814
5247.5	2.644	1.693	8.577200551	14	9	-0.422799449
10 MHz						
5170	2.181	1.345	8.165806502	14	9	-0.834193498
5210	2.465	1.915	8.581422478	14	9	-0.418577522
5245	2.48	1.828	8.548945643	14	9	-0.451054357
20 MHz						
5170	-3.65	-4.52	2.323120643	14	9	-6.676879357
5210	2.32	1.626	8.369569514	14	9	-0.630430486
5240	2.376	1.596	8.386209314	14	9	-0.613790686
40MHz						
5170	-15.1	-16	-9.13502736	14	9	-18.13502736
5210	1.61	2.454	8.435192135	14	9	-0.564807865
5230	3.038	2.08	8.968083628	14	9	-0.031916372

Table 24. Power Spectral Density, 90 Sector, Test Results

Frequency (MHz)	RF1	RF2	Total PSD	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	2.919	2.489	6.38272164	21	17	-10.61727836
5210	4.462	3.63	6.38272164	21	17	-10.61727836
5247.5	4.374	3.601	6.38272164	21	17	-10.61727836
10 MHz						
5170	-0.8	-1.14	6.38272164	21	17	-10.61727836
5210	1.551	0.884	6.38272164	21	17	-10.61727836
5245	1.919	0.452	6.38272164	21	17	-10.61727836
20 MHz						
5170	-11.6	-11.8	6.38272164	21	17	-10.61727836
5210	-1.45	-2.25	6.38272164	21	17	-10.61727836
5240	-1.37	-2.2	6.38272164	21	17	-10.61727836
40MHz						
5171	-25.4	-25.5	6.38272164	21	17	-10.61727836
5210	-4.95	-5.58	6.38272164	21	17	-10.61727836
5230	-3.83	-4.8	6.38272164	21	17	-10.61727836

Table 25. Power Spectral Density, 1' Panel, Test Results




Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	-5.77	-6.17	-0.64740491	26	14	-14.64740491
5210	-3.43	-3	4.817730965	26	14	-9.182269035
5242.5	-3	-2.51	3.633044339	26	14	-10.36695566
10 MHz						
5170	-6.88	-7.19	-0.64740491	26	14	-14.64740491
5210	-1.56	-1.57	4.817730965	26	14	-9.182269035
5240.5	-2.57	-3.13	3.542209364	26	14	-10.45779064
20 MHz						
5170	-10.9	-11.1	-4.6014466	26	14	-18.6014466
5210	-3.57	-4.01	2.598291514	26	14	-11.40170849
5235.5	-2.86	-2.82	3.545274858	26	14	-10.45472514
40MHz						
5171	-25.3	-25.6	-19.0346885	26	14	-33.03468847
5210	-7.75	-8.4	-1.67674095	26	14	-15.67674095
5230	-5.5	-5.02	1.132294621	26	14	-12.86770538

Table 26. Power Spectral Density, 2' Panel, Test Results


Frequency (MHz)	RF1	RF2	Total Power	Antenna Gain	Limit dBm	PSD Margin
5 MHz						
5170	-8.42	-8.48	-2.06468485	30	10	-12.06468485
5210	-3.4	-3.94	2.721578145	30	10	-7.278421855
5242.5	-3.82	-4.21	2.372802202	30	10	-7.627197798
10 MHz						
5170	-7.73	-8.49	-1.70776203	30	10	-11.70776203
5210	-3.28	-3.88	2.814937565	30	10	-7.185062435
5240.5	-3.72	-4.23	2.411732975	30	10	-7.588267025
20 MHz						
5170	-11.1	-11.5	-4.88312352	30	10	-14.88312352
5210	-4.51	-4.98	1.64660361	30	10	-8.35339639
5235.5	-4.79	-5.23	1.379665698	30	10	-8.620334302
40MHz						
5170	-25.5	-25.1	-18.9426748	30	10	-28.94267482
5210	-10.2	-9.96	-3.68203324	30	10	-13.68203324
5230	-7.26	-7.76	-1.11561547	30	10	-11.11561547

Table 27. Power Spectral Density, 3' Para, Test Results




Plot 218. Duty Cycle


Note: Device is not capable of continuous transmission. The duty cycle was measured, and a correction factor was applied. The correction factor was calculated as $10\log(1/230/500) = 3.372$ dB.




Plot 219. Maximum Power Spectral Density, 5M, 5170, 1Panel, rf1




Plot 220. Maximum Power Spectral Density, 5M, 5170, 1Panel, rf2




Plot 221. Maximum Power Spectral Density, 5M, 5210, 1Panel, rf1




Plot 222. Maximum Power Spectral Density, 5M, 5210, 1Panel, rf2




Plot 223. Maximum Power Spectral Density, 5M, 5242.5, 1Panel, rf1




Plot 224. Maximum Power Spectral Density, 5M, 5242.5, 1Panel, rf2




Plot 225. Maximum Power Spectral Density, 10M, 5170, 1Panel, rf1




Plot 226. Maximum Power Spectral Density, 10M, 5170, 1Panel, rf2




Plot 227. Maximum Power Spectral Density, 10M, 5210, 1Panel, rf1




Plot 228. Maximum Power Spectral Density, 10M, 5210, 1Panel, rf2




Plot 229. Maximum Power Spectral Density, 10M, 5240.5, 1Panel, rf1




Plot 230. Maximum Power Spectral Density, 10M, 5240.5, 1Panel, rf2




Plot 231. Maximum Power Spectral Density, 20M, 5170, 1Panel, rf1




Plot 232. Maximum Power Spectral Density, 20M, 5170, 1Panel, rf2




Plot 233. Maximum Power Spectral Density, 20M, 5210, 1Panel, rf1




Plot 234. Maximum Power Spectral Density, 20M, 5210, 1Panel, rf2




Plot 235. Maximum Power Spectral Density, 20M, 5235.5, 1Panel, rf1




Plot 236. Maximum Power Spectral Density, 20M, 5235.5, 1Panel, rf2




Plot 237. Maximum Power Spectral Density, 40M, 5171, 1Panel, rf1




Plot 238. Maximum Power Spectral Density, 40M, 5171, 1Panel, rf2




Plot 239. Maximum Power Spectral Density, 40M, 5210, 1Panel, rf1




Plot 240. Maximum Power Spectral Density, 40M, 5210, 1Panel, rf2




Plot 241. Maximum Power Spectral Density, 40M, 5230, 1Panel, rf1




Plot 242. Maximum Power Spectral Density, 40M, 5230, 1Panel, rf2




Plot 243. Maximum Power Spectral Density, 5M, 5170, 2Panel, rf1




Plot 244. Maximum Power Spectral Density, 5M, 5170, 2Panel, rf2




Plot 245. Maximum Power Spectral Density, 5M, 5210, 2Panel, rf1




Plot 246. Maximum Power Spectral Density, 5M, 5210, 2Panel, rf2




Plot 247. Maximum Power Spectral Density, 5M, 5242.5, 2Panel, rf1




Plot 248. Maximum Power Spectral Density, 5M, 5242.5, 2Panel, rf2




Plot 249. Maximum Power Spectral Density, 10M, 5170, 2Panel, rf1




Plot 250. Maximum Power Spectral Density, 10M, 5170, 2Panel, rf2




Plot 251. Maximum Power Spectral Density, 10M, 5210, 2Panel, rf1




Plot 252. Maximum Power Spectral Density, 10M, 5210, 2Panel, rf2




Plot 253. Maximum Power Spectral Density, 10M, 5240.5, 2Panel, rf1




Plot 254. Maximum Power Spectral Density, 10M, 5240.5, 2Panel, rf2




Plot 255. Maximum Power Spectral Density, 20M, 5170, 2Panel, rf1




Plot 256. Maximum Power Spectral Density, 20M, 5170, 2Panel, rf2




Plot 257. Maximum Power Spectral Density, 20M, 5210, 2Panel, rf1




Plot 258. Maximum Power Spectral Density, 20M, 5210, 2Panel, rf2




Plot 259. Maximum Power Spectral Density, 20M, 5235.5, 2Panel, rf1




Plot 260. Maximum Power Spectral Density, 20M, 5235.5, 2Panel, rf2




Plot 261. Maximum Power Spectral Density, 40M, 5171, 2Panel, rf1




Plot 262. Maximum Power Spectral Density, 40M, 5171, 2Panel, rf2




Plot 263. Maximum Power Spectral Density, 40M, 5210, 2Panel, rf1




Plot 264. Maximum Power Spectral Density, 40M, 5210, 2Panel, rf2




Plot 265. Maximum Power Spectral Density, 40M, 5230, 2Panel, rf1




Plot 266. Maximum Power Spectral Density, 40M, 5230, 2Panel, rf2




Plot 267. Maximum Power Spectral Density, 5M, 5170, 3Para, rf1




Plot 268. Maximum Power Spectral Density, 5M, 5170, 3Para, rf2




Plot 269. Maximum Power Spectral Density, 5M, 5210, 3Para, rf1




Plot 270. Maximum Power Spectral Density, 5M, 5210, 3Para, rf2




Plot 271. Maximum Power Spectral Density, 5M, 5242.5, 3Para, rf1




Plot 272. Maximum Power Spectral Density, 5M, 5242.5, 3Para, rf2




Plot 273. Maximum Power Spectral Density, 10M, 5170, 3Para, rf1




Plot 274. Maximum Power Spectral Density, 10M, 5170, 3Para, rf2




Plot 275. Maximum Power Spectral Density, 10M, 5210, 3Para, rf1




Plot 276. Maximum Power Spectral Density, 10M, 5210, 3Para, rf2




Plot 277. Maximum Power Spectral Density, 10M, 5240.5, 3Para, rf1




Plot 278. Maximum Power Spectral Density, 10M, 5240.5, 3Para, rf2




Plot 279. Maximum Power Spectral Density, 20M, 5170, 3Para, rf1




Plot 280. Maximum Power Spectral Density, 20M, 5170, 3Para, rf2




Plot 281. Maximum Power Spectral Density, 20M, 5210, 3Para, rf1




Plot 282. Maximum Power Spectral Density, 20M, 5210, 3Para, rf2




Plot 283. Maximum Power Spectral Density, 20M, 5235.5, 3Para, rf1




Plot 284. Maximum Power Spectral Density, 20M, 5235.5, 3Para, rf2




Plot 285. Maximum Power Spectral Density, 40M, 5171, 3Para, rf1




Plot 286. Maximum Power Spectral Density, 40M, 5171, 3Para, rf2




Plot 287. Maximum Power Spectral Density, 40M, 5210, 3Para, rf1




Plot 288. Maximum Power Spectral Density, 40M, 5210, 3Para, rf2




Plot 289. Maximum Power Spectral Density, 40M, 5230, 3Para, rf1




Plot 290. Maximum Power Spectral Density, 40M, 5230, 3Para, rf2




Plot 291. Maximum Power Spectral Density, 5M, 5170, 50Omni, rf1




Plot 292. Maximum Power Spectral Density, 5M, 5170, 50Omni, rf2




Plot 293. Maximum Power Spectral Density, 5M, 5210, 50mni, rf1




Plot 294. Maximum Power Spectral Density, 5M, 5210, 50mni, rf2




Plot 295. Maximum Power Spectral Density, 5M, 5247.5, 50mni, rf1




Plot 296. Maximum Power Spectral Density, 5M, 5247.5, 50Omni, rf2




Plot 297. Maximum Power Spectral Density, 10M, 5170, 50Omni, rf1




Plot 298. Maximum Power Spectral Density, 10M, 5170, 50Omni, rf2




Plot 299. Maximum Power Spectral Density, 10M, 5210, 50mni, rf1




Plot 300. Maximum Power Spectral Density, 10M, 5210, 50mni, rf2




Plot 301. Maximum Power Spectral Density, 10M, 5245, 50mni, rf1




Plot 302. Maximum Power Spectral Density, 10M, 5245, 50mni, rf2




Plot 303. Maximum Power Spectral Density, 20M, 5170, 50mni, rf1




Plot 304. Maximum Power Spectral Density, 20M, 5170, 50mni, rf2




Plot 305. Maximum Power Spectral Density, 20M, 5210, 50Omni, rf1




Plot 306. Maximum Power Spectral Density, 20M, 5210, 50Omni, rf2




Plot 307. Maximum Power Spectral Density, 20M, 5240, 50Omni, rf1




Plot 308. Maximum Power Spectral Density, 20M, 5240, 50mni, rf2




Plot 309. Maximum Power Spectral Density, 40M, 5170, 50mni, rf1




Plot 310. Maximum Power Spectral Density, 40M, 5170, 50mni, rf2




Plot 311. Maximum Power Spectral Density, 40M, 5210, 50Omni, rf1




Plot 312. Maximum Power Spectral Density, 40M, 5210, 50Omni, rf2




Plot 313. Maximum Power Spectral Density, 40M, 5230, 50Omni, rf1




Plot 314. Maximum Power Spectral Density, 40M, 5230, 50mni, rf2




Plot 315. Maximum Power Spectral Density, 5M, 5170, Omni8, rf1




Plot 316. Maximum Power Spectral Density, 5M, 5170, Omni8, rf2




Plot 317. Maximum Power Spectral Density, 5M, 5210, Omni8, rf1




Plot 318. Maximum Power Spectral Density, 5M, 5210, Omni8, rf2, 11




Plot 319. Maximum Power Spectral Density, 5M, 5247.5, Omni8, rf1




Plot 320. Maximum Power Spectral Density, 5M, 5247.5, Omni8, rf2




Plot 321. Maximum Power Spectral Density, 10M, 5170, Omni8, rf1




Plot 322. Maximum Power Spectral Density, 10M, 5170, Omni8, rf2




Plot 323. Maximum Power Spectral Density, 10M, 5210, Omni8, rf1




Plot 324. Maximum Power Spectral Density, 10M, 5210, Omni8, rf2




Plot 325. Maximum Power Spectral Density, 10M, 5245, Omni8, rf1




Plot 326. Maximum Power Spectral Density, 10M, 5245, Omni8, rf2




Plot 327. Maximum Power Spectral Density, 20M, 5170, Omni8, rf1




Plot 328. Maximum Power Spectral Density, 20M, 5170, Omni8, rf2




Plot 329. Maximum Power Spectral Density, 20M, 5210, Omni8, rf1




Plot 330. Maximum Power Spectral Density, 20M, 5210, Omni8, rf2




Plot 331. Maximum Power Spectral Density, 20M, 5240, Omni8, rf1




Plot 332. Maximum Power Spectral Density, 20M, 5240, Omni8, rf2




Plot 333. Maximum Power Spectral Density, 40M, 5170, Omni8, rf1




Plot 334. Maximum Power Spectral Density, 40M, 5170, Omni8, rf2




Plot 335. Maximum Power Spectral Density, 40M, 5210, Omni8, rf1




Plot 336. Maximum Power Spectral Density, 40M, 5210, Omni8, rf2




Plot 337. Maximum Power Spectral Density, 40M, 5230, Omni8, rf1




Plot 338. Maximum Power Spectral Density, 40M, 5230, Omni8, rf2




Plot 339. Maximum Power Spectral Density, 20M, 5170, 90Sector, rf1




Plot 340. Maximum Power Spectral Density, 20M, 5170, 90Sector, rf2




Plot 341. Maximum Power Spectral Density, 20M, 5210, 90Sector, rf1




Plot 342. Maximum Power Spectral Density, 20M, 5210, 90Sector, rf2




Plot 343. Maximum Power Spectral Density, 20M, 5240, 90Sector, rf1




Plot 344. Maximum Power Spectral Density, 20M, 5240, 90Sector, rf2




Plot 345. Maximum Power Spectral Density, 40M, 5170, 90Sector, rf1




Plot 346. Maximum Power Spectral Density, 40M, 5170, 90Sector, rf2




Plot 347. Maximum Power Spectral Density, 5M, 5170, 90Sector, rf1




Plot 348. Maximum Power Spectral Density, 5M, 5170, 90Sector, rf1




Plot 349. Maximum Power Spectral Density, 5M, 5210, 90Sector, rf1




Plot 350. Maximum Power Spectral Density, 5M, 5210, 90Sector, rf2




Plot 351. Maximum Power Spectral Density, 5M, 5247.5, 90Sector, rf1




Plot 352. Maximum Power Spectral Density, 5M, 5247.5, 90Sector, rf2




Plot 353. Maximum Power Spectral Density, 10M, 5170, 90Sector, rf1




Plot 354. Maximum Power Spectral Density, 10M, 5170, 90Sector, rf2




Plot 355. Maximum Power Spectral Density, 10M, 5210, 90Sector, rf1




Plot 356. Maximum Power Spectral Density, 10M, 5210, 90Sector, rf2




Plot 357. Maximum Power Spectral Density, 10M, 5245, 90Sector, rf1




Plot 358. Maximum Power Spectral Density, 10M, 5245, 90Sector, rf2




Plot 359. Maximum Power Spectral Density, 40M, 5210, 90Sector, rf1



Plot 360. Maximum Power Spectral Density, 40M, 5210, 90Sector, rf2



Plot 361. Maximum Power Spectral Density, 40M, 5230, 90Sector, rf1



Plot 362. Maximum Power Spectral Density, 40M, 5230, 90Sector, rf2



Electromagnetic Compatibility Criteria for Intentional Radiators

§15.407(b)(1) & (6 – 7) Undesirable Emissions

Test Requirements: § 15.407(b)(1): For transmitters operating in the 5.15-5.25 GHz band: all emissions outside of the 5.15-5.35 GHz band shall not exceed an EIRP of -27 dBm/MHz.

§ 15.407(b)(6): Unwanted emissions below 1 GHz must comply with the general field strength limits set forth in Section 15.209. Further, any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in Section 15.207.

§ 15.407(b)(7): The provisions of Section 15.205 of this part apply to intentional radiators operating under this section.

Test Procedure: The EUT was placed on a non-conducting stand on a turntable in a chamber. To find the maximum emission the EUT was set to transmit on low, mid, and high channels. Additionally, the turntable was rotated 360 degrees, the EUT was oriented through its three orthogonal axes, and the receive antenna height was varied in order to maximize emissions.

For frequencies from 30 MHz to 1 GHz, measurements were first made using a peak detector with a 100 kHz resolution bandwidth. Emissions which exceeded the limits were re-measured using a quasi-peak detector with a 120 kHz resolution bandwidth.

Above 1 GHz, measurements were made pursuant the method described in FCC KDB 789033 D02 General UNII Test Procedure New Rules v01. The equation, $EIRP = E + 20 \log D - 104.8$ was used to convert field strength to EIRP (E = field strength (dBμV/m) and D = Reference measurement distance).

For emissions above 1 GHz and in restricted bands, measurements of the field strength were made with a peak detector and an average detector and compared with the limits of 15.209.

As an alternative, according to FCC KDB 789033 D02 General UNII Test Procedure New Rules v01, all emissions above 1 GHz that comply with the peak and average limits of 15.209 satisfy the requirements of unwanted emissions in 15.407.

Test Results: For below 1 GHz, the EUT was compliant with the requirements of this section.

For above 1 GHz, the EUT was compliant with the requirements of this section.

Measured emissions were within applicable limits.


Note: While the signal does appear to be above the limit in plots 674-676 this signal is a digital emission and not part of the device's transmission and therefore the 209 limits are not applicable to that signal.

Test Engineer(s): Bradley Jones


Test Date(s): November 28, 2017




Undesirable Emissions




Plot 363. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5170 pow7




Plot 364. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5170 pow7 zoom left of fundamental




Plot 365. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5210 pow11




Plot 366. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5210 pow11 zoom left of fundamental




Plot 367. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14




Plot 368. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14 zoom left of fundamental




Plot 369. Undesirable Emissions, 1Panel Avg 1-7GHz 5M 5242.5 pow14 zoom right of fundamental




Plot 370. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5170 pow6




Plot 371. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5210 pow17




Plot 372. Undesirable Emissions, 1Panel Avg 1-7GHz 10M 5240.5 pow17




Plot 373. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5170 pow-2




Plot 374. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5210 pow15




Plot 375. Undesirable Emissions, 1Panel Avg 1-7GHz 20M 5235.5 pow20




Plot 376. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5171 pow-10




Plot 377. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5210 pow10




Plot 378. Undesirable Emissions, 1Panel Avg 1-7GHz 40M 5230 pow14




Plot 379. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5170 pow7




Plot 380. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5210 pow11




Plot 381. Undesirable Emissions, 1Panel Peak 1-7GHz 5M 5242.5 pow14




Plot 382. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5170 pow6




Plot 383. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5210 pow17




Plot 384. Undesirable Emissions, 1Panel Peak 1-7GHz 10M 5240.5 pow17




Plot 385. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5170 pow-2




Plot 386. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5210 pow15




Plot 387. Undesirable Emissions, 1Panel Peak 1-7GHz 20M 5235.5 pow20




Plot 388. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5170 pow-10




Plot 389. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5210 pow10




Plot 390. Undesirable Emissions, 1Panel Peak 1-7GHz 40M 5230 pow14




Plot 391. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5170 pow7




Plot 392. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5210 pow11




Plot 393. Undesirable Emissions, 1Panel Peak 7-18GHz 5M 5242.5 pow14




Plot 394. Undesirable Emissions, 1Panel Peak 7-18GHz 10M 5170 pow6




Plot 395. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5170 pow-2




Plot 396. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5170 pow-2 zoom left of fundamental




Plot 397. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1




Plot 398. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1 left of fundamental




Plot 399. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5210 pow1 right of fundamental




Plot 400. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5242.5 pow1




Plot 401. Undesirable Emissions, 2Panel Avg 1-7GHz 5M 5242.5 pow1 zoom left of fundamental




Plot 402. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5170 pow0




Plot 403. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5170 pow0 zoom left of fundamental




Plot 404. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5210 pow5




Plot 405. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5210 pow5 zoom left of fundamental




Plot 406. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4




Plot 407. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4 zoom left of fundamental



Plot 408. Undesirable Emissions, 2Panel Avg 1-7GHz 10M 5240.5 pow4 zoom near left of fundamental



Plot 409. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5170 pow-1



Plot 410. Undesirable Emissions, 2Panel Avg 1-7GHz 20M 5210 pow6