



TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

Test Setup Photographs


LEFT-CHECK TOUCH




LEFT-TILT 15°




RIGHT-CHECK TOUCH




RIGHT-TILT 15°



Body Back 10mm




Body Front 10mm



Edge 1(Top)



Edge 2(Right)




Edge 3(Bottom)



Edge 4(Left)









Body Back with earphone



DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN

Note : The position used in the measurement were according to IEEE 1528-2013

<p>850MHz head</p>  A photograph showing a ruler placed vertically inside the head section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.	<p>850MHz body</p>  A photograph showing a ruler placed vertically inside the body section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.
<p>1900MHz head</p>  A photograph showing a ruler placed vertically inside the head section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.	<p>1900MHz body</p>  A photograph showing a ruler placed vertically inside the body section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.
<p>2450MHz head</p>  A photograph showing a ruler placed vertically inside the head section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.	<p>2450MHz body</p>  A photograph showing a ruler placed vertically inside the body section of a phantom. A white arrow points to the liquid level on the ruler, which is approximately at the 18 cm mark.