

Test Method:	FCC Part 15 Subpart C Radiated Emissions Paragraph 15.249						
Customer:	X-10 (USA), Inc	Job No.	R-8280-1				
Test Sample:	2.4Ghz wireless audio / video sender	FCC ID:	B4SXX10A				
Model No.:	XX10A	Serial No.	N/A				
Operating Mode:	Continuously Transmitter 2.4 Ghz Signal (Ch D)						
Technician:	Dennis Cortes	Date:	October 21, 1999				
Notes:	Test Distance: 3 Meters Detector: Peak						
Test Freq.	Antenna Pol./Height	EUT Orientation	Meter Reading	Correction Factor	Corrected Reading	Converted Reading	Limit
Ghz	(V/H) - Meters	X / Y / Z	DBuv	DB	dBuV/m	uV/m	uV/m
2.4717	H / 1.3	X	76.2	-0.2	76.0	6309.6	50000
2.4717	H / 1.0	Y	87.4	-0.2	87.2	22908.7	50000
2.4717	H / 1.2	Z	77.8	-0.2	77.6	7585.8	50000
2.4717	V / 1.2	X	84.7	-0.2	84.5	16788.0	50000
2.4717	V / 1.2	Y	74.0	-0.2	73.8	4897.8	50000
2.4717	V / 1.1	Z	85.7	-0.2	85.5	18836.5	50000
4.9434	H / 1.1	X	42.8	2.8	45.6	190.5	500
4.9434	H / 1.3	Y	44.6	2.8	47.4	234.4	500
4.9434	H / 1.0	Z	43.9	2.8	46.7	216.3	500
4.9434	V / 1.3	X	43.3	2.8	46.1	201.8	500
4.9434	V / 1.2	Y	43.2	2.8	46.0	199.5	500
4.9434	V / 1.1	Z	43.5	2.8	46.3	206.5	500
7.4151	H / 1.0	X	43.0	-4.0	39.0	*89.1	500
7.4151	H / 1.0	Y	43.0	-4.0	39.0	*89.1	500
7.4151	H / 1.0	Z	43.0	-4.0	39.0	*89.1	500
7.4151	V / 1.0	X	43.0	-4.0	39.0	*89.1	500
7.4151	V / 1.0	Y	43.0	-4.0	39.0	*89.1	500
7.4151	V / 1.0	Z	43.0	-4.0	39.0	*89.1	500
9.8868	H / 1.0	X	43.1	-1.3	41.8	*123.0	500
9.8868	H / 1.0	Y	43.1	-1.3	41.8	*123.0	500
9.8868	H / 1.0	Z	43.1	-1.3	41.8	*123.0	500
9.8868	V / 1.0	X	43.1	-1.3	41.8	*123.0	500
9.8868	V / 1.0	Y	43.1	-1.3	41.8	*123.0	500
9.8868	V / 1.0	Z	43.1	-1.3	41.8	*123.0	500
12.3585	H / 1.0	X	42.9	3.8	46.7	*216.3	500
12.3585	H / 1.0	Y	42.9	3.8	46.7	*216.3	500
12.3585	H / 1.0	Z	42.9	3.8	46.7	*216.3	500
12.3585	V / 1.0	X	42.9	3.8	46.7	*216.3	500
12.3585	V / 1.0	Y	42.9	3.8	46.7	*216.3	500
12.3585	V / 1.0	Z	42.9	3.8	46.7	*216.3	500
The frequency range was scanned from 30 Mhz to 25.0 Ghz. All emissions not recorded were more Than 10 dB below the specified limit. Emissions from the EUT do not exceed the specified limits.							
* = Noise Floor Measurements (Minimum system sensitivity)							

Test Method:	FCC Part 15 Subpart C Radiated Emissions Paragraph 15.249						
Customer:	X-10 (USA), Inc	Job No.	R-8280-1				
Test Sample:	2.4Ghz wireless audio / video sender		FCC ID:	B4SXX10A			
Model No.:	XX10A	Serial No.	N/A				
Operating Mode:	Continuously Transmitter 2.4 Ghz Signal (Ch D)						
Technician:	Dennis Cortes		Date:	October 21, 1999			
Notes:	Test Distance: 3 Meters Detector: Peak						
Test Freq.	Antenna Pol./Height	EUT Orientation	Meter Reading	Correction Factor	Corrected Reading	Converted Reading	Limit
Ghz	(V/H) / Degrees	X / Y / Z	dBuv	dB	dBuV/m	uV/m	uV/m
14.8302	H / 1.0	X	45.8	2.6	48.4	*263.0	500
14.8302	H / 1.0	Y	45.8	2.6	48.4	*263.0	500
14.8302	H / 1.0	Z	45.8	2.6	48.4	*263.0	500
14.8302	V / 1.0	X	45.8	2.6	48.4	*263.0	500
14.8302	V / 1.0	Y	45.8	2.6	48.4	*263.0	500
14.8302	V / 1.0	Z	45.8	2.6	48.4	*263.0	500
17.3019	H / 1.0	X	46.3	0.0	46.3	*206.5	500
17.3019	H / 1.0	Y	46.3	0.0	46.3	*206.5	500
17.3019	H / 1.0	Z	46.3	0.0	46.3	*206.5	500
17.3019	V / 1.0	X	46.3	0.0	46.3	*206.5	500
17.3019	V / 1.0	Y	46.3	0.0	46.3	*206.5	500
17.3019	V / 1.0	Z	46.3	0.0	46.3	*206.5	500
19.7736	H / 1.0	X	32.2	13.2	45.4	*186.2	500
19.7736	H / 1.0	Y	32.2	13.2	45.4	*186.2	500
19.7736	H / 1.0	Z	32.2	13.2	45.4	*186.2	500
19.7736	V / 1.0	X	32.2	13.2	45.4	*186.2	500
19.7736	V / 1.0	Y	32.2	13.2	45.4	*186.2	500
19.7736	V / 1.0	Z	32.2	13.2	45.4	*186.2	500
22.2453	H / 1.0	X	32.5	13.5	46.0	*199.5	500
22.2453	H / 1.0	Y	32.5	13.5	46.0	*199.5	500
22.2453	H / 1.0	Z	32.5	13.5	46.0	*199.5	500
22.2453	V / 1.0	X	32.5	13.5	46.0	*199.5	500
22.2453	V / 1.0	Y	32.5	13.5	46.0	*199.5	500
22.2453	V / 1.0	Z	32.5	13.5	46.0	*199.5	500
24.717	H / 1.0	X	32.9	13.9	46.8	*218.8	500
24.717	H / 1.0	Y	32.9	13.9	46.8	*218.8	500
24.717	H / 1.0	Z	32.9	13.9	46.8	*218.8	500
24.717	V / 1.0	X	32.9	13.9	46.8	*218.8	500
24.717	V / 1.0	Y	32.9	13.9	46.8	*218.8	500
24.717	V / 1.0	Z	32.9	13.9	46.8	*218.8	500
The frequency range was scanned from 30 Mhz to 25.0 Ghz. All emissions not recorded were more Than 10 dB below the specified limit. Emissions from the EUT do not exceed the specified limits.							
* = Noise Floor Measurements (Minimum system sensitivity)							

