

Address

Report No.: T200316E03-F

Page: 1 of 50

FCC SDoC REPORT Canada ISED ICES-003 TEST REPORT

Test Report No. : T200316E03-F

Applicant : COMPAL ELECTRONICS, INC.

Address : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei

: Please refer to report page 4.

City 11492, Taiwan

Manufacturer : Please refer to report page 4.

Equipment Under Test (EUT):

: Notebook Computer **Product Name**

: MP. HP Inc. **Brand Name**

: HSN-C05C Model No.

Added Model(s) : N/A

Standards : FCC Part 15, Subpart B, Class B

ICES-003 Issue 6: 2016, Class B

Date of Sample Receipt : Mar. 24, 2020

Date of Test : Mar. 24 ~ 31, 2020

Date of Issue : Apr. 14, 2020

PASS Test Result:

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of Compliance Certification Services Inc. or testing done by Compliance Certification Services Inc. in connection with distribution or use of the product described in this report must be approved by Compliance Certification Services Inc. in writing.

Approved By:

Dex Chiang Hex Chiang (Asst. Section Manager)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

陳邦芳月就明・正報音結米種到測就之様而與真・同時此様而以下。中報音不經本公司曾固訂可,不可即以複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com

Date:

Apr. 14, 2020



Page: 2 of 50

Revision History								
Revision	Revision Description Issue Date Remark							
00	Original	Apr. 14, 2020	T200316E03-F					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 f:(886-2) 2298-1882



Page: 3 of 50

Contents

1.	GENER	RAL INFORMATION	4
	1.1	APPLICANT & MANUFACTURER INFORMATION	4
	1.2	GENERAL DESCRIPTION OF EUT	5
	1.3	DETAILS OF EUT	6
	1.4	THE WORST CASE OF THE EUT	10
	1.5	DESCRIPTION OF SUPPORT UNITS	11
	1.6	OPERATION PROCEDURE	12
	1.7	MODIFICATION LIST	12
	1.8	TEST SET-UP CONFIGURATION	13
	1.9	ACCESSORIES CABLE LIST	13
	1.10	MEASUREMENT PROCEDURE	14
	1.11	STANDARDS APPLICABLE FOR TESTING	14
	1.12	DECISION RULES OF RESULTS	15
	1.13	SUMMARY OF RESULTS	15
	1.14	REPORTING STATEMENTS OF CONFORMITY	15
2.	EMISS	ION	16
	2.1	TEST RESULTS	16
	2.2	FREQUENCY RANGE	16
	2.3	LIMITS OF CONDUCTED AND RADIATED EMISSION	17
	2.3.1	LIMITS OF CONDUCTED EMISSION	17
	2.3.2	LIMITS OF RADIATED EMISSIONS	18
	2.4.	TEST OF CONDUCTED EMISSION	19
	2.4.1	TEST EQUIPMENTS	19
	2.4.2	OPERATING ENVIRONMENT	20
	2.4.3	MEASUREMENT LEVEL CALCULATION	20
	2.4.4	MEASUREMENT DATA:	21
	2.5	TEST OF RADIATED EMISSION	23
	2.5.1	TEST EQUIPMENTS	23
	2.5.2	OPERATING ENVIRONMENT	25
	2.5.3	MEASUREMENT LEVEL CALCULATION.	25
	2.5.4	MEASUREMENT DATA	26
3.	PHOTO	OGRAPHS OF TEST	32
4	DUOTO	OCDADUS OF PRODUCT	25



Page: 4 of 50

1. General Information

1.1 Applicant & Manufacturer Information

Applicant : COMPAL ELECTRONICS, INC.

Address : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei City 11492,

Taiwan

COMPAL INFORMATION (KUNSHAN) CO., LTD. · 1. Manufacturer

COMPAL ELECTRONICS TECHNOLOGY (KUNSHAN)

CO., LTD.

3. ECMMS S A DE C V

4. COMPAL DIGITAL TECHNOLOGY (KUNSHAN) CO., LTD.

COMPALEAD ELETRÔNICA DO BRASIL INDÚSTRIA E

COMÉRCIO LTDA

COMPAL (VIETNAM) CO., LTD.

COMPAL ELECTRONICS (CHENGDU) CO., LTD.

8. COMPAL ELECTRONICS (CHONGQING) CO., LTD.

FOXCONN CMMSG INDUSTRIA DE ELECTRONICOS LTDA.

Address

- 1. NO. 15, THIRD AVENUE, A ZONE, KUNSHAN COMPREHENSIVE FREETRADE ZONE, KUNSHAN, JIANGSU CHINA
- NO. 25, THIRD AVENUE, A ZONE, KUNSHAN COMPREHENSIVE FREETRADE ZONE, KUNSHAN, JIANGSU CHINA
- BLVD OSCAR FLORES SANCHEZ 8951, COL PUENTE ALTO, 32690 JUAREZ CHIH MEXICO
- 4. NO.9, SECOND AVENUE, A ZONE, KUNSHAN COMPREHENSIVE FREE TRADE ZONE, KUNSHAN, JIANGSU CHINA
- 5. RUA KANEBO 175, GALPÕES C1, C2, C3, C4, C5 C6 E C12, BAIRRO DISTRITO INDUSTRIAL JUNDIAÍ BUSINESS PARK, CEP 13213-090, JUNDIAÍ - SÃO PAULO BRASIL
- 6. Ba Thien 1 Industrial Zone, Binh Xuyen District, Vinh Phuc Province. Vietnam
- 7. NO. 88, SEC.1, ZONGBAO AVENUE, CHENGDU HI-TECH COMPREHENSIVE BONDED ZONE (SHUANGLIU), SHUANGLIU COUNTY, CHENGDU CITY, SICHUAN CHINA
- NO. D01, ZONE D, AIR PORT SECTION OF LIANGLU CUNTAN FREETRADE PORT AREA, YUBEI DISTRICT, CHONGQING CHINA
- 9. AV. MARGINAL RODOVIA DOS BANDEIRANTES, 800 BAIRRO ENGORDADOURO, JUNDIAI - SP - BRAZIL

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, when the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot the state of be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 5 of 50

General Description of EUT

Product Name : Notebook Computer

: MP, HP Inc. **Brand Name**

Model No. : HSN-C05C

Added Model(s) : N/A

Model Difference : N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 6 of 50

Details of EUT

Power Supply	AC 100~240V			
Highest operate description	1.8GHz			
Power Adapter	Chicony(hp)	TPN-CA21		
		TPN-CA10		
	Delta(hp)	TPN-DA20		
	Artesyn	TPN-TA02		
	Honor	TPN-HA01		
	Lite-On (hp)	TPN-LA12		
Adapter Power Rating	For TPN-CA21; TPN-DA20 I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A			
	For TPN-CA10; TPN-LA12 I/P: 100-240Vac, 50-60Hz, 1.6A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A			
aG	For TPN-TA02; TPN-HA01 I/P: 100-240Vac, 50/60Hz, 1.6A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A			
AC Power Cord Type	Shielded, 1.5m (Detachable) to Power Adapter			
DC Power Cable Type	Unshielded, 1.5m (Non-Detachable) at Power Adapter			
Memory	DDR4 3733MHz (8GB / 16GB / 32GB / 64GB)			
	DDR4 4266MHz (8GB / 16GB / 32GB / 64GB)			
Main Board	Compal	LA-J442P		
CPU	Intel	i5-10310U (1.7GHz)		
		i7-10610U (1.8GHz)		
		i5-10210U (1.6GHz)		
		i7-10710U (1.1GHz)		
		i7-10810U (1.1GHz)		
13" Panel	AUO	B133HAN05.H		
		B133ZAN02.A		
	INX	N133HCG-GE3		
	SDC	ATNA33TP01		
		ATNA33TP10		
	·			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 7 of 50

13" Panel	LGD	LP133WF9		
	IVO	X133NVFF		
M2. SSD	Kioxia	KXG60ZNV256G (256GB)		
		KBG40ZNV256G (256GB)		
		KXG6AZNV256G (256GB)		
		KXG60ZNV512G (512GB)		
		KBG40ZNV512G (512GB)		
		KXG6AZNV512G (512GB)		
		KXG60ZNV1T02 (1TB)		
		KXG50PNV2T04 (2TB)		
	CA LE	KXG60PNV2T04 (2TB)		
	Micron	MTFDDAV256TDL-1AW15ABHA (256GB)		
	Samsung	MZNLH128HBHQ-000H1 (128GB)		
		MZVLB256HBHQ-000H1 (256GB)		
		MZNLH256HAJD-000H7 (256GB)		
		MZVLQ256HAJD-000H1 (256GB)		
		MZVLB256HBHQ-000H7 (256GB)		
		MZVLB512HBJQ-000H1 (512GB)		
		MZVLQ512HALU-000H1 (512GB)		
	(AP)	MZVLB512HBJQ-000H7 (512GB)		
		MZVLB1T0HBLR-000H1 (1TB)		
		MZVLB2T0HALB-000H1 (2TB)		
	Hynix	HFS256GD9TNG-L2A0A (256GB)		
		HFM256GDJTNI-82A0A (256GB)		
		HFS512GD9TNG-L2A0A (512GB)		
		HFM512GDJTNI-82A0A (512GB)		
	C	HFS001TD9TNG-L2A0A (1TB)		
	Western Digital	SDBPNTY-256G-1006 (256GB)		
		SDATN8Y-256G-1006 (256GB)		



Page: 8 of 50

M2. SSD	Western Digital	SDAPNUW-256G-1006 (256GB)
	CIT	SDBQNTY-256G-1006 (256GB)
		SDBPNTY-512G-1006 (512GB)
		SDAPNUW-512G-1006 (512GB)
		SDBQNTY-512G-1006 (512GB)
		SDBPNTY-1T00-1006 (1TB)
	Kingston	RBU-SNS8350DES3/128GP (128GB)
	Lite-On	CV8-8E128-HP (128GB)
	SanDisk	SD9SN8W-128G-1006 (128GB)
	Intel	HBRPEKNX0101AH (256GB)
	GIF	SSDPEKNW512G8H (512GB)
		HBRPEKNX0202AH (512GB)
Battery Pack	Simplo	HSTNN-IB9H
		HSTNN-IB9J
Wireless LAN +BT	Intel	AX201D2W
WWAN+GPS	Fibocom	L850-GL
	Qualcomm	T99W175.16
Camera	Chicony	CKFJH5421004330LH
	TFC	YHSQ



Page: 9 of 50

Pro-tost Modo

Pre	re-test Mode									
Mode	CPU	Adapter	Main Board	Memory	13" Panel	M.2 SSD	Battery Pack	Wireless LAN +BT	WWAN+GPS	Camera
1	Intel i5-10310U (1.7GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 3733MHz 8GB	AUO B133HAN05.H	Kioxia KXG60ZNV256G (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
2	Intel i7-10610U (1.8GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 3733MHz 16GB	AUO B133ZAN02.A	Kioxia KBG40ZNV256G (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
3	Intel i5-10210U (1.6GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 3733MHz 32GB	INX N133HCG-GE3	Kioxia KXG6AZNV256G (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
4	Intel i7-10710U (1.1GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 3733MHz 64GB	SDC ATNA33TP01	Kioxia KXG60ZNV512G (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
5	Intel i7-10810U (1.1GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 4266MHz 8GB	SDC ATNA33TP10	Kioxia KBG40ZNV512G (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
6	Intel i7-10610U (1.8GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 4266MHz 16GB	LGD LP133WF9	Kioxia KXG6AZNV512G (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
7	Intel i5-10210U (1.6GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 4266MHz 32GB	IVO X133NVFF	Kioxia KXG60ZNV1T02 (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
8	Intel i7-10710U (1.1GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 4266MHz 64GB	AUO B133HAN05.H	Kioxia KXG50PNV2T04 (2TB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
9	Intel i5-10310U (1.7GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 3733MHz 8GB	AUO B133ZAN02.A	Kioxia KXG60PNV2T04 (2TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
10	Intel i7-10610U (1.8GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 3733MHz 16GB	INX N133HCG-GE3	Micron MTFDDAV256TDL- 1AW15ABHA (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
11	Intel i5-10210U (1.6GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 3733MHz 32GB	SDC ATNA33TP01	Samsung MZNLH128HBHQ- 000H1 (128GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
12	Intel i7-10710U (1.1GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 3733MHz 64GB	SDC ATNA33TP10	Samsung MZVLB256HBHQ- 000H1 (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
13	Intel i5-10310U (1.7GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 4266MHz 8GB	LGD LP133WF9	Samsung MZNLH256HAJD- 000H7 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
14	Intel i7-10610U (1.8GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 4266MHz 16GB	IVO X133NVFF	Samsung MZVLQ256HAJD- 000H1 (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
15	Intel i5-10210U (1.6GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 4266MHz 32GB	AUO B133HAN05.H	Samsung MZVLB256HBHQ- 000H7 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
16	Intel i7-10710U (1.1GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 4266MHz 64GB	AUO B133ZAN02.A	Samsung MZVLB512HBJQ- 000H1 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
17	Intel i5-10310U (1.7GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 3733MHz 8GB	INX N133HCG-GE3	Samsung MZVLQ512HALU- 000H1 (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
18	Intel i7-10610U (1.8GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 3733MHz 16GB	SDC ATNA33TP01	Samsung MZVLB512HBJQ- 000H7 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
19	Intel i5-10210U (1.6GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 3733MHz 32GB	SDC ATNA33TP10	Samsung MZVLB1T0HBLR- 000H1 (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
20	Intel i7-10710U (1.1GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 3733MHz 64GB	LGD LP133WF9	Samsung MZVLB2T0HALB- 000H1 (2TB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
21	Intel i5-10310U (1.7GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 4266MHz 8GB	IVO X133NVFF	Hynix HFS256GD9TNG- L2A0A (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
22	Intel i7-10610U (1.8GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 4266MHz 16GB	AUO B133HAN05.H	Hynix HFM256GDJTNI- 82A0A (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
23	Intel i5-10210U (1.6GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 4266MHz 32GB	AUO B133ZAN02.A	Hynix HFS512GD9TNG- L2A0A (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
24	Intel i7-10710U (1.1GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 4266MHz 64GB	INX N133HCG-GE3	Hynix HFM512GDJTNI- 82A0A (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
25	Intel i5-10310U (1.7GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 3733MHz 8GB	SDC ATNA33TP01	Hynix HFS001TD9TNG- L2A0A (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH



Page: 10 of 50

Mode	CPU	Adapter	Main Board	Memory	13" Panel	M.2 SSD	Battery Pack	Wireless LAN +BT	WWAN+GPS	Camera
26	Intel i7-10610U (1.8GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 3733MHz 16GB	SDC ATNA33TP10	Western Digital SDBPNTY-256G- 1006 (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
27	Intel i5-10210U (1.6GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 3733MHz 32GB	LGD LP133WF9	Western Digital SDATN8Y-256G- 1006 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
28	Intel i7-10710U (1.1GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 3733MHz 64GB	IVO X133NVFF	Western Digital SDAPNUW-256G- 1006 (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
29	Intel i5-10310U (1.7GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 4266MHz 8GB	AUO B133HAN05.H	Western Digital SDBQNTY-256G- 1006 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
30	Intel i7-10610U (1.8GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 4266MHz 16GB	AUO B133ZAN02.A	Western Digital SDBPNTY-512G- 1006 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
31	Intel i5-10210U (1.6GHz)	Chicony(hp) TPN-CA21	Compal LA-J442P	DDR4 4266MHz 32GB	INX N133HCG-GE3	Western Digital SDAPNUW-512G- 1006 (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
32	Intel i7-10710U (1.1GHz)	Chicony(hp) TPN-CA10	Compal LA-J442P	DDR4 4266MHz 64GB	SDC ATNA33TP01	Western Digital SDBQNTY-512G- 1006 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
33	Intel i5-10310U (1.7GHz)	Delta(hp) TPN-DA20	Compal LA-J442P	DDR4 3733MHz 8GB	SDC ATNA33TP10	Western Digital SDBPNTY-1T00- 1006 (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
34	Intel i7-10610U (1.8GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 3733MHz 16GB	LGD LP133WF9	Kingston RBU-SNS8350DES3/ 128GP (128GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
35	Intel i5-10210U (1.6GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 3733MHz 32GB	IVO X133NVFF	Lite-On CV8-8E128-HP (128GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
36	Intel i7-10710U (1.1GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 3733MHz 64GB	AUO B133HAN05.H	SanDisk SD9SN8W-128G- 1006 (128GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
37	Intel i5-10310U (1.7GHz)	Artesyn TPN-TA02	Compal LA-J442P	DDR4 4266MHz 8GB	AUO B133ZAN02.A	Intel HBRPEKNX0101AH (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
38	Intel i7-10610U (1.8GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 4266MHz 16GB	INX N133HCG-GE3	Intel SSDPEKNW512G8H (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175.16	TFC YHSQ
39	Intel i5-10210U (1.6GHz)	Lite-On (hp) TPN-LA12	Compal LA-J442P	DDR4 4266MHz 32GB	SDC ATNA33TP01	Intel HBRPEKNX0202AH (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH
40	Intel i7-10610U (1.8GHz)	Honor TPN-HA01	Compal LA-J442P	DDR4 4266MHz 8GB	LGD LP133WF9	Intel HBRPEKNX0202AH (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Qualcomm T99W175.16	Chicony CKFJH5421004330LH

1.4 The worst case of the EUT

EUT will be carried out in the worst case as followings:

Worst Case	
CE	Mode 40 (1920 x 1080 Resolution)
RE	Mode 40 (1920 x 1080 Resolution)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720



Page: 11 of 50

1.5 Description of Support Units

Mode 40:

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
LCD Monitor	ASUS	MX27U	N/A
SIM Card	VIBO	N/A	N/A
HDD	WD	My Passport	WX21E54RD766
HDD	WD	My Passport	WX91A744F4NL
Earphone	Lenovo	GS-4021M	57Y4488
Wireless AP (Remote)	D-Link	DIR-868L	R3X81D7000137
Notebook PC (Remote)	DELL	INSPIRON 640m	CN-0MG532-70166-75G-03AP
GPS Simulator (Remote)	IFR	GPS-101	N/A
Universal Radio Communication (Remote)	R&S	CMW 500	N/A
Mouse	DELL	MS111-L	CN-0HRG26-44751-21U-05YA

Support Equipment Used in Tested Cable

Mode 40:

Cable Type	Core	Length	Shielding/Non-shielding
HDMI Cable (1)	N/A	1.8m	Shielding
USB HDD Cable (2)	N/A	0.5m	Shielding
Earphone Cable (3)	N/A	1.8m	Non-Shielding
Type C Cable (4)	N/A	1.0m	Shielding
DC Power Cable (5)	N/A	1.5m	Non-Shielding
USB Cable (6)	N/A	1.8m	Shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com



Page: 12 of 50

1.6 Operation Procedure

Mode 40:

- 1. Turn on the power of all equipment.
- 2. The EUT will reads/writes disk through "Burnin Test v8.1" test software.
- 3. The EUT executes the "Burnin Test v8.1" software and reads and writes via
- 4. The EUT execute the "Burnin Test v8.1" software to send "H" Pattern to display
- Executed AMCAP2 software to turn-on the Camera.
- 6. The EUT will receive the BT signal source by Notebook PC.
- 7. The EUT will receive the WIFI signal source by Wireless AP.
- 8. The EUT will receive the RF signal source and sustained action.
- 9. The EUT will receive the GPS signal source and sustained action.
- 10. Setup the condition for test mode and begin the test.

Modification List

No modification was made by Compliance Certification Services Inc...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design in the state of the samplest tested and source shown. The state of the samplest tested and source shown in this test report tested only in the samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested only samplest tested and source shown. The samplest tested and source shown in this test report tested only samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in the samples be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720




Page: 13 of 50

Test Set-Up Configuration

Mode 40:

Notebook PC (Remote)

Wireless AP (Remote)



Universal Radio Communication Tester (Remote)

GPS Simulator (Remote)

Accessories Cable List

See clause 1.3 of this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 14 of 50

1.10 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.11 Standards Applicable for Testing

Tests to be carried out under FCC Part 15 Subpart B/CISPR 22

Test Standards	Status
FCC Part 15 Subpart B/CISPR 22	Applicable
Deviation from Standard	No deviation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design in the state of the samplest tested and source shown. The state of the samplest tested and source shown in this test report tested only in the samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested only samplest tested and source shown. The samplest tested and source shown in this test report tested only samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in the samples be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 15 of 50

1.12 Decision Rules of Results

Reported measurement data comply with ANSI C63.4:2014.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

1.13 Summary of Results

Standard	Test Type	Result
FCC Part 15 Subpart B, Class B	Conducted Emission	PASS
ICES-003 Issue 6: 2016,Class B	Radiated Emission	PASS

1.14 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design in the state of the samplest tested and source shown. The state of the samplest tested and source shown in this test report tested only in the samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested only samplest tested and source shown. The samplest tested and source shown in this test report tested only samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in the samples be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 16 of 50

2. EMISSION

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

Frequency Range

FCC Part 15 Subpart B:

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 5000 500 - 1000

Above 1000 5th harmonic of the highest frequency or

40 GHz, whichever is lower

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 17 of 50

Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15 Subpart B/CISPR 22:

1 00 1 dr. 10 0dbpart B/Olor IX 22.							
FREQUENCY	Class A	(dBuV)	Class B (dBuV)				
(MHz)	Quasi - peak	Average	Quasi - peak	Average			
0.15 - 0.5	79	66	66 - 56	56 - 46			
0.50 - 5.0	73	60	56	46			
5.0 - 30.0	73	60	60	50			

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 18 of 50

2.3.2 Limits of Radiated Emissions

FCC Part 15 Subpart B Limit:

Detector Function: Quasi - Peak

FREQUENCY	Class A (at 10m)	Class B (at 3m)	
(MHz)	dBuV/m	dBuV/m	
30~88	39	40	
88~216	43.5	43.5	
216~960	46.4	46	
960~1000	49.5	54	

Detector Function: Peak, Average

FREQUENCY	Class A (dB	uV/m) (at 3m)	Class B (dBuV/m) (at 3m)		
(MHz)	Peak	Average	Peak	Average	
Above 1000	69.5	49.5	74	54	

CISPR 22 Limit:

Detector Function: Quasi - Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)	
(MHz)	dBuV/m	dBuV/m	
30-230	40	30	
230-1000	47	37	

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY	Class A (dB	BuV/m) (at 3m)	Class B (dBuV/m) (at 3m)		
(GHz)	Average	Peak	Average	Peak	
1~3	56	76	50	70	
3~6	60	80	54	74	

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 19 of 50

2.4. Test of Conducted Emission

2.4.1 Test Equipments

	Conducted_Emission Conducted Room No.B_EMC								
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due				
Coaxial Cable	EMCI	EMCRG142	190809	09/20/2019	09/19/2020				
EMI Test Receiver	R&S	ESCI	101073	07/18/2019	07/17/2020				
LISN	R&S	ENV216	101054	05/02/2019	05/01/2020				
LISN	Schwarzbeck	NSLK8128	5012	04/18/2019	04/17/2020				
Software	CCS-3A1-CE								

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Conducted Emission

Expanded uncertainty Ulab (K=2) of conducted emission is 3.14 dB

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of AC mains Conducted Emission is 3.44dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 20 of 50

2.4.2 Operating Environment

Temperature: 22 degree C Humidity: 48%RH

Atmospheric Pressure: 992 mBar

2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter Insertion Loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 21 of 50

2.4.4 Measurement Data:

Model no.	HSN-C05C	Line:	L1
Environmental Conditions	22℃, 48% RH	Tested Date	2020/03/24
Test Mode	Mode 40	Tested By	Thomas Liu
6dB Bandwidth	9 kHz	Identifier number	TCOP CE site 17



NO.	Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak Iimit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1	2.2700	33.56	25.13	9.80	43.36	34.93	56.00	46.00	-12.64	-11.07	Pass
2	2.5460	35.08	25.35	9.81	44.89	35.16	56.00	46.00	-11.11	-10.84	Pass
3	2.6380	35.53	25.32	9.81	45.34	35.13	56.00	46.00	-10.66	-10.87	Pass
4	2.7260	35.29	24.73	9.81	45.10	34.54	56.00	46.00	-10.90	-11.46	Pass
5	3.0540	30.84	22.16	9.83	40.67	31.99	56.00	46.00	-15.33	-14.01	Pass
6*	4.1500	35.74	30.16	9.84	45.58	40.00	56.00	46.00	-10.42	-6.00	Pass

Note: L1 = Line One (Live Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.


程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com



Page: 22 of 50

Model no.	HSN-C05C	Line:	L2
Environmental Conditions	22℃, 48% RH	Tested Date	2020/03/24
Test Mode	Mode 40	Tested By	Thomas Liu
6dB Bandwidth	9 kHz	Identifier number	TCOP CE site 17



NO.	Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak Iimit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1	1.7900	30.57	23.51	9.84	40.41	33.35	56.00	46.00	-15.59	-12.65	Pass
2	2.0700	32.05	24.35	9.84	41.89	34.19	56.00	46.00	-14.11	-11.81	Pass
3	2.2700	33.55	25.14	9.84	43.39	34.98	56.00	46.00	-12.61	-11.02	Pass
4	2.4700	34.14	24.88	9.85	43.99	34.73	56.00	46.00	-12.01	-11.27	Pass
5	2.7500	35.43	24.70	9.85	45.28	34.55	56.00	46.00	-10.72	-11.45	Pass
6	3.6260	32.46	26.63	9.87	42.33	36.50	56.00	46.00	-13.67	-9.50	Pass
7*	4.0660	35.03	29.42	9.88	44.91	39.30	56.00	46.00	-11.09	-6.70	Pass
8	15.8700	30.56	23.99	10.09	40.65	34.08	60.00	50.00	-19.35	-15.92	Pass

Note: L2 = Line Two (Neutral Line).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 23 of 50

2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

below IGHZ								
	R	adiated_Below_1	GHz 10m_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due			
Bilog Antenna	TESEQ	CBL 6112D	31674	02/20/2020	02/19/2021			
Bilog Antenna	TESEQ	CBL 6112D	31675	03/09/2020	03/08/2021			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	330029	04/30/2019	04/29/2020			
Coaxial Cable	Huber+Suhner	104PEA	33948/4PEA	04/30/2019	04/29/2020			
Coaxial Cable	Huber+Suhner	104PEA	33949/4PEA	04/30/2019	04/29/2020			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	24813	04/30/2019	04/29/2020			
EMI Test Receiver	R&S	ESCI	100961	06/20/2019	06/19/2020			
EMI Test Receiver	R&S	ESCI	100962	06/24/2019	06/23/2020			
Pre-Amplifier	HP	8447D	2944A07754	04/30/2019	04/29/2020			
Pre-Amplifier	HP	8447D	2944A08150	04/30/2019	04/29/2020			
AC POWER SOURE	APE	AFC-130	991259	N.C.R	N.C.R			
Antenna Tower	CCS	CC-A-1F	N/A	N.C.R	N.C.R			
Antenna Tower	ccs	CC-A-1F	N/A	N.C.R	N.C.R			
Controller	ccs	CC-C-1F	N/A	N.C.R	N.C.R			
Controller	CCS	CC-C-1F	N/A	N.C.R	N.C.R			
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R			
Software	Software EZ-EMC (CCS-3A1RE)							

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.23 dB. (30MHz ~ 200MHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (200MHz ~ 1000MHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.22 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 24 of 50

Above 1GHz

ADOVE TOTIZ	Above 10112										
	R	adiated_Above _1	GHz 10m_EMC								
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	329383	04/30/2019	04/29/2020						
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	33945	04/30/2019	04/29/2020						
Horn Antenna	ETS LINDGREN	3116	00026370	12/18/2019	12/17/2020						
Horn Antenna	EMCO	3117	00055167	12/12/2019	12/11/2020						
Pre-Amplifier	EMCI	EMC051845	980040	04/30/2019	04/29/2020						
Pre-Amplifier	MITEQ	AMF-6F- 18004000-37-8P	985646	06/18/2019	06/17/2020						
Spectrum Analyzer	Agilent	E4446A	MY48250297	08/27/2019	08/26/2020						
AC POWER SOURE	APE	AFC-130	991259	N.C.R	N.C.R						
Antenna Tower	Sunol Sciences	TLT2	031010-5	N.C.R	N.C.R						
Controller	Sunol Sciences	SC104V	031010-1	N.C.R	N.C.R						
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R						
Software	EZ-EMC (CCS-3A1RE)										

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.89 dB. (1-6GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 5.27 dB. (6-18GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (18-26GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.28 dB. (26-40GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.18 dB.(1-6GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.48 dB.(6-18GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(18-26GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(26-40GHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design in the state of the samplest tested and source shown. The state of the samplest tested and source shown in this test report tested only in the samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested only samplest tested and source shown. The samplest tested and source shown in this test report tested only samplest tested and source shown. The samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in this state is the samplest tested and source shown in the samples be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 50

2.5.2 Operating Environment

Temperature: 20 & 25 degree C Humidity: 58 %RH

Atmospheric Pressure: 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss - Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com




Page: 26 of 50

2.5.4 Measurement Data

Below 1GHz

Model no.	HSN-C05C	Test Mode	Mode 40	
Environmental Conditions	20℃, 58% RH	Tested Date	2020/03/31	
Antenna Pole	Vertical	Antenna Distance	10m	
Detector Function	Quasi-peak.	Tested By	Rex Kuo	
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17	



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	34.8500	30.52	-4.72	25.80	30.00	-4.20	199	360	QP
2	141.5500	31.92	-8.42	23.50	30.00	-6.50	100	137	QP
3	425.7600	30.65	-0.82	29.83	37.00	-7.17	318	360	QP
4	758.4700	26.36	3.23	29.59	37.00	-7.41	199	359	QP
5	839.9500	27.72	4.23	31.95	37.00	-5.05	199	359	QP
6	890.1135	28.13	5.19	33.32	37.00	-3.68	211	0	QP

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 27 of 50

Model no.	HSN-C05C	Test Mode	Mode 40	
Environmental Conditions	20℃, 58% RH	Tested Date	2020/03/31	
Antenna Pole	Horizontal	Antenna Distance	10m	
Detector Function	Quasi-peak.	Tested By	Rex Kuo	
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17	



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	30.9700	25.74	-3.58	22.16	30.00	-7.84	100	3	QP
2	80.4400	36.43	-14.15	22.28	30.00	-7.72	200	0	QP
3	181.3200	34.01	-10.81	23.20	30.00	-6.80	300	359	QP
4	427.7000	31.49	-2.84	28.65	37.00	-8.35	200	35	QP
5	565.4400	30.14	-0.65	29.49	37.00	-7.51	100	359	QP
6	757.7800	29.41	1.31	30.72	37.00	-6.28	298	0	QP

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 28 of 50

Above 1GHz

Model no.	HSN-C05C	Test Mode	Mode 40	
Environmental Conditions	125 (58% RH		2020/03/31	
Antenna Pole Vertical		Antenna Distance	3m	
Highest frequency generated or used	1.8GHz	Upper frequency	9GHz	
Detector Function	Peak & Average.	Tested By	Lowka Chen	
6dB Bandwidth	1 MHz	Identifier number	TCOP RF site 17	



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	1200.000	73.03	-19.40	53.63	74.00	-20.37	200	138	peak
2	1200.000	59.22	-19.40	39.82	54.00	-14.18	200	138	AVG
3	1485.000	69.47	-17.70	51.77	74.00	-22.23	100	299	peak
4	1485.000	60.86	-17.70	43.16	54.00	-10.84	100	299	AVG
5	2665.000	64.67	-13.27	51.40	74.00	-22.60	200	167	peak
6	2665.000	57.52	-13.27	44.25	54.00	-9.75	200	167	AVG
7	4980.000	58.58	-8.56	50.02	74.00	-23.98	100	30	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 29 of 50

No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
8	4980.000	46.72	-8.56	38.16	54.00	-15.84	100	30	AVG
9	6130.000	55.46	-4.55	50.91	74.00	-23.09	200	0	peak
10	6130.000	44.28	-4.55	39.73	54.00	-14.27	200	0	AVG
11	7000.000	61.62	-3.56	58.06	74.00	-15.94	100	214	peak
12	7000.000	46.20	-3.56	42.64	54.00	-11.36	100	214	AVG
13	8500.000	54.26	0.00	54.26	74.00	-19.74	300	299	peak
14	8500.000	43.77	0.00	43.77	54.00	-10.23	300	299	AVG


REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. Margin (dB) = Result (dBuV/m) Limit (dBuV/m)



Page: 30 of 50

Model no.	HSN-C05C	Test Mode	Mode 40	
Environmental Conditions	25°ℂ, 58% RH	C, 58% RH Tested Date		
Antenna Pole	Horizontal	Antenna Distance	3m	
Highest frequency generated or used	1.8GHz	Upper frequency	9GHz	
Detector Function	Peak & Average.	Tested By	Lowka Chen	
6dB Bandwidth	1 MHz	Identifier number	TCOP RF site 17	



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	1485.100	73.16	-18.87	54.29	74.00	-19.71	200	266	peak
2	1485.100	62.04	-18.87	43.17	54.00	-10.83	200	266	AVG
3	1600.000	71.27	-18.12	53.15	74.00	-20.85	300	100	peak
4	1600.000	60.80	-18.12	42.68	54.00	-11.32	300	100	AVG
5	1816.000	69.10	-16.27	52.83	74.00	-21.17	200	142	peak
6	1816.000	54.98	-16.27	38.71	54.00	-15.29	200	142	AVG
7	1998.000	67.21	-14.57	52.64	74.00	-21.36	200	67	peak
8	1998.000	52.79	-14.57	38.22	54.00	-15.78	200	67	AVG
9	2080.000	67.59	-14.45	53.14	74.00	-20.86	100	0	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw



Page: 31 of 50

No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
10	2080.000	52.61	-14.45	38.16	54.00	-15.84	100	0	AVG
11	2665.000	67.58	-13.38	54.20	74.00	-19.80	200	163	peak
12	2665.000	57.36	-13.38	43.98	54.00	-10.02	200	163	AVG

REMARKS:

- 1. The other emission levels were very low against the limit.
- 2. Margin (dB) = Result (dBuV/m) Limit (dBuV/m)

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 32 of 50


3. Photographs of Test

CE Testing Set-up

Model No.: HSN-C05C Mode 40 +



Mode_40_-



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號





Page: 33 of 50

RE Testing Set-up Below 1GHz

Model No.: HSN-C05C

Mode 40 +





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.




Page: 34 of 50

Above 1GHz

Model No.: HSN-C05C





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 35 of 50

4. Photographs of Product

Exterior

Model No.: HSN-C05C





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 36 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 37 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 38 of 50



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.


程智科技股份有限公司



Page: 39 of 50

Adapter Model No.: TPN-CA21





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 40 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested of the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.


程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 f:(886-2) 2298-1882



Page: 41 of 50

Adapter Model No.: TPN-CA10





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested of the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 42 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested of the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com



Page: 43 of 50

Adapter Model No.: TPN-DA20





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 44 of 50



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com



Page: 45 of 50

Adapter Model No.: TPN-TA02





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 46 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 47 of 50

Adapter Model No.: TPN-HA01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 f:(886-2) 2298-1882



Page: 48 of 50





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.



Page: 49 of 50

Adapter Model No.: TPN-LA12





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 50 of 50





** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com

程智科技股份有限公司

f:(886-2) 2298-1882