

Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 1 of 157

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E & PART 27 SUBPART C REQUIREMENT

OF

Product Name: Tablet PC

Brand Name: hp

Model No.: HSTNN-I72C

FCC ID: B94HNI72CWR

Report No.: ER/2015/90037

Issue Date: Nov. 09, 2015

FCC Rule Part: 2,22H & 24E & 27C & L

Hewlett-Packard Company

1501 Page Mill Road, M/S1419, Palo Alto, CA **Prepared for:**

94304, United States

SGS Taiwan Ltd.

Electronics & Communication Laboratory

Prepared by: No.134, Wu Kung Road, New Taipei Industrial

Park, Wuku District, New Taipei City, Taiwan

24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

Member of SGS Group



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 2 of 157

VERIFICATION OF COMPLIANCE

Hewlett-Packard Company

Applicant: 1501 Page Mill Road, M/S1419, Palo Alto, CA, 94304, United

States

Tablet PC **Product Name:**

Brand Name: hp

Model No.: HSTNN-I72C

FCC ID: B94HNI72CWR

File Number: ER/2015/90037

Date of test: Oct. 12, 2015 ~ Nov. 09, 2015

Date of EUT Received: Oct. 12, 2015

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Nick	Lin	Date:	Nov. 09, 2015	
Prepared By:	Nick Lin/Si Kayen		Date:	Nov. 09, 2015	
Approved By:	Karen Hua	ng/Clerk	Date:	Nov. 09, 2015	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Jim Chang / Asst. Manager

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 3 of 157

Revision History

Report Number	Revision	Description	Issue Date
ER/2015/90037	Rev.00	Initial creation of document	Nov. 09, 2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 4 of 157

Table of Contents

1.	GEN	ERAL PRODUCT INFORMATION	6
	1.1.	Product Description	6
	1.2.	Product Feature of Equipment Under Test	9
	1.3.	Test Methodology of Applied Standards	10
	1.4.	Test Facility	10
	1.5.	Special Accessories	10
	1.6.	Equipment Modifications	10
2.	SYS	TEM TEST CONFIGURATION	11
	2.1.	EUT Configuration	11
	2.2.	EUT Exercise	11
	2.3.	Test Procedure	11
	2.4.	Measurement Results Explanation Example	12
	2.5.	Final Amplifier Voltage and Current Information:	12
	2.6.	Configuration of Tested System	13
3.		MARY OF TEST RESULTS	
4.		CRIPTION OF TEST MODES	
_		The Worst Test Modes and Channel Details	
5. 6.		SUREMENT UNCERTAINTY	
0.	6.1.	Standard Applicable	
	6.2.	Test Set-up	
	6.3.	Measurement Procedure	
	6.4.	Measurement Equipment Used	19
	6.5.	Measurement Result	20
7.	EFF	ECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POW	VER
ME		REMENT	
	7.1.	Standard Applicable	
	7.2.	Test SET-UP	27
	7.3.	Measurement Procedure	29
	7.4.	Measurement Equipment Used	31
	7.5.	Measurement Result: (Peak) –using option of peak measurement	32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ** No.134 **WitkungRoad NewTaineiindustrialPark WukuDistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 ***



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 5 of 157

8.	occ	UPIED BANDWIDTH MEASUREMENT	37
	8.1.	Standard Applicable	37
	8.2.	Test Set-up	37
	8.3.	Measurement Procedure	37
	8.4.	Measurement Equipment Used	38
	8.5.	Measurement Result	39
9.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	63
	9.1.	Standard Applicable	63
	9.2.	Test SET-UP	63
	9.3.	Measurement Procedure	64
	9.4.	Measurement Equipment Used	64
	9.5.	Measurement Result:	65
10.	FIEL	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	94
		Standard Applicable	
	10.2.	EUT Setup	94
	10.3.	Measurement Procedure:	96
	10.4.	Measurement Equipment Used:	97
		Measurement Result :	
11.		QUENCY STABILITY MEASUREMENT	
	11.1.	Standard Applicable:	128
	11.2.	Test Set-up:	128
	11.3.	Measurement Procedure:	128
	11.4.	Measurement Equipment Used:	129
	11.5.	Measurement Result:	130
12.	PEA	K TO AVERAGE RATIO	135
		Standard Applicable	
	12.2.	Test SET-UP	135
	12.3.	Measurement Procedure	135
	12.4.	Measurement Equipment Used	135
	12.5	Measurement Result	136

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ** No.134 **WitkungRoad NewTaineiindustrialPark WukuDistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 ***



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 6 of 157

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Tablet PC		
Brand Name:	hp		
Model No.:	HSTNN-I72	C	
Product SW/HW version:	N/A		
Radio SW/HW version:	N/A		
WWAN Module:	Model No.: MU736, Supplier: HUAWEI TECHNOLOGIES Co., Ltd.		
	7.7Vdc form adapter	n Rechargeable Li-polymer Battery or 100~240V from	
Power Supply:	Battery:	Model No.: HSTNN-DB7F; Supplier: Dynapack	
i ower oupply.		1. Model No.: TPN-CA01; Supplier: CHICONY	
	Adapter:	2. Model No.: TPN-CA02; Supplier: CHICONY	
		3. Model No.: TPN-DA04; Supplier: DELTA	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 7 of 157

GPRS / WCDMA:

	Operating Frequency			
	GPRS 850	824.2 MHz- 848.8 MHz	33dBm	
	EDGE 850	824.2 MHz- 848.8 MHz	27dBm	
Cellular Phone	GPRS 1900	1850.2MHz – 1909.8MHz	30dBm	
Standards Fre-	EDGE 1900	1850.2MHz – 1909.8MHz	26dBm	
quency Range and Power	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm	
	WCDMA/HSUPA/HSDPA /HSPA+ Band IV	1712.4MHz - 1752.6MHz	24dBm	
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm	
	GPRS 850	243KGXW		
	EDGE 850	248KG7W		
	GPRS 1900	245KGXW		
	EDGE 1900	249KG7W		
	WCDMA Band II	4M06F9W		
	HSDPA Band II	4M05F9W		
Type of Emission:	HSUPA Band II	4M04F9W		
	WCDMA Band IV	4M06F9W		
	HSDPA Band IV	4M07F9W		
	HSUPA Band IV	4M06F9W		
	WCDMA Band V	4M07F9W		
	HSDPA Band V	4M04F9W		
	HSUPA Band V	4M05F9W		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ** No.134 **WitkungRoad NewTaineiindustrialPark WukuDistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 ***

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 8 of 157

Max ERP/EIRP measurement result:

	dBm		W
GPRS 850 Band	20.87	ERP	0.122
EDGE 850 Band	18.02	ERP	0.063
GPRS 1900 Band	27.81	EIRP	0.604
EDGE 1900 Band	25.00	EIRP	0.316
WCDMA Band II	18.88	EIRP	0.077
HSDPA Band II	22.17	EIRP	0.165
HSUPA Band II	22.10	EIRP	0.162
WCDMA Band IV	17.19	EIRP	0.052
HSDPA Band IV	16.49	EIRP	0.045
HSUPA Band IV	16.42	EIRP	0.044
WCDMA Band V	17.63	ERP	0.058
HSDPA Band V	19.50	ERP	0.089
HSUPA Band V	17.61	ERP	0.058

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 9 of 157

1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is Tablet PC supporting, GSM / WCDMA, Wi-Fi 802.11abon & ac. Bluetooth and GPS features, and below is details of information

ouz. i rabyri & ac, bidetootii and G	oz. Habgii & ac, Bidetootii and GFS leatures, and below is details of information.			
Product Feature				
Product Name:	Tablet PC			
Brand Name:	hp			
Model No.:	HSTNN-I72C			
FCC ID	B94HNI72CWR			
GSM Operating Band(s)	GSM 850/1900MHz			
GPRS / EGPRS Multi Slot Class	GPRS Class 33 / Class 33			
WCDMA Operating Band(s)	FDD Band II / IV / V			
WCDMA Rel. Version	Rel.8			
Wi-Fi Specification	802.11a/b/g/n/ac			
Bluetooth Version	V4.1 dual mode			

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Note: Certified WIFI/BT module FCC ID: PD98260NG.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the company's findings at the time of its intervention only and within the limits of the contained hereon reflects the company's Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 10 of 157

1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27.

ANSI / TIA / EIA 603C-C-2004

KDB971168 D01 Power Meas license Digital System v02r01

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note:

- All test items have been performed and record as per the above standards.
- The composite system is compliance with FCC Subpart B is authorized under the certification procedure.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 990257

Canada Registration Number: 4620A-5

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the company's findings at the time of its intervention only and within the limits of the contained hereon reflects the company's Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 11 of 157

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 12 of 157

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss and attenuator.

Low Band: Offset = RF cable loss (dB) + attenuation factor (dB) = 0.6(dB)

High Band: Offset = RF cable loss (dB) + attenuation factor (dB) = 0.9(dB)

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GPRS 850	7.7	903
GPRS 1900	7.7	826
EDGE 850	7.7	804
EDGE 1900	7.7	796
WCDMA B2	7.7	804
WCDMA B4	7.7	881
WCDMA B5	7.7	796
HSUPA B2	7.7	806
HSUPA B4	7.7	833
HSUPA B5	7.7	726
HSDPA B2	7.7	739
HSDPA B4	7.7	758
HSDPA B5	7.7	751

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 13 of 157

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	8820C	6201107337	shielded	Un-shielded
2.	DC Power Supply	Agilent	E3640A	MY53140006	shielded	Un-shielded
3.	Test Software	DRTU	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and effective members are recommended. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 14 of 157

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c) §27.50(d)(4)	ERP/ EIRP measurement	Compliant
§2.1049(h)	Occupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(h)	Out of Band Emissions at Antenna Terminals and Band Edge	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(h)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50(i) (B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 15 of 157

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
GPRS/EDGE 850	E2-plan	E2-plan
GPRS/EDGE 1900	E2-plan	E2-plan
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan

GSM/GPRS/EDGE MODE

I/OI NO/LDOL WODL			
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	128, 190, 251	GPRS/EDGE 850
	512 to 810	512, 661, 810	GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GPRS/EDGE 850
	512 to 810	512, 661, 810	GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GPRS/EDGE 850
	512 to 810	512, 810	GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GPRS/EDGE 850
	512 to 810	512, 661, 810	GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 16 of 157

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band IV WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	HSDPA Band II WCDMA Band IV HSDPA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 17 of 157

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty		
RF Power Output	+/- 1.10 dB		
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB		
99% Occupied Bandwidth	+/- 5.19 Hz		
Out of Band Emissions at Antenna	+/- 0.70 dB		
Terminals and Band Edge			
Peak to Average Ratio	+/- 0.70 dB		
Frequency Stability vs.	+/- 5.19 Hz		
Temperature	17 0.10 112		
Frequency Stability vs.	+/- 5.19 Hz		
Voltage	77 0.10112		
Temperature	+/- 0.65 °C		
Humidity	+/- 4.6 %		
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%		

Radiated Spurious Emission:

Measurement uncertainty (Polarization : Vertical)	30MHz - 180MHz: +/- 3.37dB				
	180MHz -417MHz: +/- 3.19dB				
	0.417GHz-1GHz: +/- 3.19dB				
	1GHz - 18GHz: +/- 4.04dB				
	18GHz - 40GHz: +/- 4.04dB				

	30MHz - 167MHz: +/- 4.22dB				
	167MHz -500MHz: +/- 3.44dB				
Measurement uncertainty (Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB				
(1 Gianzation : 110112011tal)	1GHz - 18GHz: +/- 4.08dB				
	18GHz - 40GHz: +/- 4.08dB				

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015


Page: 18 of 157

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 19 of 157

6.4. Measurement Equipment Used

	Conducted Emission Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016						
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016						
Radio Communication Analyzer	R&S	CMU200	CMU200 102189		02/10/2016						
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016						
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016						
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016						
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016						
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016						
DC Power Supply	Agilent	E3640A	KR93300208	08/14/2015	08/13/2016						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 20 of 157

6.5. Measurement Result **RF Conducted Output Power** GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 1UP) Class 8 (dBm)	Peak Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)
0000	824.2	128	32.10	32.00	29.40	29.10
GPRS 850	836.6	190	32.10	32.00	29.30	29.10
	848.8	251	32.20	32.00	29.30	29.10
CDDC	1850.2	512	29.70	29.50	26.60	26.40
GPRS 1900	1880.0	661	29.80	29.70	26.80	26.50
. 300	1909.8	810	29.40	29.30	26.40	26.20

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 1UP) Class 8 (dBm)	Peak Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Peak Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Peak Power (1DN 4UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
	824.2	128	29.40	26.20	26.50	23.30	24.50	21.40	23.50	20.40
EDGE 850	836.6	190	29.40	26.20	26.50	23.30	24.50	21.40	23.40	20.40
	848.8	251	29.40	26.20	26.50	23.30	24.50	21.40	23.60	20.50
FDOE	1850.2	512	28.90	26.00	26.00	23.00	24.00	20.90	23.10	19.90
EDGE 1900	1880.0	661	29.00	26.00	26.10	23.10	24.10	21.00	23.10	20.00
	1909.8	810	28.70	25.60	25.90	22.70	23.70	20.60	22.80	19.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 21 of 157

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT M	ode	WCDMA Band II		HSDPA Band II		HSUPA Band II	
Frequency	СН	Peak Avg. Pow- Peak Power er Power		Peak Power	Avg. Pow- er	Peak Power	Avg. Pow- er
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1852.4	9262	27.17	23.75	26.90	22.69	26.91	22.50
1880.0	9400	27.48	24.00	27.16	23.08	27.15	23.02
1907.6	9538	26.51	23.20	26.42	22.28	26.24	22.15

EUT M	ode	WCDMA Band IV		HSDPA Band IV			JPA d IV
Frequency	СН	Peak Power	Avg. Pow- er	Peak Power	Avg. Pow- er	Peak Power	Avg. Pow- er
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1712.4	1312	26.96	23.58	26.71	22.60	26.69	22.52
1732.6	1412	26.62	23.37	26.39	22.41	26.45	22.37
1752.6	1513	26.68	23.43	26.47	22.40	26.40	22.35

EUT M	ode	WCDMA Band V		HSDPA Band V			JPA nd V
Frequency	СН	Peak Power	Avg. Pow- er	Peak Power	Avg. Pow- er	Peak Power	Avg. Pow- er
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
826.4	4132	26.81	23.30	26.86	22.30	26.77	22.21
836.6	4183	26.69	23.17	26.64	22.14	26.51	22.13
846.6	4233	26.42	23.04	26.31	21.93	26.15	21.89

Note: The results above reflect max power with all up bits.

Cable loss offset: Low Band: 0.6dB, High Band: 0.9dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 22 of 157

HSDPA Release 8 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	β_d	β _d (SF)	β_c/β_d	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 23 of 157

Results:

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		9262	9400	9538	itation (dbiii)	
	1	23.92	23.89	23.06	20.3dBm – 25.7dBm	Pass
HSDPA	2	23.63	23.86	23.05	20.3dBm – 25.7dBm	Pass
(B2)	3	23.44	23.44	22.53	19.8dBm – 25.7dBm	Pass
	4	23.51	23.45	22.65	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	RMS Power (dBm) Channel			Power Class 3 Lim-	Comments
		1312	1413	1513	itation (dBm)	
	1	23.29	23.47	23.27	20.3dBm – 25.7dBm	Pass
HSDPA	2	23.46	23.23	23.28	20.3dBm – 25.7dBm	Pass
(B4)	3	22.81	23.02	22.74	19.8dBm – 25.7dBm	Pass
Ì	4	22.88	23.03	22.86	19.8dBm – 25.7dBm	Pass

Mode	Sub-test		Power (d Channel	lBm)	Power Class 3 Lim- itation (dBm)	Comments
		4132	4183	4233	itation (ubiii)	
	1	23.09	23.03	23.16	20.3dBm – 25.7dBm	Pass
HSDPA	2	23.23	23.06	22.91	20.3dBm – 25.7dBm	Pass
(B5)	3	22.63	22.55	22.67	19.8dBm – 25.7dBm	Pass
	4	22.68	22.59	22.73	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 24 of 157

HSPA (HSDPA & HSUPA) Release 8 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βε	βa	β _d (SF)	β ₀ /β _d	βнs	β _{ec}	$eta_{ m ed}$	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 25 of 157

Results:

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		9262	9400	9538	itation (dbiii)	
	1	23.37	23.98	23.14 18.8dBm – 25.7dBm		Pass
	2	21.72	22.05	21.18	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	22.73	23.00	22.22	17.8dBm – 25.7dBm	Pass
	4	21.85	22.10	21.22	16.8dBm – 25.7dBm	Pass
	5	23.56	23.84	23.05	18.8dBm – 25.7dBm	Pass

Mode	Sub-test		Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		1312	1413	1513	itation (dBm)	
	1	23.50	23.35	23.37	18.8dBm – 25.7dBm	Pass
	2	21.55	21.42	21.41	16.8dBm – 25.7dBm	Pass
HSUPA (B4)	3	22.56	22.37	22.45	17.8dBm – 25.7dBm	Pass
(64)	4	21.68	21.47	21.45	16.8dBm – 25.7dBm	Pass
	5	23.39	23.21	23.28	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	23.26	23.10	22.96	18.8dBm – 25.7dBm	Pass
	2	21.32	21.18	21.00	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	22.30	22.16	22.04	17.8dBm – 25.7dBm	Pass
,	4	21.37	21.24	21.08	16.8dBm – 25.7dBm	Pass
	5	23.12	22.93	22.85	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ** No.134 **WitkungRoad NewTaineiindustrialPark WukuDistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 ***

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 26 of 157

Minimum Communications Power Measurement PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	27.6	27.1	24.2	23.5	21.5	19.5	17.5	15.7	13.7

PCL	9	10	11	12	13	14	15
Output power (dBm)	12	9.9	8	5.8	3.9	2	1.5

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 22 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 27 of 157

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED **POWER MEASUREMENT**

7.1. Standard Applicable


FCC 22.913(a) Mobile station is limited to 7W.

FCC 24.232(b) Mobile station is limited to 2W.

FCC 27, 50(d)(4) Portable stations are limited to 1W

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 28 of 157

(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 29 of 157

7.3. Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt

integration time (ex. Point = 601points, then sweet time = $601*10^{\circ}-3=6$ s.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 30 of 157

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 31 of 157

7.4. Measurement Equipment Used

	SGS 966 Chamber No.C											
Name of Faviors and	Manufactura	Model	Serial	Calibration	Calibration							
Name of Equipment	Manufacturer	Model	Number	Date	Due							
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016							
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	12/22/2014	12/21/2015							
Spectrum Analyzer	R&S	FSV-30	101398	09/23/2015	09/22/2016							
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/23/2014	12/22/2015							
Bilog Antenna	SCHWAZBECK	VULB9160	3158	10/26/2015	10/25/2016							
Horn antenna	ETS.LINDGREN	3117	123995	05/05/2015	05/04/2016							
Horn antenna	ETS.LINDGREN	3117	123991	12/19/2014	12/18/2015							
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2014	12/24/2015							
Horn Antenna	Schwarzbeck	BBHA9170	185	07/25/2015	07/24/2016							
Network Analyze	Anritsu	MS4644A	1216312	05/23/2015	05/22/2016							
Signal Generator	Agilent	E4438C	MY45093613	07/31/2015	07/30/2016							
Pre-Amplifier	Agilent	8447D	1937A02834	01/02/2015	01/01/2016							
Pre-Amplifier	Agilent	8449B	3008A00578	01/02/2015	01/01/2016							
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2015	01/01/2016							
Attenuator	Mini-Circuit	BW-S10W2+	004	01/02/2015	01/01/2016							
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016							
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	25/09/2015	24/09/2016							
Turn Table	HD	DT420	N/A	N.C.R	N.C.R							
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R							
Controller	ChamPro	EM1000	060776	N.C.R	N.C.R							
Low Loss Cable	HUBER+SUHNER	966_Tx	10m	01/02/2015	01/01/2016							
Low Loss Cable	HUBER+SUHNER	966_Rx	3m	01/02/2015	01/01/2016							
Filter 800-1000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016							
Filter 1800-2000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016							
Filter 1700-1800	Micro-Tronics	BRC15751	001	01/02/2015	01/01/2016							
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2015	01/01/2016							
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2015	01/01/2016							
3m Site NSA	SGS	966 chamber	N/A	07/01/2015	06/30/2016							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 32 of 157

7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	17.64	3.45	-2.94	18.15	38.45
	024.2	120	Н	20.35	3.45	-2.94	20.87	38.45
GPRS 850	836.6	190	V	16.36	3.46	-2.97	16.84	38.45
GFR3 650	630.0	190	Н	18.34	3.46	-2.97	18.83	38.45
	848.8	251	V	15.87	3.47	-3.01	16.33	38.45
	040.0	251	Н	17.17	3.47	-3.01	17.63	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	14.69	3.45	-2.94	15.21	38.45
	024.2	120	Н	17.5	3.45	-2.94	18.02	38.45
EDGE 850	836.6	190	V	14.36	3.46	-2.97	14.85	38.45
LDGL 630	030.0	190	Н	16.1	3.46	-2.97	16.58	38.45
	848.8	251	V	13.44	3.47	-3.01	13.9	38.45
	0-0.0	251	Н	16.6	3.47	-3.01	17.06	38.45

Remark:

The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 33 of 157

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1850.2	512	V	27.45	4.84	-4.49	27.81	33.01		
	1650.2	312	Н	26.6	4.84	-4.49	26.96	33.01		
GPRS 1900	1880.0	661	V	25.82	4.79	-4.53	26.08	33.01		
GFK3 1900	1000.0	001	Н	26.16	4.79	-4.53	26.43	33.01		
,	1909.8	810	V	26.96	4.74	-4.57	27.14	33.01		
	1909.0		Н	23.29	4.74	-4.57	23.46	33.01		

	EUT		Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1850.2	512	V	22.95	4.84	-4.49	23.30	33.01	
		312	Н	22.31	4.84	-4.49	22.67	33.01	
EDGE 1900	1880.0	661	V	24.74	4.79	-4.53	25.00	33.01	
EDGE 1900	1000.0	001	Н	22.37	4.79	-4.53	22.64	33.01	
	1000 8	810	V	24.3	4.74	-4.57	24.48	33.01	
	1909.8	810	Н	22.17	4.74	-4.57	22.35	33.01	

Remark:

(1)The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 34 of 157

	EUT			Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	1852.4	9262	V	16.94	4.84	-4.49	17.29	33.01			
	1002.4	9202	Н	14.8	4.84	-4.49	15.16	33.01			
WCDMA B2	1000.0	0400	V	18.61	4.79	-4.53	18.88	33.01			
WCDIVIA BZ	DMA B2 1880.0	9400	Н	13.75	4.8	-4.52	14.02	33.01			
1007.6	0520	V	16.33	4.75	-4.56	16.52	33.01				
	1907.6	9538	Н	13.03	4.75	-4.56	13.22	33.01			

	EUT			Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	1050 4	0060	V	16.85	4.84	-4.49	17.2	33.01			
	1852.4	9262	Н	21.82	4.84	-4.49	22.17	33.01			
LICDDA DO	1000.0	0400	V	21.26	4.79	-4.53	21.53	33.01			
HSDPA BZ	HSDPA B2 1880.0	9400	Н	21.02	4.8	-4.52	21.29	33.01			
1007.6	0500	V	20.86	4.75	-4.56	21.05	33.01				
	1907.6	9538	Н	20.79	4.75	-4.56	20.98	33.01			

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1852.4	9262	V	21.03	4.84	-4.49	21.38	33.01		
	1002.4	9202	Н	21.74	4.84	-4.49	22.10	33.01		
HSUPA B2	1000.0	9400	V	17.37	4.79	-4.53	17.64	33.01		
HSUPA BZ	2 1880.0	9400	Н	20.77	4.79	-4.53	21.04	33.01		
	1907.6	0520	V	21.43	4.75	-4.56	21.62	33.01		
		9538	Н	20.6	4.75	-4.56	20.79	33.01		

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 35 of 157

	EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1710.4	1010	V	15.43	5.08	-4.29	16.22	33.01		
	1712.4	1312	Н	14.02	5.08	-4.29	14.81	33.01		
MCDMA D4	4722.6	1112	V	15.57	5.05	-4.31	16.31	33.01		
WCDIVIA B4	NCDMA B4 1732.6 1752.6	1413	Н	11.61	5.05	-4.31	12.35	33.01		
		1513	V	16.55	5.01	-4.37	17.19	33.01		
	1732.0	1010	Н	13.64	5.01	-4.37	14.28	33.01		

	EUT	Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1712.4	1312	V	15.52	5.08	-4.29	16.31	33.01	
	1712.4	1312	Н	13.12	5.09	-4.29	13.91	33.01	
LICDDA DA	4722.6	1112	V	15.75	5.05	-4.31	16.49	33.01	
HSDPA B4	1732.6	1413	Н	13.55	5.05	-4.32	14.28	33.01	
1	1752.6	1512	V	15.16	5.01	-4.37	15.8	33.01	
	1752.6	1513	Н	15.32	5.01	-4.37	15.96	33.01	

	EUT		Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1712.4	1312	V	15.62	5.09	-4.29	16.42	33.01	
	1712.4	1312	Н	13.23	5.09	-4.29	14.03	33.01	
HSUPA B4	1732.6	1412	V	15.17	5.05	-4.31	15.91	33.01	
HOUPA 64	1732.0	1413	Н	12.33	5.05	-4.31	13.06	33.01	
	1752.6	1513	V	15.52	5.01	-4.37	16.16	33.01	
			Н	15.36	5.01	-4.37	16.00	33.01	

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 36 of 157

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	006.4	4422	V	17.12	3.46	-2.94	17.63	38.45		
	826.4	4132	Н	16.9	3.46	-2.94	17.41	38.45		
MCDMA DE	026.6	4402	V	16.3	3.46	-2.97	16.79	38.45		
WCDIVIA B5		4183	Н	15.9	3.46	-2.97	16.39	38.45		
		4233	V	14.67	3.47	-3.00	15.14	38.45		
	040.0	4233	Н	14.68	3.47	-3.00	15.14	38.45		

	EUT	Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	200.4	4422	V	16.23	3.46	-2.94	16.75	38.45
	826.4	4132	Н	18.98	3.46	-2.94	19.50	38.45
LICDDA DE	936.6	4400	V	16.92	3.46	-2.97	17.40	38.45
HSDPA B5	B5 836.6	4183	Н	16.89	3.46	-2.98	17.38	38.45
946.6	4000	V	14.01	3.47	-3.00	14.48	38.45	
	846.6	4233	Н	15.35	3.47	-3.00	15.81	38.45

	EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	826.4	4132	V	14.6	3.46	-2.94	15.11	38.45		
	020.4	4132	Н	13.88	3.46	-2.94	14.39	38.45		
LICUDA DE	026.6	4400	V	17.13	3.46	-2.97	17.61	38.45		
HSUPA B5	PA B5 836.6	4183	Н	17.02	3.46	-2.97	17.51	38.45		
946.6	4000	V	13.85	3.47	-3.00	14.32	38.45			
	846.6	4233	Н	14.96	3.47	-3.00	15.43	38.45		

Remark:

(1)The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015


Page: 37 of 157

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

NOTE: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 26dB BW is arrow-mark

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 38 of 157

8.4. Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016	
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016	
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016	
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016	
DC Power Supply	Agilent	E3640A	KR93300208	08/14/2015	08/13/2016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 39 of 157

8.5. Measurement Result

99% Bandwidth

Frequency	СН	99% Bandwidth (kHz)		
(MHz)	OII	GPRS 850	EDGE 850	
824.20	128	236.9409	248.1053	
836.60	190	243.5271	247.1780	
848.80	251	241.4108	248.5412	

Frequency	СН	99% Bandwidth (kHz)		
(MHz)	On	GPRS 1900	EDGE 1900	
1850.20	512	242.8298	247.7853	
1880.00	661	245.8280	241.2262	
1909.80	810	244.0349	249.0009	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 40 of 157

Frequency	СН	99% Bandwidth (MHz)			
(MHz)	Сп	WCDMA II	HSDPA II	HSUPA II	
1850.20	9262	4.0372	4.0448	4.0382	
1880.00	9400	4.0503	4.0448	4.0429	
1909.80	9538	4.0629	4.0496	4.0375	

Frequency	СН	99% Bandwidth (MHz)		
(MHz)	CII	WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	4.0555	4.0515	4.0618
1732.6	1413	4.0453	4.0363	4.0544
1752.6	1513	4.0644	4.0716	4.0503

Frequency	СН	99% Bandwidth (MHz)		
(MHz)	On	WCDMA V	HSDPA V	HSUPA V
826.40	4132	4.0505	4.0399	4.0401
836.60	4183	4.0503	4.0417	4.0375
846.60	4233	4.0689	4.0424	4.0470

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 41 of 157

26dB Bandwidth

Frequency	СН		indwidth Hz)
(MHz)	On	GPRS 850	EDGE 850
824.20	128	314.468	314.112
836.60	190	313.376	308.348
848.80	251	320.926	315.034

Frequency	СН	26dB Bandwidth (kHz)	
(MHz)	OH	GPRS 1900	EDGE 1900
1850.20	512	315.415	315.281
1880.00	661	324.141	309.213
1909.80	810	314.771	311.704

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 42 of 157

Frequency	СН	26dB Bandwidth (MHz)		
(MHz)	Cn	WCDMA II	HSDPA II	HSUPA II
1850.20	9262	4.595	4.580	4.561
1880.00	9400	4.603	4.617	4.577
1909.80	9538	4.601	4.583	4.599

Frequency	requency CH		26dB Bandwidth (MHz)		
(MHz)		WCDMA IV	HSDPA IV	HSUPA IV	
1712.4	1312	4.617	4.591	4.589	
1732.6	1413	4.590	4.602	4.583	
1752.6	1513	4.592	4.579	4.591	

Frequency	СН	26dB Bandwidth (MHz)		
(MHz)			HSDPA V	HSUPA V
826.40	4132	4.596	4.563	4.581
836.60	4183	4.570	4.605	4.575
846.60	4233	4.569	4.578	4.581

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015


Page: 43 of 157

99% Bandwidth Test Data

GPRS 850 Channel Low



GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 44 of 157

GPRS 850 Channel High



EDGE 850 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 45 of 157

EDGE 850 Channel Mid



EDGE 850 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 46 of 157

GPRS 1900 Channel Low



GPRS 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 47 of 157

GPRS 1900 Channel High



EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 48 of 157

EDGE 1900 Channel Mid



EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 49 of 157

WCDMA II Channel Low



WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 50 of 157

WCDMA II Channel High



HSDPA II Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 51 of 157

HSDPA II Channel Mid



HSDPA II Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 52 of 157

HSUPA II Channel Low



HSUPA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 53 of 157

HSUPA II Channel High



WCDMA IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 54 of 157

WCDMA IV Channel Mid



WCDMA IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 55 of 157

HSDPA IV Channel Low



HSDPA IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 56 of 157

HSDPA IV Channel High



HSUPA IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 57 of 157

HSUPA IV Channel Mid



HSUPA IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 58 of 157

WCDMA V Channel Low



WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 59 of 157

WCDMA V Channel High



HSDPA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 60 of 157

HSDPA V Channel Mid



HSDPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 61 of 157

HSUPA V Channel Low



HSUPA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 62 of 157

HSUPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 63 of 157

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable


FCC §22.917(a), §24.238(a), §27.53(g)(h) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

Band Edge Measurement:

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

9.2. Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 64 of 157

9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- To connect Antenna Port of EUT to Spectrum.
- Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- To connect Antenna Port of EUT to Spectrum.
- The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

9.4. Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016	
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016	
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016	
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016	
DC Power Supply	Agilent	E3640A	KR93300208	08/14/2015	08/13/2016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subje Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 65 of 157

9.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 66 of 157

Out of Band emission at antenna terminals – GPRS 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 67 of 157

Out of Band emission at antenna terminals – GPRS 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 68 of 157

Out of Band emission at antenna terminals - GPRS 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 69 of 157

Band edge emission at antenna terminals – GPRS 850 Channel Lowest



Band edge emission at antenna terminals – GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind the states with the less traport relations of the sample(s) tested and such analytic(s) are retained for 50 days only. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 70 of 157

Out of Band emission at antenna terminals - GPRS 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 71 of 157

Out of Band emission at antenna terminals – GPRS 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 72 of 157

Out of Band emission at antenna terminals - GPRS 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 73 of 157

Band edge emission at antenna terminals – GPRS 1900 Channel Lowest



Band edge emission at antenna terminals - GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 74 of 157

Out of Band emission at antenna terminals - EDGE 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 75 of 157

Out of Band emission at antenna terminals – EDGE 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 76 of 157

Out of Band emission at antenna terminals - EDGE 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 77 of 157

Band edge emission at antenna terminals - EDGE 850 Channel Lowest



Band edge emission at antenna terminals - EDGE 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 78 of 157

Out of Band emission at antenna terminals - EDGE 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 79 of 157

Out of Band emission at antenna terminals – EDGE 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 80 of 157

Out of Band emission at antenna terminals - EDGE 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 81 of 157

Band edge emission at antenna terminals – EDGE 1900 Channel Lowest



Band edge emission at antenna terminals - EDGE 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 82 of 157

Out of Band emission at antenna terminals – WCDMA II Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


GS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 83 of 157

Out of Band emission at antenna terminals – WCDMA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 84 of 157

Out of Band emission at antenna terminals – WCDMA II Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 85 of 157

Band edge emission at antenna terminals – WCDMA II Channel Lowest



Band edge emission at antenna terminals – WCDMA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 86 of 157

Out of Band emission at antenna terminals - WCDMA IV Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


GS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 87 of 157

Out of Band emission at antenna terminals – WCDMA IV Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 88 of 157

Out of Band emission at antenna terminals – WCDMA IV Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 89 of 157

Band edge emission at antenna terminals – WCDMA IV Channel Lowest



Band edge emission at antenna terminals – WCDMA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 90 of 157

Out of Band emission at antenna terminals – WCDMA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 91 of 157

Out of Band emission at antenna terminals – WCDMA V Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 92 of 157

Out of Band emission at antenna terminals – WCDMA V Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-Trois occurrents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 93 of 157

Band edge emission at antenna terminals – WCDMA V Channel Lowest



Band edge emission at antenna terminals – WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 94 of 157

10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

10.2. EUT Setup

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 95 of 157

(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and effective members are supported to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 96 of 157

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP= S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) – Cable Loss (dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 97 of 157

10.4. Measurement Equipment Used:

	SGS 966 Chamber No.C											
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due							
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016							
EXA Spectrum Analyzer		N9010A	MY50420195	12/22/2014	12/21/2015							
Spectrum Analyzer	R&S	FSV-30	101398	09/23/2015	09/22/2016							
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/23/2014	12/22/2015							
Bilog Antenna	SCHWAZBECK	VULB9160	3158	10/31/2014	10/30/2015							
Horn antenna	ETS.LINDGREN	3117	123995	05/05/2015	05/04/2016							
Horn antenna	ETS.LINDGREN	3117	123991	12/19/2014	12/18/2015							
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2014	12/24/2015							
Horn Antenna	Schwarzbeck	BBHA9170	185	07/25/2015	07/24/2016							
Network Analyze	Anritsu	MS4644A	1216312	05/23/2015	05/22/2016							
Signal Generator	Agilent	E4438C	MY45093613	07/31/2015	07/30/2016							
Pre-Amplifier	Agilent	8447D	1937A02834	01/02/2015	01/01/2016							
Pre-Amplifier	Agilent	8449B	3008A00578	01/02/2015	01/01/2016							
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2015	01/01/2016							
Attenuator	Mini-Circuit	BW-S10W2+	004	01/02/2015	01/01/2016							
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016							
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	25/09/2015	24/09/2016							
Turn Table	HD	DT420	N/A	N.C.R	N.C.R							
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R							
Controller	ChamPro	EM1000	060776	N.C.R	N.C.R							
Low Loss Cable	HUBER+SUHNER	966_Tx	10m	01/02/2015	01/01/2016							
Low Loss Cable	HUBER+SUHNER	966_Rx	3m	01/02/2015	01/01/2016							
Filter 800-1000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016							
Filter 1800-2000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016							
Filter 1700-1800	Micro-Tronics	BRC15751	001	01/02/2015	01/01/2016							
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2015	01/01/2016							
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2015	01/01/2016							
3m Site NSA	SGS	966 chamber	N/A	07/01/2015	06/30/2016							

Note: N.C.R refers to Not Calibrated Required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 98 of 157

10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GPRS 850 Mode


:CH 128 **Test Date ARFCN** :2015-09-26

Operation Band :GPRS 850 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequency :824.2 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-53.00	-37.64	-14.62	-0.74	-13.00	-40.00
175.50	S	-55.53	-54.28	0.23	-1.49	-13.00	-42.53
381.14	S	-71.61	-73.32	3.67	-1.95	-13.00	-58.61
532.46	S	-70.08	-71.25	3.65	-2.48	-13.00	-57.08
702.21	S	-67.22	-67.99	3.38	-2.61	-13.00	-54.22
936.95	S	-62.85	-62.91	3.24	-3.18	-13.00	-49.85
1648.40	Н	-60.29	-59.14	3.05	-4.21	-13.00	-47.29
2472.60	Н	-51.62	-49.89	3.59	-5.32	-13.00	-38.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 99 of 157


ARFCN :CH 128 **Test Date** :2015-09-26

:GPRS 850 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:824.2 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-58.62	-43.26	-14.62	-0.74	-13.00	-45.62
173.56	S	-62.95	-61.36	-0.10	-1.49	-13.00	-49.95
400.54	S	-67.15	-68.82	3.62	-1.95	-13.00	-54.15
468.44	S	-69.01	-70.39	3.50	-2.12	-13.00	-56.01
733.25	S	-68.79	-69.44	3.31	-2.66	-13.00	-55.79
824.00	S	-59.34	-59.86	3.45	-2.94	-13.00	-46.34
1648.40	Н	-47.70	-46.55	3.05	-4.21	-13.00	-34.70
2472.60	Н	-47.17	-45.44	3.59	-5.32	-13.00	-34.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 100 of 157


ARFCN :CH 190 **Test Date** :2015-09-26

:GPRS 850 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:836.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-52.82	-37.46	-14.62	-0.74	-13.00	-39.82
173.56	S	-55.77	-54.19	-0.10	-1.49	-13.00	-42.77
384.05	S	-71.31	-73.02	3.66	-1.95	-13.00	-58.31
531.49	S	-69.76	-70.93	3.65	-2.48	-13.00	-56.76
711.91	S	-68.00	-68.75	3.36	-2.60	-13.00	-55.00
936.95	S	-62.75	-62.81	3.24	-3.18	-13.00	-49.75
1673.20	Н	-54.71	-53.46	3.01	-4.26	-13.00	-41.71
2509.80	Н	-53.65	-51.97	3.67	-5.35	-13.00	-40.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 101 of 157


ARFCN :CH 190 **Test Date** :2015-09-26

Operation Band :GPRS 850 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:836.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-59.76	-45.30	-13.67	-0.78	-13.00	-46.76
172.59	S	-63.27	-61.52	-0.26	-1.49	-13.00	-50.27
330.70	S	-63.20	-65.00	3.71	-1.90	-13.00	-50.20
460.68	S	-70.06	-71.40	3.44	-2.10	-13.00	-57.06
728.40	S	-54.30	-54.98	3.32	-2.64	-13.00	-41.30
814.00	S	-58.81	-59.36	3.45	-2.90	-13.00	-45.81
1673.20	Н	-47.30	-46.05	3.01	-4.26	-13.00	-34.30
2509.80	Н	-49.03	-47.35	3.67	-5.35	-13.00	-36.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 102 of 157


ARFCN :CH 251 **Test Date** :2015-09-26

:GPRS 850 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:848.8 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-53.82	-38.46	-14.62	-0.74	-13.00	-40.82
173.56	S	-55.21	-53.62	-0.10	-1.49	-13.00	-42.21
332.64	S	-70.90	-72.71	3.72	-1.91	-13.00	-57.90
532.46	S	-70.20	-71.37	3.65	-2.48	-13.00	-57.20
728.40	S	-53.73	-54.41	3.32	-2.64	-13.00	-40.73
935.01	S	-61.89	-61.95	3.24	-3.18	-13.00	-48.89
1697.60	Н	-57.57	-56.25	2.96	-4.28	-13.00	-44.57
2546.40	Н	-55.60	-53.95	3.75	-5.41	-13.00	-42.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 103 of 157


ARFCN :CH 251 **Test Date** :2015-09-26

:GPRS 850 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:848.8 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.94	S	-60.53	-45.41	-14.37	-0.75	-13.00	-47.53
172.59	S	-63.03	-61.28	-0.26	-1.49	-13.00	-50.03
330.70	S	-62.00	-63.81	3.71	-1.90	-13.00	-49.00
466.50	S	-69.54	-70.91	3.49	-2.11	-13.00	-56.54
721.61	S	-52.53	-53.24	3.34	-2.63	-13.00	-39.53
811.00	S	-58.92	-59.47	3.45	-2.89	-13.00	-45.92
1697.60	Н	-47.10	-45.79	2.96	-4.28	-13.00	-34.10
2546.40	Н	-55.42	-53.77	3.75	-5.41	-13.00	-42.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 104 of 157

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode


ARFCN :CH 512 **Test Date** :2015-09-26

Operation Band :GPRS 1900 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1850.2 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :VERTICAL Measurement :E2 Plane EUT Pol. Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
39.70	S	-52.46	-40.96	-10.68	-0.83	-13.00	-39.46
172.59	S	-60.70	-61.10	1.89	-1.49	-13.00	-47.70
293.84	S	-62.99	-66.89	5.65	-1.76	-13.00	-49.99
547.01	S	-68.33	-71.53	5.75	-2.56	-13.00	-55.33
760.41	S	-65.79	-68.54	5.47	-2.72	-13.00	-52.79
938.89	S	-58.39	-60.59	5.39	-3.19	-13.00	-45.39
3700.40	Н	-30.32	-31.87	8.43	-6.88	-13.00	-17.32
5550.60	Н	-39.74	-41.29	10.10	-8.55	-13.00	-26.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 105 of 157


ARFCN :CH 512 **Test Date** :2015-09-26

:GPRS 1900 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1850.2 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
41.64	S	-60.45	-49.12	-10.48	-0.84	-13.00	-47.45
269.59	S	-63.54	-67.61	5.76	-1.69	-13.00	-50.54
403.45	S	-70.03	-73.83	5.75	-1.94	-13.00	-57.03
468.44	S	-71.21	-74.74	5.65	-2.12	-13.00	-58.21
740.04	S	-67.88	-70.66	5.45	-2.67	-13.00	-54.88
938.89	S	-63.05	-65.25	5.39	-3.19	-13.00	-50.05
3700.40	Н	-36.44	-37.98	8.43	-6.88	-13.00	-23.44
5550.60	Н	-48.66	-50.21	10.10	-8.55	-13.00	-35.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 106 of 157


ARFCN :CH 661 **Test Date** :2015-09-26

:GPRS 1900 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1880.0 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
34.85	S	-50.78	-38.48	-11.52	-0.78	-13.00	-37.78
173.56	S	-59.85	-60.42	2.05	-1.49	-13.00	-46.85
330.70	S	-70.82	-74.78	5.86	-1.90	-13.00	-57.82
556.71	S	-68.92	-72.04	5.72	-2.61	-13.00	-55.92
755.56	S	-65.74	-68.48	5.45	-2.71	-13.00	-52.74
936.95	S	-57.72	-59.93	5.39	-3.18	-13.00	-44.72
3760.00	Н	-31.55	-32.99	8.46	-7.02	-13.00	-18.55
5640.00	Н	-45.38	-46.90	10.11	-8.59	-13.00	-32.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 107 of 157


ARFCN :CH 661 **Test Date** :2015-09-26

:GPRS 1900 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1880.0 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-57.25	-44.50	-11.98	-0.76	-13.00	-44.25
269.59	S	-63.79	-67.86	5.76	-1.69	-13.00	-50.79
361.74	S	-69.38	-73.29	5.88	-1.96	-13.00	-56.38
524.70	S	-70.79	-74.17	5.82	-2.44	-13.00	-57.79
750.71	S	-68.13	-70.87	5.43	-2.70	-13.00	-55.13
936.95	S	-62.20	-64.41	5.39	-3.18	-13.00	-49.20
3760.00	Н	-38.25	-39.70	8.46	-7.02	-13.00	-25.25
5640.00	Н	-48.19	-49.71	10.11	-8.59	-13.00	-35.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 108 of 157


ARFCN :CH 810 **Test Date** :2015-09-26

:GPRS 1900 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1909.8 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-49.04	-35.82	-12.47	-0.74	-13.00	-36.04
173.56	S	-59.88	-60.44	2.05	-1.49	-13.00	-46.88
328.76	S	-70.53	-74.50	5.85	-1.89	-13.00	-57.53
555.74	S	-67.93	-71.05	5.72	-2.60	-13.00	-54.93
760.41	S	-66.46	-69.21	5.47	-2.72	-13.00	-53.46
936.95	S	-59.82	-62.03	5.39	-3.18	-13.00	-46.82
3819.60	Н	-32.42	-33.87	8.50	-7.05	-13.00	-19.42
5729.40	Н	-43.36	-44.84	10.12	-8.64	-13.00	-30.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is any the presented to the full set events of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 109 of 157


ARFCN :CH 810 **Test Date** :2015-09-26

:GPRS 1900 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1909.8 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-61.33	-48.58	-11.98	-0.76	-13.00	-48.33
267.65	S	-64.25	-68.34	5.77	-1.69	-13.00	-51.25
318.09	S	-68.97	-72.94	5.83	-1.85	-13.00	-55.97
469.41	S	-70.42	-73.96	5.66	-2.12	-13.00	-57.42
726.46	S	-68.10	-70.94	5.48	-2.64	-13.00	-55.10
938.89	S	-60.82	-63.02	5.39	-3.19	-13.00	-47.82
3819.60	Н	-39.84	-41.29	8.50	-7.05	-13.00	-26.84
5729.40	Н	-46.86	-48.34	10.12	-8.64	-13.00	-33.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 110 of 157

Radiated Spurious Emission Measurement Result: HSDPA II Mode

ARFCN :CH 9262 **Test Date** :2015-09-26


Operation Band :HSDPA B2 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1852.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane

Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
41.64	S	-52.85	-41.52	-10.48	-0.84	-13.00	-39.85
173.56	S	-61.08	-61.64	2.05	-1.49	-13.00	-48.08
393.75	S	-70.87	-74.71	5.79	-1.95	-13.00	-57.87
544.10	S	-69.01	-72.22	5.76	-2.54	-13.00	-56.01
755.56	S	-65.59	-68.33	5.45	-2.71	-13.00	-52.59
936.95	S	-56.66	-58.87	5.39	-3.18	-13.00	-43.66
3704.80	Н	-48.28	-49.82	8.43	-6.89	-13.00	-35.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 111 of 157


ARFCN :CH 9262 **Test Date** :2015-09-26

:HSDPA B2 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1852.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-57.29	-44.55	-11.98	-0.76	-13.00	-44.29
269.59	S	-64.04	-68.10	5.76	-1.69	-13.00	-51.04
303.54	S	-68.55	-72.53	5.78	-1.80	-13.00	-55.55
516.94	S	-71.62	-75.07	5.85	-2.40	-13.00	-58.62
721.61	S	-63.50	-66.36	5.49	-2.63	-13.00	-50.50
936.95	S	-59.16	-61.37	5.39	-3.18	-13.00	-46.16
3704.80	Н	-47.07	-48.61	8.43	-6.89	-13.00	-34.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 112 of 157

ARFCN :CH 9400 **Test Date** :2015-09-26


Operation Band :HSDPA B2 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1880.0 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane

Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
41.64	S	-55.78	-44.45	-10.48	-0.84	-13.00	-42.78
173.56	S	-59.87	-60.44	2.05	-1.49	-13.00	-46.87
323.91	S	-70.26	-74.23	5.84	-1.88	-13.00	-57.26
531.49	S	-68.66	-71.99	5.80	-2.48	-13.00	-55.66
760.41	S	-66.51	-69.25	5.47	-2.72	-13.00	-53.51
936.95	S	-59.68	-61.88	5.39	-3.18	-13.00	-46.68
3760.00	Н	-47.02	-48.46	8.46	-7.02	-13.00	-34.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 113 of 157


ARFCN :CH 9400 **Test Date** :2015-09-26

Operation Band :HSDPA B2 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1880.0 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-56.86	-44.11	-11.98	-0.76	-13.00	-43.86
267.65	S	-63.52	-67.61	5.77	-1.69	-13.00	-50.52
396.66	S	-69.80	-73.63	5.78	-1.95	-13.00	-56.80
519.85	S	-71.11	-74.54	5.84	-2.41	-13.00	-58.11
696.39	S	-67.73	-70.67	5.55	-2.61	-13.00	-54.73
938.89	S	-61.02	-63.22	5.39	-3.19	-13.00	-48.02
3760.00	Н	-47.04	-48.48	8.46	-7.02	-13.00	-34.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 114 of 157


ARFCN :CH 9538 **Test Date** :2015-09-26

Operation Band :HSDPA B2 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1907.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-53.45	-40.24	-12.47	-0.74	-13.00	-40.45
175.50	S	-60.82	-61.71	2.38	-1.49	-13.00	-47.82
408.30	S	-70.98	-74.76	5.72	-1.94	-13.00	-57.98
555.74	S	-68.79	-71.90	5.72	-2.60	-13.00	-55.79
759.44	S	-66.23	-68.97	5.46	-2.72	-13.00	-53.23
936.95	S	-57.40	-59.61	5.39	-3.18	-13.00	-44.40
3815.20	Н	-50.85	-52.29	8.49	-7.05	-13.00	-37.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 115 of 157


ARFCN :CH 9538 **Test Date** :2015-09-26

Operation Band :HSDPA B2 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1907.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-58.69	-45.94	-11.98	-0.76	-13.00	-45.69
269.59	S	-64.52	-68.59	5.76	-1.69	-13.00	-51.52
361.74	S	-70.15	-74.06	5.88	-1.96	-13.00	-57.15
478.14	S	-69.93	-73.49	5.73	-2.17	-13.00	-56.93
725.49	S	-67.42	-70.27	5.48	-2.64	-13.00	-54.42
936.95	S	-60.36	-62.57	5.39	-3.18	-13.00	-47.36
3815.20	Н	-52.69	-54.14	8.49	-7.05	-13.00	-39.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 116 of 157

Radiated Spurious Emission Measurement Result: WCDMA IV Mode


ARFCN :CH 1312 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1712.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
90.14	S	-52.91	-51.37	-0.45	-1.09	-13.00	-39.91
175.50	S	-55.68	-54.42	0.23	-1.49	-13.00	-42.68
382.11	S	-70.39	-72.11	3.67	-1.95	-13.00	-57.39
531.49	S	-69.07	-70.24	3.65	-2.48	-13.00	-56.07
736.16	S	-67.48	-68.13	3.31	-2.66	-13.00	-54.48
800.00	S	-61.01	-61.60	3.44	-2.85	-13.00	-48.01
3424.80	Н	-52.94	-54.48	8.09	-6.54	-13.00	-39.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 117 of 157


ARFCN :CH 1312 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1712.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
34.85	S	-59.64	-45.18	-13.67	-0.78	-13.00	-46.64
206.54	S	-62.73	-64.73	3.55	-1.54	-13.00	-49.73
332.64	S	-65.25	-67.06	3.72	-1.91	-13.00	-52.25
464.56	S	-69.12	-70.49	3.47	-2.11	-13.00	-56.12
721.61	S	-70.25	-70.96	3.34	-2.63	-13.00	-57.25
811.20	S	-55.64	-56.19	3.45	-2.89	-13.00	-42.64
3424.80	Н	-49.49	-51.03	8.09	-6.54	-13.00	-36.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 118 of 157


ARFCN :CH 1413 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1732.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-54.28	-38.92	-14.62	-0.74	-13.00	-41.28
173.56	S	-55.33	-53.74	-0.10	-1.49	-13.00	-42.33
382.11	S	-71.93	-73.64	3.67	-1.95	-13.00	-58.93
532.46	S	-69.50	-70.66	3.65	-2.48	-13.00	-56.50
689.60	S	-68.24	-69.06	3.43	-2.62	-13.00	-55.24
814.40	S	-61.68	-62.23	3.45	-2.90	-13.00	-48.68
3465.20	Н	-54.34	-56.01	8.20	-6.53	-13.00	-41.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 119 of 157


ARFCN :CH 1413 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1732.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
34.85	S	-59.33	-44.88	-13.67	-0.78	-13.00	-46.33
156.10	S	-63.50	-60.39	-1.69	-1.42	-13.00	-50.50
400.54	S	-65.74	-67.42	3.62	-1.95	-13.00	-52.74
460.68	S	-69.49	-70.83	3.44	-2.10	-13.00	-56.49
728.40	S	-65.42	-66.10	3.32	-2.64	-13.00	-52.42
815.60	S	-54.73	-55.28	3.45	-2.91	-13.00	-41.73
3465.20	Н	-50.32	-51.99	8.20	-6.53	-13.00	-37.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 120 of 157


ARFCN :CH 1513 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1752.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-54.29	-38.93	-14.62	-0.74	-13.00	-41.29
173.56	S	-55.65	-54.06	-0.10	-1.49	-13.00	-42.65
444.19	S	-71.76	-73.09	3.37	-2.05	-13.00	-58.76
510.15	S	-70.64	-72.00	3.72	-2.36	-13.00	-57.64
730.34	S	-65.06	-65.73	3.32	-2.65	-13.00	-52.06
805.70	S	-60.63	-61.20	3.44	-2.87	-13.00	-47.63
3505.20	Н	-53.98	-55.61	8.30	-6.68	-13.00	-40.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 121 of 157


ARFCN :CH 1513 **Test Date** :2015-09-26

Operation Band :WCDMA B4 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:1752.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
34.85	S	-59.62	-45.16	-13.67	-0.78	-13.00	-46.62
207.51	S	-62.50	-64.55	3.60	-1.55	-13.00	-49.50
330.70	S	-62.86	-64.66	3.71	-1.90	-13.00	-49.86
466.50	S	-68.78	-70.15	3.49	-2.11	-13.00	-55.78
701.24	S	-69.52	-70.29	3.38	-2.61	-13.00	-56.52
814.32	S	-55.54	-56.09	3.45	-2.90	-13.00	-42.54
3505.20	Н	-54.05	-55.67	8.30	-6.68	-13.00	-41.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 122 of 157

Radiated Spurious Emission Measurement Result: HSDPA V Mode


ARFCN :CH 4132 **Test Date** :2015-09-26

:HSDPA B5 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:826.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
90.14	S	-52.91	-51.37	-0.45	-1.09	-13.00	-39.91
175.50	S	-55.68	-54.42	0.23	-1.49	-13.00	-42.68
382.11	S	-70.39	-72.11	3.67	-1.95	-13.00	-57.39
531.49	S	-69.07	-70.24	3.65	-2.48	-13.00	-56.07
736.16	S	-67.48	-68.13	3.31	-2.66	-13.00	-54.48
800.00	S	-61.01	-61.60	3.44	-2.85	-13.00	-48.01
1652.80	Н	-54.41	-53.24	3.05	-4.22	-13.00	-41.41
2479.20	Н	-56.66	-54.94	3.61	-5.32	-13.00	-43.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 123 of 157


ARFCN :CH 4132 **Test Date** :2015-09-26

:HSDPA B5 **Operation Band** Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:826.4 MHz Engineer :Curry

Operation Mode :TX LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-59.64	-45.18	-13.67	-0.78	-13.00	-46.64
206.54	S	-62.73	-64.73	3.55	-1.54	-13.00	-49.73
332.64	S	-65.25	-67.06	3.72	-1.91	-13.00	-52.25
464.56	S	-69.12	-70.49	3.47	-2.11	-13.00	-56.12
721.61	S	-70.25	-70.96	3.34	-2.63	-13.00	-57.25
813.00	S	-55.64	-56.19	3.45	-2.90	-13.00	-42.64
1652.80	Н	-39.80	-38.63	3.05	-4.22	-13.00	-26.80
2479.20	Н	-57.39	-55.67	3.61	-5.32	-13.00	-44.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 124 of 157


ARFCN :CH 4183 **Test Date** :2015-09-26

Operation Band :HSDPA B5 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:836.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-54.28	-38.92	-14.62	-0.74	-13.00	-41.28
173.56	S	-55.33	-53.74	-0.10	-1.49	-13.00	-42.33
382.11	S	-71.93	-73.64	3.67	-1.95	-13.00	-58.93
532.46	S	-69.50	-70.66	3.65	-2.48	-13.00	-56.50
689.60	S	-68.24	-69.06	3.43	-2.62	-13.00	-55.24
817.00	S	-61.68	-62.22	3.45	-2.91	-13.00	-48.68
1673.20	Н	-50.45	-49.20	3.01	-4.26	-13.00	-37.45
2509.80	Н	-55.49	-53.81	3.67	-5.35	-13.00	-42.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 125 of 157


ARFCN :CH 4183 **Test Date** :2015-09-26

Operation Band :HSDPA B5 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:836.6 MHz Engineer :Curry

Operation Mode :TX MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-59.33	-44.88	-13.67	-0.78	-13.00	-46.33
156.10	S	-63.50	-60.39	-1.69	-1.42	-13.00	-50.50
400.54	S	-65.74	-67.42	3.62	-1.95	-13.00	-52.74
460.68	S	-69.49	-70.83	3.44	-2.10	-13.00	-56.49
728.40	S	-65.42	-66.10	3.32	-2.64	-13.00	-52.42
816.00	S	-54.73	-55.27	3.45	-2.91	-13.00	-41.73
1673.20	Н	-39.48	-38.23	3.01	-4.26	-13.00	-26.48
2509.80	Н	-56.93	-55.25	3.67	-5.35	-13.00	-43.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 126 of 157


ARFCN :CH 4233 **Test Date** :2015-09-26

Operation Band :HSDPA B5 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:846.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-54.29	-38.93	-14.62	-0.74	-13.00	-41.29
173.56	S	-55.65	-54.06	-0.10	-1.49	-13.00	-42.65
444.19	S	-71.76	-73.09	3.37	-2.05	-13.00	-58.76
510.15	S	-70.64	-72.00	3.72	-2.36	-13.00	-57.64
730.34	S	-65.06	-65.73	3.32	-2.65	-13.00	-52.06
810.00	S	-60.63	-61.19	3.45	-2.89	-13.00	-47.63
1693.20	Н	-52.09	-50.78	2.97	-4.27	-13.00	-39.09
2539.80	Н	-55.80	-54.14	3.74	-5.40	-13.00	-42.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 127 of 157


ARFCN :CH 4233 **Test Date** :2015-09-26

Operation Band :HSDPA B5 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequen-:846.6 MHz Engineer :Curry

Operation Mode :TX HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-59.62	-45.16	-13.67	-0.78	-13.00	-46.62
207.51	S	-62.50	-64.55	3.60	-1.55	-13.00	-49.50
330.70	S	-62.86	-64.66	3.71	-1.90	-13.00	-49.86
466.50	S	-68.78	-70.15	3.49	-2.11	-13.00	-55.78
701.24	S	-69.52	-70.29	3.38	-2.61	-13.00	-56.52
816.00	S	-55.54	-56.08	3.45	-2.91	-13.00	-42.54
1693.20	Н	-39.47	-38.17	2.97	-4.27	-13.00	-26.47
2539.80	Н	-55.85	-54.19	3.74	-5.40	-13.00	-42.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is an experienced by the development is undertiled and freedom more than the present of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015


Page: 128 of 157

11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector.

11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 129 of 157

11.4. Measurement Equipment Used:

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016				
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016				
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016				
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016				
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016				
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016				
DC Power Supply	Agilent	E3640A	KR93300208	08/14/2015	08/13/2016				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 130 of 157

11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
,,,,	Temperature	- 4 7	Delta (Hz)	Limit (Hz)			
Vdc	()	(MHz)					
8.74	20	836599992	1	2091			
7.7	20	836599991	0	2091			
6.46	20	836600006	15	2091			
6.0	20	936500004	3	2001			
(End point)	20	836599994	S	2091			

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz									
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)					
7.7	50	836600009	18	2091					
7.7	40	836599986	-5	2091					
7.7	30	836599994	3	2091					
7.7	20	836599991	0	2091					
7.7	10	836599995	4	2091					
7.7	0	836599993	2	2091					
7.7	-10	836599991	0	2091					
7.7	-20	836599986	-5	2091					
7.7	-30	836599995	4	2091					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and effective members are recommended. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 131 of 157

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz								
Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency						
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)				
8.74	20	1880000005	10	4700				
7.7	20	1879999995	0	4700				
6.46	20	1879999994	-1	4700				
6.0 (End point)	20	1879999996	1	4700				

FREQUENCY ERROR vs. TEMPERATURE

Ref	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz								
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)					
7.7	50	1879999992	-3	4700					
7.7	40	1879999991	-4	4700					
7.7	30	1879999986	-9	4700					
7.7	20	1879999995	0	4700					
7.7	10	1880000011	16	4700					
7.7	0	1880000015	20	4700					
7.7	-10	1879999995	0	4700					
7.7	-20	1879999994	-1	4700					
7.7	-30	1879999993	-2	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 132 of 157

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
8.74	20	1879999991	1	4700
7.7	20	1879999990	0	4700
6.46	20	1879999989	-1	4700
6.0	20	1879999994	4	4700
(End point)	20	1079999994	4	4700

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA II Mid Channel 1880						
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.7	50	1880000006	16	4700		
7.7	40	1879999986	-4	4700		
7.7	30	1880000011	21	4700		
7.7	20	1879999990	0	4700		
7.7	10	1879999994	4	4700		
7.7	0	1879999995	5	4700		
7.7	-10	1880000006	16	4700		
7.7	-20	1879999992	2	4700		
7.7	-30	1880000004	14	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 133 of 157

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz					
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.74	20	173260001	7	4331	
7.7	20	173259994	0	4331	
6.46	20	173259995	1	4331	
6.0	20	172250004	0	4224	
(End point)	20	173259994	0	4331	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz					
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
7.7	50	173259994	0	4331	
7.7	40	173259992	-2	4331	
7.7	30	173259992	-2	4331	
7.7	20	173259994	0	4331	
7.7	10	173259994	0	4331	
7.7	0	173260001	7	4331	
7.7	-10	173260005	11	4331	
7.7	-20	173260003	9	4331	
7.7	-30	173259995	1	4331	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 134 of 157

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.74	20	836599995	1	2091	
7.7	20	836599994	0	2091	
6.46	20	836599999	5	2091	
6.0	20	836599992	-2	2091	
(End point)	20	030399992	-2	2091	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
7.7	50	836600001	7	2091	
7.7	40	836600001	7	2091	
7.7	30	836599994	0	2091	
7.7	20	836599994	0	2091	
7.7	10	836599994	0	2091	
7.7	0	836599996	2	2091	
7.7	-10	836599997	3	2091	
7.7	-20	836599999	5	2091	
7.7	-30	836600006	12	2091	

Note: The battery is rated 7.7Vdc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015


Page: 135 of 157

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ration (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016	
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016	
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016	
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016	
DC Power Supply	Agilent	E3640A	KR93300208	08/14/2015	08/13/2016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 136 of 157

12.5. Measurement Result

Tabular Results:

Frequency	СН		erage Ratio B)	
(MHz)	On	GPRS EDGE		
824.20	128	10.42	11.54	
836.60	190	10.54	12.21	
848.80	251	8.74	12.66	

Frequency	СН		erage Ratio B)
(MHz)	OII	GPRS	EDGE
1850.20	512	10.46	12.24
1880.00	661	9.75	11.54
1909.80	810	9.02	11.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unapplied and proper greated to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 137 of 157

Frequency	СН	Peak-to-Average Ratio (dB)		atio
(MHz)	On On	WCDMA II HSDPA II HSUPA		HSUPA II
1850.20	9262	3.14	4.12	3.73
1880.00	9400	3.07	3.78	3.86
1909.80	9538	2.89	3.87	3.60

Frequency	СН	Peak-to-Average Ratio (dB)		atio
(MHz)	OH	WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	2.99	3.82	3.75
1732.6	1413	3.06	3.67	3.84
1752.6	1513	2.98	3.74	3.83

Frequency	СН	Peak-to-Average Ratio (dB)		atio
(MHz)	OII	WCDMA V	HSDPA V	HSUPA V
826.40	4132	3.26	4.08	3.89
836.60	4183	3.20	3.98	3.87
846.60	4233	3.22	4.02	4.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequited to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 138 of 157

Measurement Results:

GPRS 850 Channel Low



GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and co Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 139 of 157

GPRS 850 Channel High



GPRS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 140 of 157

GPRS 1900 Channel Mid



GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 141 of 157

EDGE 850 Channel Low



EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 142 of 157

EDGE 850 Channel High



EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 143 of 157

EDGE 1900 Channel Mid



EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 144 of 157

WCDMA Band II Channel Low



WCDMA Band II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 145 of 157

WCDMA Band II Channel High



WCDMA Band IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 146 of 157

WCDMA Band IV Channel Mid



WCDMA Band IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 147 of 157

WCDMA Band V Channel Low



WCDMA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 148 of 157

WCDMA Band V Channel High



HSDPA Band II Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 149 of 157

HSDPA Band II Channel Mid



HSDPA Band II Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 150 of 157

HSDPA Band IV Channel Low



HSDPA Band IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 151 of 157

HSDPA Band IV Channel High



HSDPA Band V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 152 of 157

HSDPA Band V Channel Mid



HSDPA Band V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 153 of 157

HSUPA Band II Channel Low



HSUPA Band II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 154 of 157

HSUPA Band II Channel High



HSUPA Band IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 155 of 157

HSUPA Band IV Channel Mid



HSUPA Band IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Pk 并另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its interventio Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 156 of 157

HSUPA Band V Channel Low



HSUPA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2015/90037 Issue Date: Nov. 09, 2015

Page: 157 of 157

HSUPA Band V Channel High



~ End of Report ~

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號