





Plot 7-86. Upper Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-87. Upper Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 64 of 122



Plot 7-88. Lower Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)



Plot 7-89. Lower Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)


FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 65 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-90. Upper Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)




Plot 7-91. Upper Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 66 of 122

V2.1 11/9/2021



Plot 7-92. Lower Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)




Plot 7-93. Lower Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 67 of 122

V2.1 11/9/2021




Plot 7-94. Upper Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)




Plot 7-95. Upper Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 68 of 122



Plot 7-96. Lower Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)



Plot 7-97. Lower Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 69 of 122




Plot 7-98. Upper Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)




Plot 7-99. Upper Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)

FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 70 of 122



Plot 7-100. Lower Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)




Plot 7-101. Lower Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 71 of 122

V2.1 11/9/2021




Plot 7-102. Upper Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)



Plot 7-103. Upper Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)

FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 72 of 122

LTE Band 12




Plot 7-104. Lower Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)



Plot 7-105. Upper Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 73 of 122

V2.1 11/9/2021




Plot 7-106. Lower Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)



Plot 7-107. Upper Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)

FCC ID: BCG-A2726	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 74 of 122

V2.1 11/9/2021



Plot 7-108. Lower Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB)



Plot 7-109. Upper Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB)


FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 75 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-110. Lower Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB)




Plot 7-111. Upper Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 76 of 122

V2.1 11/9/2021

LTE Band 17



Plot 7-112. Lower Band Edge Plot (LTE Band 17 - 5MHz QPSK – Full RB)



Plot 7-113. Upper Band Edge Plot (LTE Band 17 - 5MHz QPSK – Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch
		Page 77 of 122

V2.1 11/9/2021



Plot 7-114. Lower Band Edge Plot (LTE Band 17 - 10MHz QPSK – Full RB)




Plot 7-115. Upper Band Edge Plot (LTE Band 17 - 10MHz QPSK – Full RB)


FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 78 of 122

V2.1 11/9/2021

LTE Band 13



Plot 7-116. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)



Plot 7-117. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 79 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-118. Upper Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)




Plot 7-119. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 80 of 122



Plot 7-120. Lower Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)



Plot 7-121. Lower Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 81 of 122

V2.1 11/9/2021




Plot 7-122. Upper Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)



Plot 7-123. Upper Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 82 of 122




Plot 7-124. Lower Band Edge Plot (WCDMA AWS – Ch. 1312)



Plot 7-125. Lower Extended Band Edge Plot (WCDMA AWS – Ch. 1312)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 83 of 122



Plot 7-126. Upper Band Edge Plot (WCDMA AWS – Ch. 1513)



Plot 7-127. Upper Extended Band Edge Plot (WCDMA AWS – Ch. 1513)

FCC ID: BCG-A2726	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 84 of 122

7.5 Peak-Average Ratio

§27.50(d)(5)

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW $\geq$ OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup


Test Notes

None.


FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 85 of 122

V2.1 11/9/2021

LTE Band 66



Plot 7-128. PAR Plot (LTE Band 66 - 1.4MHz QPSK - Full RB)




Plot 7-129. PAR Plot (LTE Band 66 - 1.4MHz 16-QAM - Full RB)


FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 86 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-130. PAR Plot (LTE Band 66 - 3MHz QPSK - Full RB)




Plot 7-131. PAR Plot (LTE Band 66 - 3MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 87 of 122

V2.1 11/9/2021



Plot 7-132. PAR Plot (LTE Band 66 - 5MHz QPSK - Full RB)




Plot 7-133. PAR Plot (LTE Band 66 - 5MHz 16-QAM - Full RB)


FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 88 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-134. PAR Plot (LTE Band 66 - 10MHz QPSK - Full RB)




Plot 7-135. PAR Plot (LTE Band 66 - 10MHz 16-QAM - Full RB)


FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 89 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-136. PAR Plot (LTE Band 66 - 15MHz QPSK - Full RB)




Plot 7-137. PAR Plot (LTE Band 66 - 15MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 90 of 122

V2.1 11/9/2021



Plot 7-138. PAR Plot (LTE Band 66 - 20MHz QPSK - Full RB)




Plot 7-139. PAR Plot (LTE Band 66 - 20MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 91 of 122


V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

LTE Band 4



Plot 7-140. PAR Plot (LTE Band 4 - 1.4MHz QPSK - Full RB)




Plot 7-141. PAR Plot (LTE Band 4 - 1.4MHz 16-QAM - Full RB)


FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 92 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-142. PAR Plot (LTE Band 4 - 3MHz QPSK - Full RB)




Plot 7-143. PAR Plot (LTE Band 4 - 3MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 93 of 122

V2.1 11/9/2021




Plot 7-144. PAR Plot (LTE Band 4 - 5MHz QPSK - Full RB)




Plot 7-145. PAR Plot (LTE Band 4 - 5MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 94 of 122

V2.1 11/9/2021




Plot 7-146. PAR Plot (LTE Band 4 - 10MHz QPSK - Full RB)




Plot 7-147. PAR Plot (LTE Band 4 - 10MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 95 of 122

V2.1 11/9/2021




Plot 7-148. PAR Plot (LTE Band 4 - 15MHz QPSK - Full RB)




Plot 7-149. PAR Plot (LTE Band 4 - 15MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	element PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 96 of 122

V2.1 11/9/2021



Plot 7-150. PAR Plot (LTE Band 4 - 20MHz QPSK - Full RB)




Plot 7-151. PAR Plot (LTE Band 4 - 20MHz 16-QAM - Full RB)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 97 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-152. PAR Plot (WCDMA, Ch. 1413)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 98 of 122

V2.1 11/9/2021

7.6 Radiated Power (ERP/EIRP)

§27.50(b)(10), §27.50(c)(10), §27.50(d)(4)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are calculated by adding highest antenna gain to maximum measured conducted output power. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v03r01 – Section 5.2.1

ANSI C63.26-2015 – Section 5.2.5.5

Test Settings

The relevant equation for determining the ERP or EIRP from the conducted RF output power measured is:

$$\text{ERP/EIRP} = \text{PMeas} - \text{LC} + \text{GT}$$

Where:

ERP/EIRP = Effective or Equivalent Isotropic Radiated Power, respectively (expressed in the same units as PMeas, typically dBW or dBm)

PMeas = measured transmitter output power or PSD, in dBW or dBm

LC = signal attenuation in the connecting cable between the transmitter and antenna in dB

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. ERP/EIRP Measurement Setup

FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 99 of 122

V2.1 11/9/2021

Test Notes

1. The EUT was tested in all possible test configurations. The worst case emissions are reported with the EUT modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
2. This unit was tested with its standard battery.
3. The Level (dBm) readings in the table were taken with a correction table loaded into the base station simulator. The correction table was used to account for the signal attenuation in the connecting cable between the transmitter and antenna.
4. This device employs UMTS technology with WCDMA (AMR/RMC) and HSDPA capabilities. The EUT was tested under all configurations and the highest power is reported in WCDMA mode with HSDPA Inactive at 12.2 kbps RMC and TPC bits all set to "1."
5. The Ant. Gains (GT) are listed in dBi.

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 100 of 122

V2.1 11/9/2021

7.6.1 Antenna FCM –EIRP

Antenna FCM LTE Band 66

Bandwidth	Mod.	Frequency [MHz]	Ant. Gain [dBi]	RB Size/Offset	Conducted Power [dBm]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
1.4 MHz	QPSK	1710.7	-11.43	1 / 3	23.76	12.33	17.100	30.00	-17.67
		1745.0	-11.43	1 / 5	23.69	12.26	16.827	30.00	-17.74
		1779.3	-11.43	1 / 3	24.02	12.59	18.155	30.00	-17.41
	16-QAM	1745.0	-11.43	1 / 0	23.41	11.98	15.776	30.00	-18.02
3 MHz	QPSK	1711.5	-11.43	1 / 0	23.78	12.35	17.179	30.00	-17.65
		1745.0	-11.43	1 / 0	23.66	12.23	16.711	30.00	-17.77
		1778.5	-11.43	1 / 0	24.10	12.67	18.493	30.00	-17.33
	16-QAM	1778.5	-11.43	1 / 0	23.45	12.02	15.922	30.00	-17.98
5 MHz	QPSK	1712.5	-11.43	1 / 0	24.03	12.60	18.197	30.00	-17.40
		1745.0	-11.43	1 / 12	23.79	12.36	17.219	30.00	-17.64
		1777.5	-11.43	1 / 12	23.76	12.33	17.100	30.00	-17.67
	16-QAM	1712.5	-11.43	1 / 0	23.39	11.96	15.704	30.00	-18.04
10 MHz	QPSK	1715.0	-11.43	1 / 0	23.76	12.33	17.100	30.00	-17.67
		1745.0	-11.43	1 / 25	23.72	12.29	16.943	30.00	-17.71
		1775.0	-11.43	1 / 25	24.03	12.60	18.197	30.00	-17.40
	16-QAM	1745.0	-11.43	1 / 25	23.35	11.92	15.560	30.00	-18.08
15 MHz	QPSK	1717.5	-11.43	1 / 0	24.06	12.63	18.323	30.00	-17.37
		1745.0	-11.43	1 / 0	23.65	12.22	16.672	30.00	-17.78
		1772.5	-11.43	1 / 0	24.01	12.58	18.113	30.00	-17.42
	16-QAM	1772.5	-11.43	1 / 74	23.35	11.92	15.560	30.00	-18.08
20 MHz	QPSK	1720.0	-11.43	1 / 0	24.00	12.57	18.072	30.00	-17.43
		1745.0	-11.43	1 / 0	24.08	12.65	18.408	30.00	-17.35
		1770.0	-11.43	1 / 0	23.88	12.45	17.579	30.00	-17.55
	16-QAM	1770.0	-11.43	1 / 0	23.43	12.00	15.849	30.00	-18.00

Table 7-2. Antenna FCM EIRP Data (LTE Band 66)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 101 of 122

V2.1 11/9/2021

Antenna FCM LTE Band 4

Bandwidth	Mod.	Frequency [MHz]	Ant. Gain [dBi]	RB Size/Offset	Conducted Power [dBm]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
1.4 MHz	QPSK	1710.7	-11.43	1 / 0	24.00	12.57	18.072	30.00	-17.43
		1732.5	-11.43	1 / 3	23.85	12.42	17.458	30.00	-17.58
		1754.3	-11.43	1 / 3	24.05	12.62	18.281	30.00	-17.38
	16-QAM	1732.5	-11.43	1 / 5	23.40	11.97	15.740	30.00	-18.03
3 MHz	QPSK	1711.5	-11.43	1 / 0	23.98	12.55	17.989	30.00	-17.45
		1732.5	-11.43	1 / 7	24.01	12.58	18.113	30.00	-17.42
		1753.5	-11.43	1 / 0	23.87	12.44	17.539	30.00	-17.56
	16-QAM	1753.5	-11.43	1 / 0	23.51	12.08	16.144	30.00	-17.92
5 MHz	QPSK	1712.5	-11.43	1 / 12	23.82	12.39	17.338	30.00	-17.61
		1732.5	-11.43	1 / 12	24.00	12.57	18.072	30.00	-17.43
		1752.5	-11.43	1 / 12	23.73	12.30	16.982	30.00	-17.70
	16-QAM	1732.5	-11.43	1 / 24	23.41	11.98	15.776	30.00	-18.02
10 MHz	QPSK	1715.0	-11.43	1 / 0	23.80	12.37	17.258	30.00	-17.63
		1732.5	-11.43	1 / 0	24.06	12.63	18.323	30.00	-17.37
		1750.0	-11.43	1 / 0	23.89	12.46	17.620	30.00	-17.54
	16-QAM	1732.5	-11.43	1 / 0	23.64	12.21	16.634	30.00	-17.79
15 MHz	QPSK	1717.5	-11.43	1 / 0	24.01	12.58	18.113	30.00	-17.42
		1732.5	-11.43	1 / 0	24.06	12.63	18.323	30.00	-17.37
		1747.5	-11.43	1 / 0	23.86	12.43	17.498	30.00	-17.57
	16-QAM	1717.5	-11.43	1 / 0	23.50	12.07	16.106	30.00	-17.93
20 MHz	QPSK	1720.0	-11.43	1 / 0	24.00	12.57	18.072	30.00	-17.43
		1732.5	-11.43	1 / 0	23.82	12.39	17.338	30.00	-17.61
		1745.0	-11.43	1 / 50	24.04	12.61	18.239	30.00	-17.39
	16-QAM	1745.0	-11.43	1 / 0	23.60	12.17	16.482	30.00	-17.83

Table 7-3. Antenna FCM EIRP Data (LTE Band 4)

Antenna FCM WCDMA AWS

Frequency [MHz]	Mode	Conducted Power [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
1712.40	WCDMA1700	23.90	-11.43	12.47	17.660	30.00	-17.53
1732.60	WCDMA1700	23.84	-11.43	12.41	17.418	30.00	-17.59
1752.60	WCDMA1700	23.74	-11.43	12.31	17.022	30.00	-17.69

Table 7-4. Antenna FCM EIRP Data (WCDMA AWS)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch		Page 102 of 122

V2.1 11/9/2021

7.6.2 Antenna BCM ERP/ EIRP

Antenna BCM LTE Band 12

Bandwidth	Mod.	Frequency [MHz]	Ant. Gain [dBi]	RB Size/Offset	Conducted Power [dBm]	ERP [dBm]	ERP [mW]	ERP Limit [dBm]	Margin [dB]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
1.4 MHz	QPSK	699.7	-32.29	1 / 0	25.03	-9.41	0.115	34.77	-44.18	-7.26	0.188	36.99	-44.25
		707.5	-32.29	1 / 0	25.22	-9.22	0.120	34.77	-43.99	-7.07	0.196	36.99	-44.06
		715.3	-32.29	1 / 5	25.21	-9.23	0.119	34.77	-44.00	-7.08	0.196	36.99	-44.07
	16-QAM	707.5	-32.29	1 / 5	24.69	-9.75	0.106	34.77	-44.52	-7.60	0.174	36.99	-44.59
3 MHz	QPSK	700.5	-32.29	1 / 7	25.03	-9.41	0.115	34.77	-44.18	-7.26	0.188	36.99	-44.25
		707.5	-32.29	1 / 7	25.20	-9.24	0.119	34.77	-44.01	-7.09	0.195	36.99	-44.08
		714.5	-32.29	1 / 7	25.02	-9.42	0.114	34.77	-44.19	-7.27	0.187	36.99	-44.26
	16-QAM	707.5	-32.29	1 / 0	24.75	-9.69	0.107	34.77	-44.46	-7.54	0.176	36.99	-44.53
5 MHz	QPSK	701.5	-32.29	1 / 0	25.27	-9.17	0.121	34.77	-43.94	-7.02	0.199	36.99	-44.01
		707.5	-32.29	1 / 12	25.37	-9.07	0.124	34.77	-43.84	-6.92	0.203	36.99	-43.91
		713.5	-32.29	1 / 24	24.96	-9.48	0.113	34.77	-44.25	-7.33	0.185	36.99	-44.32
	16-QAM	701.5	-32.29	1 / 12	24.66	-9.78	0.105	34.77	-44.55	-7.63	0.173	36.99	-44.62
10 MHz	QPSK	704.0	-32.29	1 / 49	25.26	-9.18	0.121	34.77	-43.95	-7.03	0.198	36.99	-44.02
		707.5	-32.29	1 / 25	25.09	-9.35	0.116	34.77	-44.12	-7.20	0.191	36.99	-44.19
		711.0	-32.29	1 / 0	25.24	-9.20	0.120	34.77	-43.97	-7.05	0.197	36.99	-44.04
	16-QAM	704.0	-32.29	1 / 49	24.56	-9.88	0.103	34.77	-44.65	-7.73	0.169	36.99	-44.72

Table 7-5. Antenna BCM ERP/ EIRP Data (LTE Band 12)

Antenna BCM LTE Band 17

Bandwidth	Mod.	Frequency [MHz]	Ant. Gain [dBi]	RB Size/Offset	Conducted Power [dBm]	ERP [dBm]	ERP [mW]	ERP Limit [dBm]	Margin [dB]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
5 MHz	QPSK	706.5	-32.29	1 / 12	25.35	-9.09	0.123	34.77	-43.86	-6.94	0.202	36.99	-43.93
		710.0	-32.29	1 / 0	25.38	-9.06	0.124	34.77	-43.83	-6.91	0.204	36.99	-43.90
		713.5	-32.29	1 / 24	24.93	-9.51	0.112	34.77	-44.28	-7.36	0.184	36.99	-44.35
	16-QAM	706.5	-32.29	1 / 12	24.63	-9.81	0.104	34.77	-44.58	-7.66	0.171	36.99	-44.65
10 MHz	QPSK	709.0	-32.29	1 / 25	25.24	-9.20	0.120	34.77	-43.97	-7.05	0.197	36.99	-44.04
		710.0	-32.29	1 / 0	25.06	-9.38	0.115	34.77	-44.15	-7.23	0.189	36.99	-44.22
		711.0	-32.29	1 / 0	25.20	-9.24	0.119	34.77	-44.01	-7.09	0.195	36.99	-44.08
	16-QAM	709.0	-32.29	1 / 0	24.57	-9.87	0.103	34.77	-44.64	-7.72	0.169	36.99	-44.71

Table 7-6. Antenna BCM ERP/ EIRP Data (LTE Band 17)

Antenna BCM LTE Band 13

Bandwidth	Mod.	Frequency [MHz]	Ant. Gain [dBi]	RB Size/Offset	Conducted Power [dBm]	ERP [dBm]	ERP [mW]	ERP Limit [dBm]	Margin [dB]	EIRP [dBm]	EIRP [mW]	EIRP Limit [dBm]	Margin [dB]
5 MHz	QPSK	779.5	-29.73	1 / 0	25.35	-6.53	0.222	34.77	-41.30	-4.38	0.365	36.99	-41.37
		782.0	-29.73	1 / 12	25.31	-6.57	0.220	34.77	-41.34	-4.42	0.361	36.99	-41.41
		784.5	-29.73	1 / 24	24.98	-6.90	0.204	34.77	-41.67	-4.75	0.335	36.99	-41.74
	16-QAM	779.5	-29.73	1 / 0	24.55	-7.33	0.185	34.77	-42.10	-5.18	0.303	36.99	-42.17
10 MHz	QPSK	782.0	-29.73	1 / 25	25.09	-6.79	0.209	34.77	-41.56	-4.64	0.344	36.99	-41.63
	16-QAM	782.0	-29.73	1 / 49	24.44	-7.44	0.180	34.77	-42.21	-5.29	0.296	36.99	-42.28

Table 7-7. Antenna BCM ERP/ EIRP Data (LTE Band 13)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 103 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7 Radiated Spurious Emissions

§2.1053, §27.53(f)

Test Overview

Radiated spurious emissions measurements are performed using the field strength conversion method described in KDB 971168 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using horizontally and vertically polarized broadband hybrid antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed while the EUT is operating at maximum power and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v03r01 – Section 5.8

ANSI C63.26-2015, TIA-603-E-2016 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW $\geq 3 \times$ RBW
3. Span = 1.5 times the OBW
4. No. of sweep points $\geq 2 \times$ span / RBW
5. Detector = RMS
6. Trace mode = Average (Max Hold for pulsed emissions)
7. The trace was allowed to stabilize

FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 104 of 122

V2.1 11/9/2021

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Test Instrument & Measurement Setup < 1GHz




Figure 7-7. Test Instrument & Measurement Setup > 1GHz

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 105 of 122

V2.1 11/9/2021

Test Notes


1. Field strengths are calculated using the Measurement quantity conversions in KDB 971168 Section 5.8.4.
 - a. $E(\text{dB}\mu\text{V/m}) = \text{Measured amplitude level (dBm)} + 107 + \text{Cable Loss (dB)} + \text{Antenna Factor (dB/m)}$
 - b. $\text{EIRP (dBm)} = E(\text{dB}\mu\text{V/m}) + 20\log D - 104.8$; where D is the measurement distance in meters.
2. The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
3. This unit was tested with its standard battery.
4. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
5. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
6. The "-" shown in the following RSE tables are used to denote a noise floor measurement.

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 106 of 122

V2.1 11/9/2021

7.7.1 Radiated Spurious Emission Measurement

Antenna FCM LTE Band 66/4



Plot 7-153. Antenna FCM Radiated Spurious Emission above 1GHz (LTE Band 66/4)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 107 of 122

V2.1 11/9/2021

Bandwidth (MHz):	20
Frequency (MHz):	1720.0
RB / Offset:	1 / 50

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3440.0	H	118	193	-75.67	1.51	32.84	-62.42	-13.00	-49.42
5160.0	H	-	-	-79.65	4.78	32.13	-63.13	-13.00	-50.13
6880.0	H	-	-	-80.87	8.58	34.71	-60.55	-13.00	-47.55
8600.0	H	-	-	-82.11	9.13	34.02	-61.24	-13.00	-48.24

Table 7-8. Antenna FCM Radiated Spurious Data (LTE Band 66/4 – Low Channel)

Bandwidth (MHz):	20
Frequency (MHz):	1745.0
RB / Offset:	1 / 50

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3490.0	H	250	200	-70.82	1.51	37.69	-57.56	-13.00	-44.56
5235.0	H	319	21	-71.29	4.73	40.44	-54.82	-13.00	-41.82
6980.0	H	-	-	-81.89	8.11	33.22	-62.04	-13.00	-49.04
8725.0	H	-	-	-81.99	8.89	33.90	-61.36	-13.00	-48.36
10470.0	H	-	-	-81.50	10.01	35.51	-59.75	-13.00	-46.75

Table 7-9. Antenna FCM Radiated Spurious Data (LTE Band 66/4 – Mid Channel)

Bandwidth (MHz):	20
Frequency (MHz):	1770.0
RB / Offset:	1 / 50


Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3540.0	H	117	185	-75.83	1.78	32.95	-62.30	-13.00	-49.30
5310.0	H	291	202	-78.76	5.07	33.31	-61.95	-13.00	-48.95
7080.0	H	-	-	-80.93	8.08	34.15	-61.11	-13.00	-48.11
8850.0	H	-	-	-81.42	9.01	34.59	-60.66	-13.00	-47.66
10620.0	H	-	-	-83.62	10.62	34.00	-61.26	-13.00	-48.26

Table 7-10. Antenna FCM Radiated Spurious Data (LTE Band 66/4 – High Channel)


FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 108 of 122

V2.1 11/9/2021

Antenna BCM LTE Band 12/17



Plot 7-154. Antenna BCM Radiated Spurious Emission below 1GHz (LTE Band 12/17)



Plot 7-155. Antenna BCM Radiated Spurious Emission above 1GHz (LTE Band 12/17)

FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 109 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Bandwidth (MHz):	10
Frequency (MHz):	704.0
RB / Offset:	1 / 25

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1408.0	V	160	331	-76.12	-4.84	26.04	-69.22	-13.00	-56.22
2112.0	H	-	-	-77.15	-1.15	28.70	-66.55	-13.00	-53.55
2816.0	H	-	-	-77.36	0.36	30.00	-65.25	-13.00	-52.25
3520.0	H	-	-	-78.00	1.58	30.58	-64.68	-13.00	-51.68

Table 7-11. Antenna BCM Radiated Spurious Data (LTE Band 12/17 – Low Channel)

Bandwidth (MHz):	10
Frequency (MHz):	707.5
RB / Offset:	1 / 25

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1415.0	H	194	84	-76.57	-4.86	25.57	-69.68	-13.00	-56.68
2122.5	H	-	-	-77.08	-1.20	28.72	-66.54	-13.00	-53.54
2830.0	H	-	-	-77.39	0.33	29.94	-65.32	-13.00	-52.32
3537.5	H	-	-	-78.01	1.57	30.56	-64.70	-13.00	-51.70

Table 7-12. Antenna BCM Radiated Spurious Data (LTE Band 12/17 – Mid Channel)

Bandwidth (MHz):	10
Frequency (MHz):	711.0
RB / Offset:	1 / 25

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1422.0	V	333	31	-76.36	-4.87	25.77	-69.49	-13.00	-56.49
2133.0	H	-	-	-77.00	-1.22	28.78	-66.47	-13.00	-53.47
2844.0	H	-	-	-77.54	0.34	29.80	-65.46	-13.00	-52.46
3555.0	H	-	-	-78.05	1.54	30.49	-64.76	-13.00	-51.76


Table 7-13. Antenna BCM Radiated Spurious Data (LTE Band 12/17 – High Channel)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 110 of 122


V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Antenna BCM LTE Band 13



Plot 7-156. Antenna BCM Radiated Spurious Emission below 1GHz (LTE Band 13)



Plot 7-157. Antenna BCM Radiated Spurious Emission above 1GHz (LTE Band 13)

FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 111 of 122

V2.1 11/9/2021

Bandwidth (MHz):	5
Frequency (MHz):	779.5
RB / Offset:	1 / 12

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1559.0	V	102	341	-75.22	-5.06	26.72	-68.53	-40.00	-28.53
2338.5	H	-	-	-77.36	-0.31	29.33	-65.93	-13.00	-52.93
3118.0	H	-	-	-77.88	1.37	30.49	-64.76	-13.00	-51.76
3897.5	H	-	-	-78.18	2.35	31.17	-64.09	-13.00	-51.09

Table 7-14. Antenna BCM Radiated Spurious Data (LTE Band 13 – Low Channel)

Bandwidth (MHz):	10
Frequency (MHz):	782.0
RB / Offset:	1/25

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1564.0	V	236	351	-74.07	-5.03	27.90	-67.35	-40.00	-27.35
2346.0	H	-	-	-77.30	-0.28	29.42	-65.83	-13.00	-52.83
3128.0	H	-	-	-77.87	1.30	30.43	-64.83	-13.00	-51.83
3910.0	H	-	-	-78.31	2.35	31.04	-64.22	-13.00	-51.22

Table 7-15. Antenna BCM Radiated Spurious Data (LTE Band 13 – Mid Channel)

Bandwidth (MHz):	5
Frequency (MHz):	784.5
RB / Offset:	1 / 12

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
1569.0	V	229	10	-75.10	-5.00	26.90	-68.36	-40.00	-28.36
2353.5	H	-	-	-77.39	-0.22	29.39	-65.87	-13.00	-52.87
3138.0	H	-	-	-77.78	1.17	30.39	-64.87	-13.00	-51.87
3922.5	H	-	-	-78.06	2.34	31.28	-63.98	-13.00	-50.98


Table 7-16. Antenna BCM Radiated Spurious Data (LTE Band 13 – High Channel)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 112 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Antenna FCM WCDMA AWS



Plot 7-158. Antenna FCM Radiated Spurious Emission above 1GHz (WCDMA AWS)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch
		Page 113 of 122

V2.1 11/9/2021

Mode:	WCDMA RMC
Channel:	1312
Frequency (MHz):	1712.4

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3424.8	H	117	193	-76.71	1.52	31.81	-63.45	-13.00	-50.45
5137.2	H	340	173	-79.71	4.75	32.04	-63.22	-13.00	-50.22
6849.6	H	-	-	-80.86	8.49	34.63	-60.63	-13.00	-47.63
8562.0	H	-	-	-82.10	8.78	33.68	-61.58	-13.00	-48.58
10274.4	H	-	-	-81.84	10.19	35.35	-59.91	-13.00	-46.91

7-17. Antenna FCM Radiated Spurious Data (WCDMA AWS – Low Channel)

Mode:	WCDMA RMC
Channel:	1413
Frequency (MHz):	1732.6

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3465.2	H	109	191	-76.40	1.39	31.99	-63.26	-13.00	-50.26
5197.8	H	-	-	-79.41	4.62	32.21	-63.05	-13.00	-50.05
6930.4	H	-	-	-80.75	8.46	34.71	-60.55	-13.00	-47.55
8663.0	H	-	-	-82.34	8.71	33.37	-61.89	-13.00	-48.89

Table 7-18. Antenna FCM Radiated Spurious Data (WCDMA AWS – Mid Channel)

Mode:	WCDMA RMC
Channel:	1513
Frequency (MHz):	1752.6

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
3505.2	H	-	-	-77.72	1.53	30.81	-64.45	-13.00	-51.45
5257.8	H	-	-	-79.41	4.77	32.36	-62.89	-13.00	-49.89
7010.4	H	-	-	-80.50	8.09	34.59	-60.67	-13.00	-47.67

Table 7-19. Antenna FCM Radiated Spurious Data (WCDMA AWS – High Channel)

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 114 of 122

V2.1 11/9/2021

7.8 Frequency Stability / Temperature Variation

§2.1053, §27.54

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI C63.26-2015 and TIA-603-E-2016. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI C63.26-2015

TIA-603-E-2016

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup




Figure 7-8. Test Instrument & Measurement Setup

Test Notes

None

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 115 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Frequency Stability / Temperature Variation

LTE Band 66/4							
		Low Channel Frequency (Hz):		1,720,000,000			
		High Channel Frequency (Hz):		1,770,000,000			
		Ref. Voltage (VDC):		3.80			
Voltage (%)	Power (VDC)	Temp (°C)	Low Freq. (Hz)	High Freq. (Hz)	Low Freq. Dev. (Hz)	High Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	- 30	1,720,000,002	1,769,999,999	1.45	-1.36	0.0000001
		- 20	1,720,000,000	1,769,999,999	-1.29	-1.24	-0.0000001
		- 10	1,720,000,002	1,770,000,000	0.80	-0.35	0.0000000
		0	1,720,000,002	1,770,000,000	0.74	-0.58	0.0000000
		+ 10	1,720,000,002	1,770,000,001	0.80	0.59	0.0000000
		+ 20 (Ref)	1,720,000,001	1,770,000,000	0.00	0.00	0.0000000
		+ 30	1,720,000,002	1,770,000,001	0.60	0.23	0.0000000
		+ 40	1,720,000,002	1,770,000,000	0.55	-0.28	0.0000000
		+ 50	1,720,000,002	1,770,000,000	0.72	-0.37	0.0000000
Battery Endpoint	3.40	+ 20	1,720,000,002	1,770,000,001	0.56	0.85	0.0000000

Table 7-20. LTE Band 66/4 Frequency Stability Data

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 116 of 122

V2.1 11/9/2021

Frequency Stability / Temperature Variation

LTE Band 12/17							
			Low Channel Frequency (Hz):	704,000,000			
			High Channel Frequency (Hz):	711,000,000			
			Ref. Voltage (VDC):	3.80			
Voltage (%)	Power (VDC)	Temp (°C)	Low Freq. (Hz)	High Freq. (Hz)	Low Freq. Dev. (Hz)	High Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	- 30	704,000,002	711,000,002	0.85	1.02	0.00000014
		- 20	704,000,001	711,000,002	0.75	0.89	0.00000013
		- 10	704,000,001	711,000,002	0.65	0.89	0.00000013
		0	704,000,001	711,000,002	0.78	1.05	0.00000015
		+ 10	704,000,002	711,000,002	0.92	1.19	0.00000017
		+ 20 (Ref)	704,000,001	711,000,001	0.00	0.00	0.00000000
		+ 30	704,000,001	711,000,002	0.57	0.44	0.00000008
		+ 40	704,000,001	711,000,002	0.80	1.05	0.00000015
		+ 50	704,000,002	711,000,002	0.87	1.12	0.00000006
Battery Endpoint	3.40	+ 20	704,000,001	711,000,002	0.65	0.58	0.00000004

Table 7-21. LTE Band 12/17 Frequency Stability Data

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 117 of 122

V2.1 11/9/2021

Frequency Stability / Temperature Variation

LTE Band 13							
			Low Channel Frequency (Hz):		779,500,000		
			High Channel Frequency (Hz):		784,500,000		
			Ref. Voltage (VDC):		3.80		
Voltage (%)	Power (VDC)	Temp (°C)	Low Freq. (Hz)	High Freq. (Hz)	Low Freq. Dev. (Hz)	High Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	- 30	779,500,007	784,500,007	3.08	2.95	0.0000004
		- 20	779,500,006	784,500,006	2.89	2.05	0.0000004
		- 10	779,500,007	784,500,008	3.28	3.59	0.0000005
		0	779,500,006	784,500,007	2.25	2.80	0.0000004
		+ 10	779,500,006	784,500,006	2.05	2.46	0.0000003
		+ 20 (Ref)	779,500,003	784,500,004	0.00	0.00	0.0000000
		+ 30	779,500,005	784,500,006	1.70	1.93	0.0000002
		+ 40	779,500,006	784,500,007	2.15	2.83	0.0000004
		+ 50	779,500,005	784,500,005	1.80	1.43	0.0000001
Battery Endpoint	3.40	+ 20	779,500,005	784,500,005	1.23	1.46	0.0000001

Table 7-22. LTE Band 13 Frequency Stability Data

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 118 of 122

V2.1 11/9/2021

Frequency Stability / Temperature Variation

WCDMA AWS							
			Low Channel Frequency (Hz):		1,712,400,000		
			High Channel Frequency (Hz):		1,752,600,000		
			Ref. Voltage (VDC):		3.80		
Voltage (%)	Power (VDC)	Temp (°C)	Low Freq. (Hz)	High Freq. (Hz)	Low Freq. Dev. (Hz)	High Freq. Dev. (Hz)	Deviation (%)
100 %	3.80	- 30	1,712,400,000	1,752,600,001	0.52	0.75	0.0000000
		- 20	1,712,400,000	1,752,600,001	0.22	0.38	0.0000000
		- 10	1,712,400,000	1,752,600,001	0.27	0.35	0.0000000
		0	1,712,399,999	1,752,600,002	-0.48	1.05	0.0000001
		+ 10	1,712,400,000	1,752,600,002	0.30	1.47	0.0000001
		+ 20 (Ref)	1,712,400,000	1,752,600,001	0.00	0.00	0.0000000
		+ 30	1,712,399,999	1,752,600,001	-0.25	0.48	0.0000000
		+ 40	1,712,400,000	1,752,600,000	0.37	-0.24	0.0000000
		+ 50	1,712,400,000	1,752,600,000	0.29	-0.47	0.0000000
Battery Endpoint	3.40	+ 20	1,712,400,000	1,752,600,001	0.45	0.68	0.0000000

Table 7-23. WCDMA AWS Frequency Stability Data

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 119 of 122

V2.1 11/9/2021

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Apple Watch** **FCC ID: BCG-A2726** complies with all the requirements of Part 27 of the FCC rules.

FCC ID: BCG-A2726		PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 120 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

9.0 APPENDIX A

Antenna gains provided by manufacturer:

Cellular Antenna Gain (FCM), Type: IFA			
Band	Frequency (MHz)	Horizontal (dBi)	Vertical (dBi)
1	1921.6	-12.92	-13.26
1	1950.0	-14.37	-13.08
1	1978.4	-14.12	-12.76
3	1711.6	-13.69	-12.1
3	1747.5	-13.08	-12.63
3	1783.4	-11.43	-12.15
7	2502.6	-8.67	-9.58
7	2535.0	-11.46	-12.07
7	2567.4	-9.24	-10.21
25	1851.0	-10.2	-12.5
25	1882.4	-11.69	-13.08
25	1914.0	-12.77	-13.75
39	1882.6	-12.23	-13.31
39	1900.0	-12.62	-13.53
39	1917.4	-13.48	-13.71
40	2302.6	-9.97	-11.05
40	2350.0	-9.44	-9.96
41	2498.6	-7.81	-8.42
41	2593.0	-9.56	-12.19
41	2687.4	-7.53	-9.07

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 121 of 122

V2.1 11/9/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Cellular Antenna Gain (BCM), Type: LDS			
Band	Frequency (MHz)	Horizontal (dBi)	Vertical (dBi)
12	700.0	-36.94	-32.7
12	707.4	-37.15	-32.36
12	715.0	-37.84	-32.29
13	778.6	-38.43	-29.78
13	782.0	-38.84	-29.87
13	785.4	-38.51	-29.73
26	815.0	-37.77	-28.3
26	831.4	-36.63	-27.3
26	848.0	-35.35	-26.78
40	2397.4	-13.55	-13.3

FCC ID: BCG-A2726	 PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1C2205090032-03.BCG	Test Dates: 4/6/2022- 8/29/2022	EUT Type: Watch	Page 122 of 122

V2.1 11/9/2021