

APPENDIX F: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 1 of 34

F.1 LTE Lower Bandwidth RF Conducted Powers

Some bands do not support non-overlapping channels. Per FCC Guidance, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

F.1.1 LTE Band 71

Table F-1
LTE Band 71 Conducted Power - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.75	0	0
	1	36	24.79		0
	1	74	24.71		0
	36	0	23.92	0-1	1
	36	18	23.89		1
	36	37	23.85		1
	75	0	23.88		1
	15	0	24.87	0-1	0
	15	30	24.84		0
	15	60	24.78		0
	27	0	23.92	0-2	1
	27	24	23.87		1
	27	48	23.80		1
16QAM	1	0	24.22	0-2	1
	1	36	24.23		1
	1	74	24.18		1
	15	0	23.76	0-3	1
	15	30	23.74		1
	15	60	23.69		1
	27	0	22.71	0-5	2
	27	24	22.69		2
	27	48	22.64		2

Table F-2
LTE Band 71 Conducted Power - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.65	24.60	24.63	0	0
	1	25	24.68	24.53	24.62		0
	1	49	24.65	24.50	24.64		0
	25	0	23.76	23.80	23.78	0-1	1
	25	12	23.77	23.73	23.74		1
	25	25	23.80	23.74	23.72		1
	50	0	23.79	23.74	23.75	0-1	1
	15	0	23.78	23.76	23.75		1
	15	17	23.76	23.71	23.72		1
	15	35	23.78	23.72	23.73	0-2	1
	27	0	23.77	23.74	23.76		1
	27	12	23.76	23.71	23.71		1
27	23	23.80	23.72	23.70		1	
16QAM	1	0	24.30	24.29	23.79	0-2	1
	1	25	24.28	24.20	23.77		1
	1	49	24.29	24.21	23.75		1
	25	0	22.82	22.83	22.81	0-3	2
	25	12	22.84	22.76	22.78		2
	25	25	22.88	22.81	22.79		2
	15	0	22.82	22.81	22.69	0-5	2
	15	17	22.80	22.77	22.63		2
	15	35	22.85	22.79	22.66		2
	27	0	22.75	22.74	22.78		2
	27	12	22.73	22.70	22.74		2
	27	23	22.76	22.69	22.73		2

Table F-3
LTE Band 71 Conducted Power - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.60	24.61	24.71	0	0
	1	12	24.59	24.63	24.66		0
	1	24	24.58	24.62	24.65		0
	12	0	23.76	23.72	23.72	0-1	1
	12	6	23.72	23.71	23.68		1
	12	13	23.76	23.71	23.68		1
	25	0	23.79	23.75	23.72		1
16QAM	1	0	23.86	23.75	24.14	0-1	1
	1	12	23.81	23.74	24.06		1
	1	24	23.89	23.73	24.03		1
	12	0	22.75	22.73	22.89	0-2	2
	12	6	22.73	22.72	22.86		2
	12	13	22.77	22.74	22.88		2
	25	0	22.81	22.77	22.68		2

F.1.2 LTE Band 12

Table F-4
LTE Band 12 Conducted Power - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.39	24.79	24.12	0	0
	1	12	24.37	24.70	24.10		0
	1	24	24.35	24.74	24.07		0
	12	0	23.53	23.52	23.59	0-1	1
	12	6	23.49	23.49	23.55		1
	12	13	23.49	23.49	23.55		1
	25	0	23.53	23.54	23.58		1
16QAM	1	0	23.46	23.47	24.06	0-1	1
	1	12	23.40	23.47	24.04		1
	1	24	23.40	23.48	24.07		1
	12	0	22.48	22.55	22.63	0-2	2
	12	6	22.47	22.53	22.61		2
	12	13	22.46	22.53	22.59		2
	25	0	22.43	22.51	22.62		2

Table F-5
LTE Band 12 Conducted Power - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.48	24.44	24.49	0	0
	1	7	24.46	24.39	24.40		0
	1	14	24.48	24.42	24.45		0
	8	0	23.52	23.53	23.50	0-1	1
	8	4	23.54	23.52	23.48		1
	8	7	23.56	23.53	23.52		1
	15	0	23.57	23.49	23.46		1
16QAM	1	0	23.55	23.59	23.62	0-1	1
	1	7	23.53	23.55	23.65		1
	1	14	23.55	23.57	23.63		1
	8	0	22.69	22.55	22.60	0-2	2
	8	4	22.70	22.54	22.57		2
	8	7	22.71	22.55	22.60		2
	15	0	22.66	22.58	22.62		2

Table F-6
LTE Band 12 Conducted Power - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.38	24.64	24.56	0	0
	1	2	24.33	24.68	24.52		0
	1	5	24.44	24.65	24.53		0
	3	0	24.39	24.33	24.38		0
	3	2	24.37	24.32	24.35		0
	3	3	24.41	24.32	24.40		0
	6	0	23.46	23.42	23.47	0-1	1
16QAM	1	0	23.35	23.68	23.62	0-1	1
	1	2	23.33	23.69	23.60		1
	1	5	23.45	23.64	23.61		1
	3	0	23.87	23.60	23.66		1
	3	2	23.81	23.57	23.60		1
	3	3	23.87	23.60	23.65		1
	6	0	22.48	22.72	22.69	0-2	2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 5 of 34

F.1.3 LTE Band 13

Table F-7
LTE Band 13 Conducted Power - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.46	0	0
	1	12	24.42		0
	1	24	24.45		0
	12	0	23.42	0-1	1
	12	6	23.40		1
	12	13	23.41		1
	25	0	23.48		1
16QAM	1	0	23.50	0-1	1
	1	12	23.49		1
	1	24	23.49		1
	12	0	22.49	0-2	2
	12	6	22.46		2
	12	13	22.48		2
	25	0	22.50		2

F.1.4 LTE Band 14

Table F-8
LTE Band 14 Conducted Power - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	24.38	0	0
	1	12	24.35		0
	1	24	24.37		0
	12	0	23.50	0-1	1
	12	6	23.49		1
	12	13	23.51		1
	25	0	23.56		1
16QAM	1	0	23.46	0-1	1
	1	12	23.43		1
	1	24	23.45		1
	12	0	22.54	0-2	2
	12	6	22.52		2
	12	13	22.53		2
	25	0	22.55		2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 7 of 34

F.1.5 LTE Band 26

Table F-9
LTE Band 26 (Cell) Conducted Power - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.50	24.50	24.39	0	0
	1	12	24.47	24.48	24.40		0
	1	24	24.48	24.49	24.41		0
	12	0	23.78	23.80	23.91	0-1	1
	12	6	23.77	23.81	23.79		1
	12	13	23.79	23.82	23.78		1
	25	0	23.80	23.90	23.89		1
16QAM	1	0	23.70	23.63	23.32	0-1	1
	1	12	23.75	23.66	23.30		1
	1	24	23.71	23.71	23.34		1
	12	0	22.83	22.76	22.81	0-2	2
	12	6	22.77	22.74	22.77		2
	12	13	22.78	22.75	22.74		2
	25	0	22.83	22.74	22.72		2

Table F-10
LTE Band 26 (Cell) Conducted Power - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.47	24.39	24.42	0	0
	1	7	24.45	24.38	24.40		0
	1	14	24.46	24.40	24.39		0
	8	0	23.53	23.49	23.47	0-1	1
	8	4	23.54	23.50	23.45		1
	8	7	23.56	23.48	23.46		1
	15	0	23.50	23.45	23.44		1
16QAM	1	0	23.35	23.42	23.80	0-1	1
	1	7	23.32	23.41	23.81		1
	1	14	23.33	23.44	23.78		1
	8	0	22.51	22.54	22.58	0-2	2
	8	4	22.50	22.51	22.56		2
	8	7	22.49	22.50	22.57		2
	15	0	22.51	22.56	22.48		2

Table F-11
LTE Band 26 (Cell) Conducted Power - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.45	24.39	24.52	0	0
	1	2	24.43	24.40	24.51		0
	1	5	24.44	24.38	24.49		0
	3	0	24.44	24.36	24.31		0
	3	2	24.45	24.34	24.29		0
	3	3	24.42	24.37	24.30		0
	6	0	23.60	23.43	23.40	0-1	1
16QAM	1	0	23.95	23.30	23.30	0-1	1
	1	2	23.98	23.31	23.28		1
	1	5	24.00	23.28	23.29		1
	3	0	23.80	23.53	23.50		1
	3	2	23.79	23.51	23.53		1
	3	3	23.78	23.50	23.51		1
	6	0	22.90	22.60	22.60	0-2	2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 9 of 34

F.1.6 LTE Band 5

Table F-12
LTE Band 5 (Cell) Conducted Power - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.52	24.50	24.51	0	0
	1	12	24.50	24.49	24.50		0
	1	24	24.51	24.51	24.49		0
	12	0	23.64	23.65	23.63	0-1	1
	12	6	23.63	23.64	23.58		1
	12	13	23.61	23.65	23.62		1
	25	0	23.67	23.65	23.67		1
16QAM	1	0	23.65	23.40	23.65	0-1	1
	1	12	23.67	23.42	23.63		1
	1	24	23.64	23.41	23.67		1
	12	0	22.72	22.75	22.75	0-2	2
	12	6	22.71	22.74	22.73		2
	12	13	22.74	22.71	22.75		2
	25	0	22.67	22.80	22.70		2

Table F-13
LTE Band 5 (Cell) Conducted Power - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.53	24.50	24.51	0	0
	1	7	24.54	24.51	24.50		0
	1	14	24.52	24.53	24.49		0
	8	0	23.65	23.67	23.63	0-1	1
	8	4	23.64	23.69	23.61		1
	8	7	23.62	23.64	23.64		1
	15	0	23.63	23.65	23.65		1
16QAM	1	0	23.57	23.60	23.44	0-1	1
	1	7	23.60	23.57	23.45		1
	1	14	23.59	23.58	23.42		1
	8	0	22.77	22.74	22.60	0-2	2
	8	4	22.76	22.78	22.59		2
	8	7	22.79	22.76	22.58		2
	15	0	22.70	22.75	22.64		2

Table F-14
LTE Band 5 (Cell) Conducted Power - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.51	24.50	24.49	0	0
	1	2	24.50	24.48	24.47		0
	1	5	24.51	24.49	24.49		0
	3	0	24.51	24.48	24.49		0
	3	2	24.50	24.46	24.47		0
	3	3	24.49	24.47	24.49		0
	6	0	23.59	23.61	23.50	0-1	1
16QAM	1	0	23.49	23.57	23.90	0-1	1
	1	2	23.47	23.54	23.87		1
	1	5	23.48	23.56	23.89		1
	3	0	23.70	23.75	23.90		1
	3	2	23.68	23.73	23.87		1
	3	3	23.69	23.72	23.89		1
	6	0	22.82	22.78	22.50	0-2	2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 11 of 34

F.1.7 LTE Band 66

Table F-15
LTE Band 66 (AWS) Conducted Power- 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.01	23.88	23.78	0	0
	1	36	24.07	23.94	23.79		0
	1	74	24.03	23.82	23.68		0
	36	0	22.92	22.98	22.78	0-1	1
	36	18	22.91	22.98	22.79		1
	36	37	22.92	22.94	22.75		1
	75	0	22.91	22.92	22.78	0-1	1
	15	0	23.92	23.97	23.78		0
	15	30	23.97	23.99	23.79		0
	15	60	23.96	23.93	23.75	0	
	27	0	22.92	22.95	22.81	0-2	1
	27	24	22.94	22.93	22.79		1
27	48	22.95	22.90	22.78	1		
16QAM	1	0	22.94	23.06	22.78	0-2	1
	1	36	22.97	23.09	22.80		1
	1	74	22.91	23.03	22.66		1
	15	0	22.94	23.02	22.80	0-3	1
	15	30	22.92	23.02	22.81		1
	15	60	22.95	23.06	22.74		1
	27	0	21.85	21.80	21.78	0-5	2
	27	24	21.83	21.81	21.75		2
	27	48	21.86	21.78	21.73		2

Table F-16
LTE Band 66 (AWS) Conducted Power - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.87	23.89	23.70	0	0
	1	25	23.83	23.80	23.70		0
	1	49	23.90	23.84	23.65		0
	25	0	22.92	22.95	22.74	0-1	1
	25	12	22.90	22.91	22.74		1
	25	25	22.92	22.92	22.70		1
	50	0	22.92	22.96	22.74	0-1	1
	15	0	22.92	22.94	22.75		1
	15	17	22.89	22.90	22.73		1
	15	35	22.91	22.92	22.72	1	
	27	0	22.88	22.93	22.76	0-2	1
	27	12	22.88	22.87	22.70		1
27	23	22.86	22.88	22.68	1		
16QAM	1	0	22.90	23.04	22.86	0-2	1
	1	25	22.87	23.00	22.89		1
	1	49	22.88	22.99	22.81		1
	25	0	21.76	21.85	21.78	0-3	2
	25	12	21.76	21.90	21.78		2
	25	25	21.78	21.91	21.74		2
	15	0	21.80	21.89	21.65	0-5	2
	15	17	21.77	21.85	21.61		2
	15	35	21.81	21.86	21.57		2
	27	0	21.82	21.85	21.69		2
	27	12	21.80	21.83	21.66		2
	27	23	21.84	21.84	21.63		2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 12 of 34

Table F-17
LTE Band 66 (AWS) Conducted Power - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.94	23.91	23.67	0	0	
	1	12	23.91	23.90	23.63		0	
	1	24	23.93	23.90	23.58		0	
	12	0	22.91	22.93	22.72	0-1	1	
	12	6	22.89	22.89	22.69		1	
	12	13	22.89	22.89	22.70		1	
16QAM	25	0	22.90	22.94	22.74	0-1	1	
	1	0	23.01	22.86	22.75		0-1	1
	1	12	23.06	22.85	22.71			1
	1	24	23.08	22.83	22.66	0-2		1
	12	0	22.02	21.93	21.75		2	
	12	6	21.96	21.89	21.71		2	
	12	13	21.96	21.88	21.70	0-2	2	
	25	0	22.17	22.22	22.06		2	

Table F-18
LTE Band 66 (AWS) Conducted Power - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.87	23.87	23.68	0	0
	1	7	23.87	23.86	23.70		0
	1	14	23.89	23.89	23.69		0
	8	0	22.90	22.96	22.76	0-1	1
	8	4	22.87	22.93	22.68		1
	8	7	22.87	22.94	22.69		1
16QAM	15	0	22.91	22.94	22.71	0-1	1
	1	0	22.92	22.86	22.81		1
	1	7	22.92	22.84	22.78		1
	1	14	22.92	22.86	22.75	0-2	1
	8	0	22.03	22.00	21.88		2
	8	4	22.03	21.96	21.81		2
	8	7	22.02	21.95	21.83		2
	15	0	21.90	21.92	21.76		2

Table F-19
LTE Band 66 (AWS) Conducted Power - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.81	23.83	23.81	0	0
	1	2	23.87	23.79	23.78		0
	1	5	23.85	23.84	23.85		0
	3	0	23.77	23.68	23.60		1
	3	2	23.71	23.70	23.48		1
	3	3	23.65	23.69	23.62		1
	6	0	22.77	22.82	22.66	0-1	1
16QAM	1	0	22.86	22.74	22.63	0-1	1
	1	2	22.77	22.70	22.65		1
	1	5	22.93	22.73	22.63		1
	3	0	22.78	22.95	22.68		1
	3	2	22.81	22.98	22.65		1
	3	3	22.79	22.99	22.67		1
	6	0	21.85	21.85	21.69	0-2	2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 13 of 34

F.1.8 LTE Band 25

Table F-20
LTE Band 25 (PCS) Conducted Power - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.76	23.99	23.53	0	0
	1	36	23.86	23.98	23.63		0
	1	74	23.89	23.94	23.64		0
	36	0	22.79	22.85	22.68	0-1	1
	36	18	22.84	22.86	22.69		1
	36	37	22.90	22.86	22.68		1
	75	0	22.85	22.81	22.66	0-1	1
	15	0	23.80	23.89	23.66		0
	15	30	23.82	23.88	23.74		0
	15	60	23.91	23.81	23.74	0-2	0
	27	0	22.78	22.85	22.66		1
	27	24	22.82	22.85	22.68		1
27	48	22.88	22.83	22.68	1		
16QAM	1	0	22.76	22.83	22.76	0-2	1
	1	36	22.82	22.83	22.84		1
	1	74	22.93	22.82	22.86		1
	15	0	22.83	22.81	22.75	0-3	1
	15	30	22.85	22.85	22.82		1
	15	60	22.93	22.80	22.79		1
	27	0	21.85	21.76	21.69	0-5	2
	27	24	21.75	21.74	21.72		2
	27	48	21.86	21.72	21.70		2

Table F-21
LTE Band 25 (PCS) Conducted Power - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.72	23.81	23.64	0	0
	1	25	23.72	23.76	23.64		0
	1	49	23.79	23.77	23.66		0
	25	0	22.81	22.84	22.70	0-1	1
	25	12	22.82	22.84	22.69		1
	25	25	22.82	22.85	22.70		1
	50	0	22.84	22.85	22.72	0-1	1
	15	0	22.82	22.89	22.70		1
	15	17	22.81	22.80	22.68		1
	15	35	22.85	22.83	22.71	0-2	1
	27	0	22.78	22.81	22.68		1
	27	12	22.77	22.80	22.62		1
27	23	22.81	22.81	22.67		1	
16QAM	1	0	22.77	22.94	22.69	0-2	1
	1	25	22.76	22.91	22.62		1
	1	49	22.84	22.90	22.68		1
	25	0	21.94	21.90	21.80	0-3	2
	25	12	21.92	21.87	21.77		2
	25	25	21.93	21.89	21.78		2
	15	0	21.83	21.92	21.75	0-5	2
	15	17	21.78	21.85	21.70		2
	15	35	21.84	21.88	21.73		2
	27	0	21.91	21.82	21.67		2
	27	12	21.89	21.79	21.68		2
	27	23	21.90	21.81	21.65		2

Table F-22
LTE Band 25 (PCS) Conducted Power - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.81	23.62	23.71	0	0
	1	12	23.84	23.64	23.68		0
	1	24	23.83	23.64	23.65		0
	12	0	22.89	22.80	22.72	0-1	1
	12	6	22.85	22.78	22.66		1
	12	13	22.84	22.75	22.65		1
	25	0	22.83	22.79	22.67		1
16QAM	1	0	23.20	22.83	22.68	0-1	1
	1	12	23.22	22.75	22.63		1
	1	24	23.23	22.78	22.60		1
	12	0	22.09	21.87	21.44	0-2	2
	12	6	22.01	21.83	21.77		2
	12	13	22.03	21.82	21.75		2
	25	0	21.84	21.80	21.67		2

Table F-23
LTE Band 25 (PCS) Conducted Power - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.84	23.77	23.71	0	0
	1	7	23.83	23.75	23.66		0
	1	14	23.86	23.73	23.61		0
	8	0	22.77	22.83	22.75	0-1	1
	8	4	22.82	22.81	22.72		1
	8	7	22.81	22.80	22.69		1
	15	0	22.83	22.77	22.68		1
16QAM	1	0	23.26	22.70	22.60	0-1	1
	1	7	23.24	22.63	22.54		1
	1	14	23.27	22.66	22.50		1
	8	0	22.01	21.84	21.77	0-2	2
	8	4	21.97	21.80	21.70		2
	8	7	21.98	21.83	21.69		2
	15	0	21.94	21.88	21.72		2

Table F-24
LTE Band 25 (PCS) Conducted Power - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.87	23.65	23.63	0	0
	1	2	23.92	23.67	23.56		0
	1	5	23.96	23.72	23.60		0
	3	0	23.76	23.66	23.55		0
	3	2	23.72	23.67	23.54		0
	3	3	23.75	23.64	23.58		0
	6	0	22.78	22.72	22.61	0-1	1
16QAM	1	0	22.67	22.57	22.54	0-1	1
	1	2	22.68	22.51	22.52		1
	1	5	22.73	22.61	22.53		1
	3	0	22.88	22.76	22.74		1
	3	2	22.89	22.77	22.73		1
	3	3	22.87	22.78	22.75		1
	6	0	21.99	21.94	21.92	0-2	2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 15 of 34

F.1.9 LTE Band 7

Table F-25
LTE Band 7 Conducted Power - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	23.42	23.95	23.54	0	0	
	1	36	23.56	24.03	23.52		0	
	1	74	23.59	23.59	23.47		0	
	36	0	22.88	22.99	22.96	0-1	1	
	36	18	22.94	23.06	22.91		1	
	36	37	22.98	23.04	22.85		1	
	75	0	22.90	22.93	22.95	0-1	1	
	15	0	23.58	24.01	23.67		0	
	15	30	23.69	24.02	23.61		0	
	15	60	23.71	24.01	23.65	0-2	0	
	27	0	22.81	23.03	22.98		1	
	27	24	22.86	23.06	22.93		1	
27	48	22.85	23.07	22.90	0-2	1		
16QAM	1	0	22.65	22.69		22.90	0-2	1
	1	36	22.88	22.71		23.09		1
	1	74	22.60	22.64	22.86	1		
	15	0	22.90	22.97	23.05	0-3	1	
	15	30	22.93	23.01	23.02		1	
	15	60	23.03	23.05	22.89		1	
	27	0	21.80	21.99	21.87	0-5	2	
	27	24	21.85	21.98	21.83		2	
27	48	21.93	21.95	21.82	2			

Table F-26
LTE Band 7 Conducted Power - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.53	23.95	23.97	0	0
	1	25	23.49	23.99	23.76		0
	1	49	23.62	24.01	23.56		0
	25	0	22.98	23.08	22.97	0-1	1
	25	12	23.01	23.06	22.88		1
	25	25	22.98	23.05	22.86		1
	50	0	22.96	23.01	22.93	0-1	1
	15	0	22.96	23.03	23.02		1
	15	17	22.92	23.05	22.99		1
	15	35	23.04	23.08	22.96	0-2	1
	27	0	22.88	23.03	23.00		1
	27	12	22.93	23.04	22.99		1
27	23	23.02	23.02	22.97	1		
16QAM	1	0	23.18	23.19	23.29	0-2	1
	1	25	22.99	23.31	23.32		1
	1	49	23.16	23.34	23.33		1
	25	0	22.08	22.18	22.24	0-3	2
	25	12	22.05	22.12	22.14		2
	25	25	22.06	22.10	22.12		2
	15	0	22.03	22.21	22.30	0-5	2
	15	17	22.07	22.17	22.11		2
	15	35	22.13	22.23	22.15		2
	27	0	21.96	22.15	22.13		2
	27	12	21.99	22.12	22.10		2
	27	23	21.97	22.09	22.11		2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 16 of 34

Table F-27
LTE Band 7 Conducted Power - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.43	23.70	23.67	0	0
	1	12	23.44	23.75	23.60		0
	1	24	23.42	23.74	23.63		0
	12	0	22.88	23.05	23.05	0-1	1
	12	6	22.89	22.99	22.94		1
	12	13	22.92	23.05	22.97		1
	25	0	22.91	23.01	23.04		1
16QAM	1	0	22.52	23.21	23.06	0-1	1
	1	12	22.98	23.16	22.99		1
	1	24	22.64	23.50	23.22		1
	12	0	21.84	22.09	22.00	0-2	2
	12	6	21.87	22.04	21.89		2
	12	13	21.89	22.05	21.90		2
	25	0	21.88	22.03	21.87		2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 17 of 34

F.1.10 LTE Band 41

Table F-28
LTE Band 41 Conducted Power - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.62	23.65	23.72	23.60	23.59	0	0
	1	36	23.68	23.69	23.80	23.66	23.64		0
	1	74	23.59	23.68	23.79	23.68	23.63		0
	36	0	22.75	22.73	22.73	22.67	22.62	0-1	1
	36	18	22.72	22.72	22.75	22.65	22.61		1
	36	37	22.68	22.71	22.72	22.66	22.60		1
	75	0	22.71	22.67	22.74	22.64	22.58	0-1	1
	15	0	23.75	23.69	23.73	23.64	23.62		0
	15	30	23.70	23.73	23.75	23.68	23.61		0
	15	60	23.64	23.72	23.76	23.66	23.63		0
	27	0	22.73	22.70	22.68	22.64	22.62	0-2	1
	27	24	22.65	22.68	22.71	22.63	22.61		1
27	48	22.64	22.69	22.73	22.65	22.60	1		
16QAM	1	0	22.34	22.31	22.78	22.60	22.65	0-2	1
	1	36	22.32	22.33	22.81	22.62	22.70		1
	1	74	22.20	22.27	22.76	22.61	22.64		1
	15	0	22.76	22.70	22.67	22.60	22.58	0-3	1
	15	30	22.72	22.74	22.70	22.59	22.59		1
	15	60	22.65	22.75	22.68	22.58	22.56		1
	27	0	21.70	21.70	21.67	21.52	21.59	0-5	2
	27	24	21.68	21.66	21.68	21.50	21.57		2
	27	48	21.67	21.66	21.70	21.54	21.58		2

Table F-29
LTE Band 41 Conducted Power - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.76	23.58	23.64	23.53	23.76	0	0
	1	25	23.74	23.55	23.67	23.52	23.69		0
	1	49	23.66	23.61	23.65	23.55	23.75		0
	25	0	22.71	22.59	22.65	22.50	22.64	0-1	1
	25	12	22.64	22.61	22.59	22.48	22.67		1
	25	25	22.65	22.63	22.63	22.49	22.66		1
	50	0	22.67	22.62	22.64	22.47	22.63	0-1	1
	15	0	22.72	22.64	22.63	22.51	22.66		1
	15	17	22.71	22.58	22.61	22.46	22.61		1
	15	35	22.66	22.57	22.65	22.52	22.65	0-2	1
	27	0	22.64	22.56	22.62	22.48	22.62		1
	27	12	22.59	22.54	22.56	22.44	22.59		1
	27	23	22.61	22.59	22.58	22.46	22.64		1
16QAM	1	0	22.67	22.63	22.68	22.55	22.73	0-2	1
	1	25	22.59	22.56	22.64	22.49	22.67		1
	1	49	22.57	22.61	22.73	22.59	22.70		1
	25	0	21.70	21.63	21.67	21.53	21.69	0-3	2
	25	12	21.65	21.62	21.63	21.49	21.64		2
	25	25	21.67	21.64	21.62	21.51	21.65		2
	15	0	21.71	21.55	21.57	21.47	21.63	0-5	2
	15	17	21.65	21.49	21.56	21.43	21.59		2
	15	35	21.63	21.50	21.59	21.44	21.61		2
	27	0	21.64	21.51	21.60	21.48	21.58		2
	27	12	21.60	21.47	21.55	21.43	21.56		2
	27	23	21.59	21.48	21.54	21.45	21.59		2

Table F-30
LTE Band 41 Conducted Power - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	23.82	23.57	23.70	23.60	23.75	0	0
	1	12	23.81	23.56	23.67	23.59	23.73		0
	1	24	23.75	23.57	23.68	23.62	23.76		0
	12	0	22.76	22.64	22.67	22.55	22.72	0-1	1
	12	6	22.69	22.60	22.63	22.53	22.67		1
	12	13	22.67	22.59	22.62	22.52	22.66		1
	25	0	22.72	22.63	22.66	22.54	22.70		1
16QAM	1	0	22.73	22.86	22.85	22.72	22.69	0-1	1
	1	12	22.68	22.79	22.84	22.73	22.59		1
	1	24	22.64	22.78	22.81	22.68	22.68		1
	12	0	21.74	21.63	21.67	21.58	21.69	0-2	2
	12	6	21.68	21.59	21.64	21.53	21.66		2
	12	13	21.65	21.60	21.65	21.52	21.65		2
	25	0	21.68	21.61	21.67	21.55	21.66		2

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 19 of 34

F.2 NR Lower Bandwidth RF Conducted Powers

Some bands do not support non-overlapping channels. Per FCC Guidance, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

F.2.1 NR Band n71

Table F-31
NR Band n71 Conducted Power - 15 MHz Bandwidth
NR Band n71
15 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.12	0	0.0
	1	40	24.07		0.0
	1	77	24.02		0.0
	36	0	23.64	0-1	1.0
	36	22	24.14	0	0.0
	36	43	23.57	0-1	1.0
	75	0	23.64		1.0
DFT-s-OFDM 16QAM	1	1	23.40	0-1	1.0
CP-OFDM QPSK	1	1	22.90	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 20 of 34

Table F-32
NR Band n71 Conducted Power - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.12	24.15	23.95	0	0.0
	1	26	24.09	24.07	23.89		0.0
	1	50	24.19	24.10	23.92		0.0
	25	0	23.71	23.77	23.59	0-1	1.0
	25	14	24.22	24.18	23.70	0	0.0
	25	27	23.67	23.69	23.42	0-1	1.0
	50	0	23.64	23.71	23.49		1.0
DFT-s-OFDM 16QAM	1	1	23.52	23.34	23.21	0-1	1.0
CP-OFDM QPSK	1	1	23.27	22.85	23.06	0-1.5	1.5

Table F-33
NR Band n71 Conducted Power - 5 MHz Bandwidth
NR Band n71
5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.18	24.14	23.98	0	0.0
	1	13	24.11	24.03	23.79		0.0
	1	23	24.09	24.16	23.88		0.0
	12	0	23.68	23.82	23.52	0-1	1.0
	12	7	24.17	24.11	23.64	0	0.0
	12	13	23.55	23.60	23.37	0-1	1.0
	25	0	23.59	23.67	23.44		1.0
DFT-s-OFDM 16QAM	1	1	23.46	23.29	23.18	0-1	1.0
CP-OFDM QPSK	1	1	23.27	22.84	23.04	0-1.5	1.5

F.2.2 NR Band n12

Table F-34
NR Band n12 Conducted Power - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.95	0	0.0
	1	26	24.81		0.0
	1	50	24.91		0.0
	25	0	23.86	0-1	1.0
	25	14	24.84	0	0.0
	25	27	23.81	0-1	1.0
	50	0	23.75		1.0
DFT-s-OFDM 16QAM	1	1	23.73	0-1	1.0
CP-OFDM QPSK	1	1	23.33	0-1.5	1.5

Table F-35
NR Band n12 Conducted Power - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.95	24.89	24.85	0	0.0
	1	13	24.94	24.86	24.83		0.0
	1	23	24.89	24.85	24.79		0.0
	12	0	23.73	23.69	23.70	0-1	1.0
	12	7	24.85	24.83	24.82	0	0.0
	12	13	23.84	23.81	23.78	0-1	1.0
	25	0	23.71	23.75	23.72		1.0
DFT-s-OFDM 16QAM	1	1	23.74	23.71	23.68	0-1	1.0
CP-OFDM QPSK	1	1	23.31	23.28	23.23	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 22 of 34

F.2.3 NR Band n14

Table F-36
NR Band n14 Conducted Power - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.85	24.83	0	0.0
	1	13	24.82	24.81		0.0
	1	23	24.80	24.79		0.0
	12	0	23.85	23.78	0-1	1.0
	12	7	24.83	24.82	0	0.0
	12	13	23.88	23.75	0-1	1.0
	25	0	23.89	23.79		1.0
DFT-s-OFDM 16QAM	1	1	23.79	23.77	0-1	1.0
CP-OFDM QPSK	1	1	23.38	23.31	0-1.5	1.5

F.2.4 NR Band n26

Table F-37
NR Band n26 Conducted Power - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.12	24.08	0	0.0
	1	40	24.10	24.10		0.0
	1	77	24.11	24.05		0.0
	36	0	23.23	23.12	0-1	1.0
	36	22	24.09	24.03	0	0.0
	36	43	23.21	23.10	0-1	1.0
	75	0	23.15	23.16		1.0
DFT-s-OFDM 16QAM	1	1	23.34	23.29	0-1	1.0
CP-OFDM QPSK	1	1	23.25	23.17	0-1.5	1.5

Table F-38
NR Band n26 Conducted Power - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.10	24.08	24.02	0	0.0
	1	26	24.08	24.05	23.99		0.0
	1	50	24.07	24.06	24.00		0.0
	25	0	23.14	23.10	23.05	0-1	1.0
	25	14	24.05	24.03	24.03	0	0.0
	25	27	23.10	23.11	23.01	0-1	1.0
	50	0	23.08	23.05	23.06		1.0
DFT-s-OFDM 16QAM	1	1	23.15	23.16	23.07	0-1	1.0
CP-OFDM QPSK	1	1	23.09	23.04	23.01	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 24 of 34

Table F-39
NR Band n26 Conducted Power - 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.07	24.02	23.95	0	0.0
	1	13	24.04	23.98	23.97		0.0
	1	23	24.06	23.95	23.93		0.0
	12	0	22.94	22.98	23.00	0-1	1.0
	12	7	24.03	24.00	23.90	0	0.0
	12	13	23.00	23.00	22.94	0-1	1.0
	25	0	22.96	23.03	22.91		1.0
DFT-s-OFDM 16QAM	1	1	23.06	23.02	22.95	0-1	1.0
CP-OFDM QPSK	1	1	22.88	22.79	22.74	0-1.5	1.5

F.2.5 NR Band n5

Table F-40
NR Band n5 Conducted Power - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.71	0	0.0
	1	40	24.68		0.0
	1	77	24.64		0.0
	36	0	23.65	0-1	1.0
	36	22	24.67	0	0.0
	36	43	23.63	0-1	1.0
	75	0	23.61		1.0
DFT-s-OFDM 16QAM	1	1	23.66	0-1	1.0
CP-OFDM QPSK	1	1	23.31	0-1.5	1.5

Table F-41
NR Band n5 Conducted Power - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.69	0	0.0
	1	26	24.64		0.0
	1	50	24.66		0.0
	25	0	23.63	0-1	1.0
	25	14	24.65	0	0.0
	25	27	23.61	0-1	1.0
	50	0	23.65		1.0
DFT-s-OFDM 16QAM	1	1	23.64	0-1	1.0
CP-OFDM QPSK	1	1	23.29	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 26 of 34

Table F-42
NR Band n5 Conducted Power - 5 MHz Bandwidth
NR Band n5
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.64	24.61	24.58	0	0.0
	1	13	24.62	24.59	24.55		0.0
	1	23	24.59	24.55	24.52		0.0
	12	0	23.65	23.59	23.53	0-1	1.0
	12	7	24.63	24.60	24.54	0	0.0
	12	13	23.63	23.55	23.51	0-1	1.0
	25	0	23.61	23.58	23.55		1.0
DFT-s-OFDM 16QAM	1	1	23.59	23.54	23.50	0-1	1.0
CP-OFDM QPSK	1	1	23.24	23.23	23.20	0-1.5	1.5

F.2.6 NR Band n66

Table F-43
NR Band n66 Conducted Power - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.39	24.46	24.36	0	0.0
	1	40	24.41	24.43	24.34		0.0
	1	77	24.37	24.41	24.33		0.0
	36	0	23.24	23.23	23.29	0-1	1.0
	36	22	24.43	24.42	24.35	0	0.0
	36	43	23.26	23.28	23.24	0-1	1.0
	75	0	23.25	23.26	23.21		1.0
DFT-s-OFDM 16QAM	1	1	23.38	23.40	23.36	0-1	1.0
CP-OFDM QPSK	1	1	23.13	23.19	23.15	0-1.5	1.5

Table F-44
NR Band n66 Conducted Power - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.00	24.01	23.84	0	0.0
	1	26	24.18	24.18	24.06		0.0
	1	50	24.24	24.21	24.17		0.0
	25	0	23.17	23.22	23.19	0-1	1.0
	25	14	24.28	24.27	24.19	0	0.0
	25	27	23.20	23.29	23.17	0-1	1.0
	50	0	23.28	23.25	23.20		1.0
DFT-s-OFDM 16QAM	1	1	23.34	23.43	23.36	0-1	1.0
CP-OFDM QPSK	1	1	23.11	23.20	23.14	0-1.5	1.5

Table F-45
NR Band n66 Conducted Power - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.30	24.45	24.25	0	0.0
	1	13	24.21	24.37	24.12		0.0
	1	23	24.17	24.39	24.15		0.0
	12	0	23.18	23.32	23.23	0-1	1.0
	12	7	24.28	24.31	24.23	0	0.0
	12	13	23.24	23.30	23.20	0-1	1.0
	25	0	23.19	23.31	23.17		1.0
DFT-s-OFDM 16QAM	1	1	23.30	23.45	23.37	0-1	1.0
CP-OFDM QPSK	1	1	23.15	23.23	23.16	0-1.5	1.5

F.2.7 NR Band n25

Table F-46
NR Band n25 Conducted Power - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.85	23.83	23.79	0	0.0
	1	40	24.00	23.79	23.74		0.0
	1	77	23.98	23.80	23.75		0.0
	36	0	23.17	23.20	23.03	0-1	1.0
	36	22	23.92	23.75	23.69	0	0.0
	36	43	22.97	23.12	22.95	0-1	1.0
	75	0	22.96	23.10	22.93		1.0
DFT-s-OFDM 16QAM	1	1	22.90	22.93	22.83	0-1	1.0
CP-OFDM QPSK	1	1	22.42	22.45	22.38	0-1.5	1.5

Table F-47
NR Band n25 Conducted Power - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.94	23.80	23.76	0	0.0
	1	26	23.96	23.73	23.74		0.0
	1	50	23.89	23.77	23.69		0.0
	25	0	22.95	22.79	22.75	0-1	1.0
	25	14	23.85	23.72	23.70	0	0.0
	25	27	22.81	22.73	22.71	0-1	1.0
	50	0	22.86	22.74	22.68		1.0
DFT-s-OFDM 16QAM	1	1	23.05	22.97	22.84	0-1	1.0
CP-OFDM QPSK	1	1	22.74	22.69	22.73	0-1.5	1.5

Table F-48
NR Band n25 Conducted Power - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.87	23.80	23.71	0	0.0
	1	13	23.94	23.76	23.68		0.0
	1	23	23.91	23.74	23.65		0.0
	12	0	22.87	22.75	22.70	0-1	1.0
	12	7	23.89	23.72	23.63	0	0.0
	12	13	22.84	22.72	22.69	0-1	1.0
	25	0	22.90	22.70	22.67		1.0
DFT-s-OFDM 16QAM	1	1	23.04	22.86	22.81	0-1	1.0
CP-OFDM QPSK	1	1	22.89	22.74	22.71	0-1.5	1.5

F.2.8 NR Band n7

Table F-49
NR Band n7 Conducted Power - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.37	24.32	24.21	0	0.0
	1	40	24.35	24.35	24.24		0.0
	1	77	24.39	24.33	24.20		0.0
	36	0	23.45	23.34	23.23	0-1	1.0
	36	22	24.27	24.25	24.21	0	0.0
	36	43	23.42	23.29	23.27	0-1	1.0
	75	0	23.38	23.30	23.28		1.0
DFT-s-OFDM 16QAM	1	1	23.54	23.48	23.36	0-1	1.0
CP-OFDM QPSK	1	1	23.18	23.16	23.14	0-1.5	1.5

Table F-50
NR Band n7 Conducted Power - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.35	24.34	24.27	0	0.0
	1	26	24.31	24.28	24.23		0.0
	1	50	24.29	24.25	24.25		0.0
	25	0	23.25	23.23	23.34	0-1	1.0
	25	14	24.23	24.19	24.21	0	0.0
	25	27	23.23	23.20	23.21	0-1	1.0
	50	0	23.24	23.19	23.17		1.0
DFT-s-OFDM 16QAM	1	1	23.43	23.36	23.31	0-1	1.0
CP-OFDM QPSK	1	1	23.19	23.13	23.10	0-1.5	1.5

Table F-51
NR Band n7 Conducted Power - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.35	24.31	24.25	0	0.0
	1	13	24.29	24.25	24.24		0.0
	1	23	24.26	24.21	24.19		0.0
	12	0	23.32	23.27	23.24	0-1	1.0
	12	7	24.23	24.19	24.16	0	0.0
	12	13	23.35	23.31	23.29	0-1	1.0
	25	0	23.31	23.33	23.26		1.0
DFT-s-OFDM 16QAM	1	1	23.43	23.34	23.20	0-1	1.0
CP-OFDM QPSK	1	1	23.13	23.11	23.08	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 33 of 34

F.2.9 NR Band n41

Table F-52
NR Band n41 Conducted Power - 15 MHz Bandwidth

NR Band n41									
15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	24.09	24.01	24.00	23.95	23.84	0	0.0
	1	19	24.29	24.19	24.11	24.12	24.02		0.0
	1	36	24.19	24.20	24.08	24.10	24.07		0.0
	18	0	23.32	23.24	23.14	23.18	23.10	0-1	1.0
	18	10	24.28	24.22	24.18	24.15	24.04	0	0.0
	18	20	23.25	23.22	23.16	23.14	23.07	0-1	1.0
	36	0	23.24	23.25	23.15	23.11	23.05		1.0
DFT-s-OFDM 16QAM	1	1	23.38	23.33	23.27	23.21	23.25	0-1	1.0
CP-OFDM QPSK	1	1	23.14	23.11	23.07	23.05	23.00	0-1.5	1.5

Table F-53
NR Band n41 Conducted Power - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	24.11	24.12	24.02	24.03	24.13	0	0.0
	1	12	24.28	24.18	24.16	24.05	24.11		0.0
	1	22	24.30	24.19	24.13	24.08	24.17		0.0
	12	0	23.38	23.30	23.28	23.18	23.15	0-1	1.0
	12	6	24.35	24.27	24.17	24.13	24.09	0	0.0
	12	12	23.34	23.30	23.29	23.14	23.12	0-1	1.0
	24	0	23.31	23.27	23.31	23.15	23.18		1.0
DFT-s-OFDM 16QAM	1	1	23.48	23.39	23.41	23.25	23.29	0-1	1.0
CP-OFDM QPSK	1	1	23.18	23.15	23.10	23.02	23.02	0-1.5	1.5

FCC ID: BCG-A3337	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 34 of 34